

# Safety Data Sheet Potassium Metabisulfite food grade (E224)

Revision date: 2016/05/12 Page: 1/11
Version: 3.0 (30042359/SDS\_GEN\_US/EN)

#### 1. Identification

### Product identifier used on the label

## Potassium Metabisulfite food grade (E224)

## Recommended use of the chemical and restriction on use

Recommended use\*: inorganic reducing agents; initial product for chemical syntheses; Chemical

## Details of the supplier of the safety data sheet

Company:

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

### **Emergency telephone number**

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

## Other means of identification

Molecular formula: K(2)S(2)O(5)

Synonyms: Dipotassium disulphite; potassium metabisulfite Use: Chemical;

Food additive

## 2. Hazards Identification

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## Classification of the product

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Aquatic Acute 3 Hazardous to the aquatic environment - acute

#### Label elements

Pictogram:

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

## Potassium Metabisulfite food grade (E224)

Revision date : 2016/05/12 Page: 2/11 Version: 3.0 (30042359/SDS\_GEN\_US/EN)



Signal Word: Danger

Hazard Statement:

H318 Causes serious eye damage. H402 Harmful to aquatic life.

Precautionary Statements (Prevention):

P280 Wear eye/face protection.

P273 Avoid release to the environment.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

#### Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Labeling of special preparations (GHS):

Contact with acids liberates toxic gas.

## 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
16731-55-8	75.0 - 100.0%	dipotassium disulphite
7681-57-4	1.0 - < 3.0%	Sodium metabisulfite
10117-38-1	0.1 - 1.5%	Sulfurous acid, dipotassium salt

### 4. First-Aid Measures

## **Description of first aid measures**

#### General advice:

Remove contaminated clothing.

#### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention. After inhalation of decomposition products: Immediately administer a corticosteroid from a controlled/metered dose inhaler.

## Potassium Metabisulfite food grade (E224)

Revision date: 2016/05/12 Page: 3/11 Version: 3.0 (30042359/SDS\_GEN\_US/EN)

#### If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

#### If in eyes:

Flush immediately with water for at least 30 minutes. Hold eyelids open to facilitate rinsing. Seek medical attention.

#### If swallowed:

Rinse mouth and then drink plenty of water. If symptoms persist, seek medical advice.

## Most important symptoms and effects, both acute and delayed

Symptoms: allergic symptoms

Hazards: Risk of sulfur dioxide formation by reaction with gastric acid after swallowing.

## Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

## 5. Fire-Fighting Measures

#### **Extinguishing media**

Suitable extinguishing media:

foam

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

Sulphur dioxide,

The substances/groups of substances mentioned can be released if the product is involved in a fire.

## Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### **Further information:**

Contaminated extinguishing water must be disposed of in accordance with official regulations. In case of fire and/or explosion do not breathe fumes.

#### Impact Sensitivity:

Remarks: Based on the chemical structure there is no shock-sensitivity.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Ensure adequate ventilation. Avoid dust formation. Avoid contact with eyes.

## **Environmental precautions**

# Potassium Metabisulfite food grade (E224)

Revision date: 2016/05/12 Page: 4/11 Version: 3.0 (30042359/SDS\_GEN\_US/EN)

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

## Methods and material for containment and cleaning up

Sweep/shovel up. Correctly dispose of recovered product immediately.

Avoid raising dust.

## 7. Handling and Storage

## Precautions for safe handling

Use only in well-ventilated areas. Avoid dust formation.

Protection against fire and explosion:

The substance/product is non-combustible. No special precautions necessary.

## Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances. Segregate from oxidants.

Do not store with: Sodium nitrate, sodium nitrite, sodium sulfide

Further information on storage conditions: Keep in a cool place. Keep container dry. Keep container in a well-ventilated place.

## 8. Exposure Controls/Personal Protection

## Components with occupational exposure limits

Sodium metabisulfite OSHA PEL TWA value 5 mg/m3 ;

ACGIH TLV TWA value 5 mg/m3;

The substance mentioned develops if the regulation/notes for storage and handling are not observed.

Sulphur dioxide OSHA PEL PEL 5 ppm 13 mg/m3; TWA value 2 ppm 5

mg/m3; STEL value 5 ppm 13 mg/m3;

ACGIH TLV STEL value 0.25 ppm;

#### Advice on system design:

Provide local exhaust ventilation to control dust.

## Personal protective equipment

## Respiratory protection:

Wear a NIOSH-certified acid gas/organic vapour/particulate respirator. Observe OSHA regulations for respirator use (29 CFR 1910.134).

## Hand protection:

Wear chemical resistant protective gloves., Consult with glove manufacturer for testing data.

#### Eve protection:

Tightly fitting safety goggles (chemical goggles).

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

## Potassium Metabisulfite food grade (E224)

Revision date: 2016/05/12 Page: 5/11 Version: 3.0 (30042359/SDS\_GEN\_US/EN)

## General safety and hygiene measures:

Eye wash fountains and safety showers must be easily accessible. Wear protective clothing as necessary to prevent contact. Hands and/or face should be washed before breaks and at the end of the shift. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and Chemical Properties

Form: powder

Odour: faint odour, of sulfur dioxide

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: white pH value: 3.8 - 4.6

( 5 %(m))

decomposition point: approx. 150 °C

Literature data.

Melting point: The substance / product

decomposes therefore not

determined.

Boiling point: not applicable Flash point: not applicable

Flammability: not flammable not self-igniting (other)

Lower explosion limit: For solids not relevant for

classification and labelling.

Upper explosion limit: For solids not relevant for

classification and labelling.

Vapour pressure: not applicable Density: 2.3 g/cm3

(20°C)

Literature data.

Relative density: 2.3

( 20 °C)

Bulk density: 1,100 - 1,300 kg/m3
Partitioning coefficient n- not applicable

octanol/water (log Pow):

Solf-ignition

Self-ignition not self-igniting

temperature:

not self-igniting

Thermal decomposition: > 150 °C

To avoid thermal decomposition, do not overheat.

Viscosity, dynamic: not applicable Solubility in water: 495 g/l (25 °C)

Literature data.

Evaporation rate: The product is a non-volatile solid.

## 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

## Potassium Metabisulfite food grade (E224)

Revision date: 2016/05/12 Page: 6/11 Version: 3.0 (30042359/SDS\_GEN\_US/EN)

## **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

Reacts with nitrites. Reacts with nitrates. Reacts with oxidizing agents.

#### Conditions to avoid

Avoid humidity.

#### Incompatible materials

acids, oxidizing agents, nitrites, nitrates, sulfides

## **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: Sulphur dioxide

Thermal decomposition:

> 150 °C

To avoid thermal decomposition, do not overheat.

## 11. Toxicological information

## Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

## **Acute toxicity**

Assessment of acute toxicity: Of low toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

#### Oral

Type of value: LD50

Species: rat

Value: approx. 2,300 mg/kg (BASF-Test)

## <u>Inhalation</u>

Type of value: LC50 Species: rat (male/female)

Value: > 5.5 mg/l (OECD Guideline 403)

Exposure time: 4 h Tested as dust aerosol.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Dermal

Type of value: LD50 Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 402)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## Potassium Metabisulfite food grade (E224)

Revision date : 2016/05/12 Page: 7/11 Version: 3.0 (30042359/SDS\_GEN\_US/EN)

## Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

#### Irritation / corrosion

Assessment of irritating effects: Risk of serious damage to eyes. Ingestion may cause irritation of the gastrointestinal tract.

#### Skin

Species: rabbit Result: non-irritant Method: BASF-Test

#### Eye

Species: rabbit

Result: Risk of serious damage to eyes.

Method: OECD Guideline 405

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. A sensitizing effect on particularly sensitive individuals cannot be excluded.

#### Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: Non-sensitizing. Method: OECD Guideline 429

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## **Aspiration Hazard**

not applicable

### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: No known chronic effects.

#### Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in a test with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## Carcinogenicity

Assessment of carcinogenicity: In long-term animal studies in which the substance was given in the drinking water in high doses, a carcinogenic effect was not observed.

#### Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### **Teratogenicity**

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

## Potassium Metabisulfite food grade (E224)

Revision date: 2016/05/12 Page: 8/11 Version: 3.0 (30042359/SDS\_GEN\_US/EN)

## Symptoms of Exposure

allergic symptoms

## 12. Ecological Information

## **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms.

## Toxicity to fish

LC50 (96 h) 460 - 1000 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, static) Nominal concentration.

#### Aquatic invertebrates

EC50 (48 h) 89 mg/l, Daphnia magna (Directive 79/831/EEC, static)

Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## Aquatic plants

EC50 (72 h) 43.8 mg/l (growth rate), Scenedesmus subspicatus (Algal growth inhibition test, static) Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Chronic toxicity to fish

No observed effect concentration (34 d) >= 316 mg/l, Brachydanio rerio (OECD Guideline 210, Flow through.)

The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) > 10 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Assessment of terrestrial toxicity

Study does not need to be conducted.

#### Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

OECD Guideline 209 aquatic

activated sludge of a predominantly domestic sewage/No observed effect concentration (180 min): >= 1,000 mg/l

Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## Persistence and degradability

## Assessment biodegradation and elimination (H2O)

Inorganic product which cannot be eliminated from water by biological purification processes. Study scientifically not justified.

## Potassium Metabisulfite food grade (E224)

Revision date : 2016/05/12 Page: 9/11 Version: 3.0 (30042359/SDS\_GEN\_US/EN)

## Assessment of stability in water

According to structural properties, hydrolysis is not expected/probable.

Study scientifically not justified.

## **Bioaccumulative potential**

### Assessment bioaccumulation potential

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

## Mobility in soil

## Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Study scientifically not justified.

Adsorption to solid soil phase is not expected.

Study scientifically not justified.

#### **Additional information**

#### Sum parameter

Chemical oxygen demand (COD): (calculated) approx. 140 mg/g

#### Other ecotoxicological advice:

Higher concentrations of the substance may cause a strong chemical oxygen consumption in biological sewage-treatment plants and/or waterways. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

## 13. Disposal considerations

## Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. Do not discharge into drains/surface waters/groundwater.

## 14. Transport Information

#### Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

# Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

## Potassium Metabisulfite food grade (E224)

Revision date : 2016/05/12 Page: 10/11 Version: 3.0 (30042359/SDS\_GEN\_US/EN)

## 15. Regulatory Information

#### **Federal Regulations**

Registration status:

Chemical TSCA, US released / listed

Food TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Acute;

**NFPA Hazard codes:** 

Health: 3 Fire: 0 Reactivity: 0 Special:

**HMIS III rating** 

Health: 3 Flammability: 0 Physical hazard:1

## Assessment of the hazard classes according to UN GHS criteria (most recent version):

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Acute Tox. 5 (oral) Acute toxicity

Aquatic Acute 3 Hazardous to the aquatic environment - acute

## 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2016/05/12

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY

# Safety Data Sheet Potassium Metabisulfite food grade (E224)

Revision date : 2016/05/12 Page: 11/11
Version: 3.0 (30042359/SDS\_GEN\_US/EN)

UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET