

Bandit Level 3 → Level 4

Objective

Locate the hidden file inside the `inhere` directory and retrieve the password for **Level 4**.

Execution

1. Log in as `bandit3`

After connecting to Level 3, list the files and directories:

```
ls -al
```

You will find a directory named:

```
inhere
```

Purpose:

`ls -al` displays all files and directories, including hidden ones.

```
bandit3@bandit:~$ ls -al
total 24
drwxr-xr-x  3 root root 4096 Jun 24 14:59 .
drwxr-xr-x 150 root root 4096 Jun 24 15:02 ..
-rw-r--r--  1 root root  220 Feb 13  2026 .bash_logout
-rw-r--r--  1 root root 3851 Jun 24 14:50 .bashrc
-rw-r--r--  1 root root  807 Feb 13  2026 .profile
drwxr-xr-x  2 root root 4096 Jun 24 14:59 inhere
bandit3@bandit:~$ |
```

2. Enter the `inhere` directory

Run:

```
cd inhere
```

Purpose:

`cd` is used to move into a different directory.

```
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ |
```

3. Find the hidden file

Inside the directory, run:

ls -al

You should find a hidden file named:

...Hiding-From-You

```
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ ls -al
total 12
drwxr-xr-x 2 root    root    4096 Jun 24 14:59 .
drwxr-xr-x 3 root    root    4096 Jun 24 14:59 ..
-rw-r----- 1 bandit4 bandit3   33 Jun 24 14:59 ...Hiding-From-You
bandit3@bandit:~/inhere$ |
```

4. Read the hidden file

Use:

cat ./...Hiding-From-You

Purpose:

`cat` displays the contents of the file, while `./` specifies that the file is located in the current directory.

The command reveals the password for the next level:

xzTXq1rDJQVVAzdv5cHq1TQytTWufAMq

Password for Level 4

xzTXq1rDJQVVAzdv5cHq1TQytTWufAMq

Then exit from that level.

```
bandit3@bandit:~/inhere$ cat ../../Hiding-From-You  
kzTXq1rDJQVVAzdv5cHq1TQytTWufAMq  
bandit3@bandit:~/inhere$ |
```