

Bandit Level 1 → Level 2

Objective

Retrieve the password required to log in to **Level 2**.

Execution

1. Establish an SSH connection

From Windows CMD, run:

```
ssh bandit1@bandit.labs.overthewire.org -p 2220
```

Enter the **Level 1 password** when prompted.

Purpose:

SSH allows us to access the remote Bandit Level 1 machine securely. Port **2220** is used by the Bandit game.

3. Display the contents of the file

Since `-` has a special meaning in Linux commands, use:

```
cat ./-
```

Purpose:

`./-` tells Linux that `-` is a filename located in the current directory.

The command reveals the password for the next level:

```
PK8fYLZg2hnHSz83pIBL1iEPKdD3QToB
```

Password for Level 2

```
PK8fYLZg2hnHSz83pIBL1iEPKdD3QToB
```

Then exit from that level.

```
--[ Tools ]--

For your convenience we have installed a few useful tools which you can find
in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[ More information ]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!

bandit1@bandit:~$ ls -al
total 24
-rw-r----- 1 bandit2 bandit1 33 Jun 24 14:59 -
drwxr-xr-x 2 root root 4096 Jun 24 14:59 .
drwxr-xr-x 150 root root 4096 Jun 24 15:02 ..
-rw-r--r-- 1 root root 220 Feb 13 2026 .bash_logout
-rw-r--r-- 1 root root 3851 Jun 24 14:50 .bashrc
-rw-r--r-- 1 root root 807 Feb 13 2026 .profile
bandit1@bandit:~$ cat ./-
PK8fYLZg2hnHSz83pIBL1iEPKdD3QToB
bandit1@bandit:~$ |
```