

Item Analysis Report

Cardiovascular Pretest 4

Descriptive Statistics

Number of Candidates:	1	Variance:	0.00
Number of Items:	23	Standard Deviation:	0.00
		Standard Error of Measurement:	NaN
Min Score:	7/23 (30%)	Reliability Measurement:	NaN
Max Score:	7/23 (30%)	Pass Score:	12/23 (50%)
Mean Score:	7/23 (30%)	Pass Rate:	0/1 (0%)

Item Statistics

Item ID	Key	Difficulty	PBIS	Mode Choice	Count	Variance	Option Count			
							1	2	3	4
Item 1	2	0%	N/A	1	1	0.000	1	0	0	0
Item 2	3	0%	N/A	2	1	0.000	0	1	0	0
Item 3	3	100%	N/A	3	1	0.000	0	0	1	0
Item 4	4	100%	N/A	4	1	0.000	0	0	0	1
Item 5	4	0%	N/A	1	1	0.000	1	0	0	0
Item 6	3	0%	N/A	2	1	0.000	0	1	0	0
Item 7	1	0%	N/A	3	1	0.000	0	0	1	0
Item 8	1	100%	N/A	1	1	0.000	1	0	0	0
Item 9	1	0%	N/A	2	1	0.000	0	1	0	0
Item 10	2	0%	N/A	3	1	0.000	0	0	1	0
Item 11	3	0%	N/A	1	1	0.000	1	0	0	0
Item 12	2	100%	N/A	2	1	0.000	0	1	0	0
Item 13	3	100%	N/A	3	1	0.000	0	0	1	0
Item 14	2	0%	N/A	1	1	0.000	1	0	0	0
Item 15	3	0%	N/A	2	1	0.000	0	1	0	0
Item 16	2	0%	N/A	3	1	0.000	0	0	1	0
Item 17	2	0%	N/A	1	1	0.000	1	0	0	0
Item 18	1	0%	N/A	2	1	0.000	0	1	0	0
Item 19	2	0%	N/A	3	1	0.000	0	0	1	0
Item 20	1	100%	N/A	1	1	0.000	1	0	0	0
Item 21	2	100%	N/A	2	1	0.000	0	1	0	0
Item 22	2	0%	N/A	1	1	0.000	1	0	0	0
Item 23	1	0%	N/A	2	1	0.000	0	1	0	0