

Lecture 3: 3D scene overview

DHBW, Computer Graphics

Lovro Bosnar

1.2.2023.


Syllabus

- 3D scene
 - Rendering
 - Image
-
- The diagram illustrates the structure of the syllabus. It starts with a list of three main topics: '3D scene', 'Rendering', and 'Image'. A blue rectangular box encloses the first topic. An arrow points from this box to a larger, rounded rectangular box on the right. This second box contains a detailed breakdown of the '3D scene' topic, listing 'Objects', 'Lights', and 'Cameras' as sub-components, each with its own bullet point.
- 3D scene
 - Objects
 - Shape representation
 - Material
 - Lights
 - Cameras

3D scene in big picture

Cornerstones of image generation:

- **3D scene modeling**
 - Representing 3D objects, lights and cameras
 - Animation and interaction
- Rendering
 - Creating 2D images from 3D scenes
- Raster image
 - Displaying 2D images
 - Post-processing



3D scene modeling for image synthesis

- Image synthesis: rendering a 3D scene
 - Analogy: taking real world photograph/video
- Elements:
 - **Camera** placed somewhere in space
 - Space contains **objects** with various shapes and materials
 - **Light source** emits light in space



3D scene modeling questions

How do we represent scene elements in a computer?

- Intuitive for user?
- Efficient for rendering?

How we create/acquire/manipulate scene elements?

- Objects? Lights? Cameras?
- How to use scene elements to create real-world phenomena and objects?
- How do we manipulate 3D models?


Objects

Objects: intuition


- Depending on application, we would like our 3D scene to contain various objects
- How do we even start with this?




Architecture, Revit: <https://www.autodesk.com/products/revit>



Production examples at dreamworks, OpenVDB: <https://www.openvdb.org/>



Brady Johnston, Visualising viruses:
https://www.youtube.com/watch?v=adhTmwYw0iA&ab_channel=Blender



Autodesk Fusion 360:
<https://www.autodesk.com/products/fusion-360/overview>

Objects: shape and material

Decouple real-world phenomena, for 3D modeling and rendering, into:

- **Shape: geometry**
 - **Modeling**: object size, form, relative position and proportion to other objects
 - **Rendering**: visibility problem
- **Appearance: material**
 - **Modeling**: achieving desired object appearance
 - **Rendering**: light-surface interaction → shading



Objects: shape representation

Object shape representations




- Points
 - Point clouds
 - Particle systems
 - Curves
 - Surfaces:
 - Polygonal mesh
 - Subdivision surfaces
 - Parametric surfaces
 - Implicit surfaces
 - Volumetric objects/solids
 - Voxels
 - Space partitioning data-structures
-
- Just link some popular engines:
 - <https://rmanwiki.pixar.com/display/REN24/Geometry>

Take pixar
frame and
show
shape
representa
tions
OR
Use
Arnold
page for
showing
what is
used




Shape representation 1: triangles

- Simplest way to define surface is using co-planar polygons with three points: **triangles**
 - Widely used surface **shape representation primitive** - especially in rasterization-based rendering engines, e.g. Unity
 - **Approximation primitive**: very well approximating various objects, e.g., curved surfaces
 - Very **simple**, great properties for **easy calculation**, often used for **efficient rendering** purposes
 - Not intuitive for modeling, thus different shape representations are introduced




Shape representation 1: triangles

- Different shape representations can be turned to triangles before/during rendering - **tessellation**, that is, **triangulation**
 - **Triangulation:** converting shape to triangles
 - **Tessellation:** converting shape to polygons (of any sort)
- Any object can be represented using triangles
 - Higher quality approximation of curved surfaces requires more smaller triangles better fitting surface
 - Amount of details increase realistic representation but also complexity of rendering. Computer graphics often deals with trade-off between visual quality and speed*.




https://www.youtube.com/watch?v=x4RZRs3PD4Q&ab_channel=Udacity



* Finding good tradeoff between visual quality and object complexity is big research field in computer graphics. Note also that distance of viewing plays important role in amount of detail that it has to be represented.


Shape representation 2: quad mesh

- Polygons with four vertices, not necessary co-planar
- Often provided by professional 3D modeling tools
- Often used for modeling (especially hard-surface modeling)



Blender mesh:


<https://docs.blender.org/manual/en/latest/modeling/meshes/index.html>




<https://geometryfactory.com/products/igm-quad-meshing/>

Shape representation 3: Parametric curves


- Useful for modeling large number of thin strands
 - Fur, hair, etc.
- Arbitrary, smooth curve shape is determined by control points and parametric equation.
- Methods: Linear, Bezier curve, B-Spline, Catmull-Rom




B-Spline



Bezier



Catmull-Rom



Linear



<https://rmanwiki.pixar.com/display/REN24/Curves>


Shape representation 4: parametric surfaces

- Simple shapes can be described mathematically using parametric equations, e.g., spheres, disks, planes
- Equation of sphere with origin C (c_x, c_y, c_z) and radius r :
 - $(x - c_x)^2 + (y - c_y)^2 + (z - c_z)^2 = r^2$
- Arbitrary point on sphere is computed using parametric equations:

$$x = (r \cdot \cos \phi) \cdot \cos \theta$$

$$y = (r \cdot \cos \phi) \cdot \sin \theta$$


$$z = r \cdot \sin \phi$$



More on spheres in OpenGL:
http://www.songho.ca/opengl/gl_sphere.html


Shape representation 4: parametric surfaces

- More complex surfaces are represented by **points** which define a **control mesh** from which perfect curved surface can be generated using **parametric description**.
 - Note that this kind of representation is much more compact than polygonal mesh.
- Approaches: Bezier patches, B-Spline surfaces, NURBS, etc.
 - Often used in CAD software, e.g., design of objects for manufacturing
- This representation can not be rendered directly. **Tessellation** must be performed prior rendering.



NURBS surface Blender:


<https://docs.blender.org/manual/en/latest/modeling/surfaces/index.html>




FreeCAD: <https://www.freecadweb.org/features.php>

Shape representation 5: subdivision surfaces

- Paradigm for defining smooth and continuous surfaces from meshes
- Provides infinite level of detail: as many triangles as needed can be generated. Steps:
 - Process starts with polygonal mesh called **control mesh** (or control cage)
 - First, **refinement phase**, creates new vertices and reconnects to create new smaller polygons
 - Second, **smoothing phase**, computes new positions for some or all vertices in the mesh
- Different subdivision schemes exist depending on methods used in refinement phase and smoothing phase.
Approaches:
 - Loop's method, Catmull-Clark subdivision, etc.




Shape representation 5: subdivision surfaces



Meshlab loop subdivision:

https://pymeshlab.readthedocs.io/en/latest/filter_list.html#meshing_surface_subdivision_loop





<https://github.com/cnr-isti-vclab/meshlab>



Libigl subdivision: <https://libigl.github.io/tutorial/> (original, upsample, loop and barycentric).

Shape representation 6: voxels

- **Voxel:** represents volume of space, e.g., cube in 3D uniform regular grid (index of the grid determines voxel location)
- Used for representing **volumetric data** (not only surface as in e.g., polygonal mesh)
 - Example: fluid (smoke or liquid) simulation requires computation on grid of cells – voxels
- Each voxel can contain various information:
 - Density or opacity information, e.g., medical applications, CT acquisition
 - One bit representing if its center is inside or outside surface, e.g., scanning or modeling



Getting started with voxels:
<https://sites.google.com/site/letsmakeavoxelengine/home/water>

<https://github.com/rbguy/GridFluidSim3D>

Voxels in medicine: <https://www.voxel-man.com/3d-navigators/downloads/>
<http://ablesw.com/3d-doctor/volume.html>

Shape representation 6: voxels




Voxel-based modeling: <https://ephtracy.github.io/>



Smoke simulation in Blender:
<https://docs.blender.org/manual/en/3.4/physics/fluid/index.html>
https://www.youtube.com/watch?v=zylJQHfFQs0&ab_channel=Polyfjord

- **Rendering:** ray-tracing or converting to polygons using marching cubes algorithm.
- Large voxel grids are **memory expensive**.
 - Often, not all voxels in grid are needed and thus memory lighter sparse-voxel representations, e.g., sparse voxel octrees are used:
<https://www.nvidia.com/docs/IO/88972/nvr-2010-001.pdf>

Shape representation 6: voxels




Shape representation: surface and volume

- Shape representation can be used to describe:
 - **Surfaces**, e.g., mesh or parametric surfaces
 - **Volumes**, e.g., voxels





Example: for opaque objects, we don't care about object interior (approximated with material model)

Example: for smoke or other participating media, information inside object is important (e.g., density of smoke)




Volume rendering:
https://help.maxon.net/c4d/s26/en-us/Content/_REDSHIFT_/html/Volume+Rendering.html



Production examples at dreamworks, OpenVDB:
https://artifacts.aswf.io/io/aswf/openvdb/openvdb_production_2015/1.0.0/openvdb_production_2015-1.0.0.pdf

Shape representation 7: implicit

- Point on surface is described with **implicit – signed distance – function (SDF)**: $f(x, y, z) = f(p) = 0$
 - Point is on surface if $f(p) = 0$. If $f(p) < 0$ then p inside, otherwise p is outside
- **Simple shapes** can be defined using SDFs: cubes, spheres, etc.
 - Example: sphere centered at origin with radius r : $f(p) = \|p\| - r$





Implicit shape representations:

<https://iquilezles.org/articles/distfunctions/>

https://www.youtube.com/watch?v=62-pRVZuS5c&ab_channel=InigoQuilez



Shape representation 7: implicit

- Modeling with SDFs is done using **constructive solid geometry** operations: addition, subtraction, etc.
- Rendering
 - Converted to triangulated mesh using marching cubes algorithm
 - Ray-tracing (simple ray-implicit shape tests)
- Often used in engineering and CAD modeling environments



https://wiki.freecadweb.org/Constructive_solid_geometry

Shape representation 7: implicit



Good for representing organic objects (metaballs):

<https://rmanwiki.pixar.com/display/REN24/Implicit+Surfaces>

<https://docs.blender.org/manual/en/latest/modeling/metaballs/introduction.html>





Implicit representation for modeling and rendering:

<https://www.gdcvault.com/play/1025316/Advanced-Graphics-Techniques-Tutorial-GPU>

Shape representation 8: fractals

- Irregular geometrical shapes with symmetrical property
 - Complex, natural phenomena such as clouds, mountains, trees, vegetation, galaxies can be represented using fractals
- Generative art: <http://blog.hvidtfeldts.net/>



I-Systems: grammar for complex shapes generation using iterations:

<https://www.sidefx.com/docs/houdini/nodes/sop/lsystem.html>


https://www.youtube.com/watch?v=0vE8GiXhOWM&t=1248s&ab_channel=Houdini

https://www.jonathanrpace.com/project_trees.html



Mandelbrot: <https://www.mandelbulb.com/>

<https://www.geeks3d.com/20091116/exploration-of-the-real-3d-mandelbrot-fractal/>

Shape representation 9: Points



Scanned real-world objects can be stored as **point clouds**



Unified physics for real-time applications using points:
https://mmacklin.com/uppfra_preprint.pdf


Shape representation 9: Points

- Point clouds rendering:
 - **Splat** – shape with radius
 - **Surfels** – point based surface element*
 - Conversion to mesh



Points and implicit surfaces:

https://www.youtube.com/watch?v=u9KNtnCZDMI&ab_channel=MediaMolecule




Qsplat: <http://graphics.stanford.edu/software/qsplat/>

* Surfels:

<https://vcg.seas.harvard.edu/publications/surfels-surface-elements-as-rendering-primitives>

Shape representation 10: particle systems

- Collection of small objects that are set into motion using some algorithm.
 - Often, **billboards** – image that are always oriented towards camera is used as particle particles
- Applications: simulation of fire, smoke, water, FX, etc.



<https://docs.unity3d.com/ScriptReference/ParticleSystem.html>




https://developer.valvesoftware.com/wiki/Particle_System_Overview

Various shape representations?

- User (modeling) point of view: shape representations must be intuitive and flexible to use and cover different applications
 - Acquisition, modeling, animation, texturing, analysis, etc.
- Rendering point of view: efficient visibility calculation

Various shape representations?

- Acquisition:
 - Photogrammetry (reconstructing from photographs)
 - Point clouds, meshes
 - Scanning: CT, MRI, Kinect



Photogrammetry: given object images, point cloud and mesh are constructed: <https://sketchfab.com/blogs/community/tutorial-meshroom-for-beginners>

Various shape representations?

- Modeling: Sculpting
 - Mesh, voxels, implicit representations




Jasmine, Zbrush,
<http://pixologic.com/zbrush/gallery/?year=2018>



Blender, <https://www.blender.org/features/sculpting/>

Various shape representations?

- Modeling: hard-surface modeling
 - Quad mesh




Hard surface modeling:

<https://www.sidefx.com/tutorials/houdini-modelling-tutorial-175-houdini-hard-surface-modelling-tutorial/>

Hard surface modeling: https://www.youtube.com/watch?v=1qVbGr_ie30&ab_channel=JoshGambrell

Various shape representations?

- Modeling: curved surfaces
 - Parametric surfaces




Renderman NURBS: <https://rmanwiki.pixar.com/display/REN24/NURBS>

Various shape representations?

Animation: manual

- Meshes, parametric surfaces




<https://www.blender.org/features/animation/>


Various shape representations?

Animation: procedural, simulation

- Voxels, points



Houdini,
<https://www.sidefx.com/tutorials/h19-vellum-fluids-starter-pack/>



OpenVDB,
https://people.csail.mit.edu/kuiwu/gvdb_sim.html


3D models: various representations?

- **Rendering**: efficient visibility solving
 - Triangles, implicit surfaces




Various shape representations?

- Analysis and processing
 - Meshes




Libigl: principled curvature directions vectors (<https://libigl.github.io/>)



Libigl: Gaussian curvature visualization using pseudocolor (<https://libigl.github.io/>)

Various shape representations?

- **Texturing:** parameterization
 - Mesh, parametric surfaces, implicit surfaces



Mesh representations require surface parametrization for texture application. CGAL: Least Squares Conformal Maps (<https://www.cgal.org/>)

Objects: material





Objects: material

- **Modeling:** achieving desired appearance
 - Color, reflectivity
 - Surface patterns
- **Rendering:** crucial **shading** information; light-surface interaction
 - Scattering function
 - **Texture:** variation of scattering function properties



Scattering function: <https://appleseedhq.net/gallery.html>



Texture: <https://polyhaven.com/textures>

Lights





<https://discover.therookies.co/2018/06/24/learn-how-to-light-and-render-like-a-pixar-artist/>

Lights: non-physical lights


Directional lights:

- Direction
- Intensity
- Color



Point lights:

- Position
- Intensity
- Color



Lights: physical lights

- Position, shape, size, intensity, color



Area light size determines softness of shadows (left: small area light, right: large area light)
https://www.pbr-book.org/3ed-2018/Light_Sources/Area_Lights

Lights: environment light

Real-time rendering details

- Besides local or directional lights, scene can be illuminated from all directions by environment illumination.
- Real-world image can be acquired and wrapped around 3D scene → environment mapping.



<https://polyhaven.com/hdris>

Cameras



Camera model determines portion of visible scene and simulates real-world camera effects:
depth of field, bokeh, motion blur, etc. <https://rmanwiki.pixar.com/display/REN24/Cameras>

Cameras

- Pinhole camera model
 - Focal length
 - Film size
- Portion and amount of visible scene
- Advanced:
 - Lenses: depth of field
 - Shutter speed: motion blur



Literature

- <https://github.com/lorentzo/IntroductionToComputerGraphics>