

StardewGPT 快速上手指南

1. 安装 SMAPI

请先保证您安装了 [SMAPI](#)。详细的 SMAPI 安装流程请参见其官方网站。

2. 下载 StardewGPT

访问以下任一网站下载最新版 StardewGPT:

- **Nexus Mods:** [StardewGPT on Nexus](#)
- **GitHub:** [StardewGPT Releases](#)

3. 安装 Mod

下载完成后，请将 StardewGPT 压缩包解压后拖入 SMAPI 的 Mods 文件夹。

具体的 Mods 文件夹路径取决于您安装 SMAPI 时指定的路径。若您使用 Steam，常见默认 Mods 文件夹路径：

- **Windows:** `C:\Program Files`
`(x86)\Steam\steamapps\common\Stardew Valley\Mods`
- **macOS:** `~/Library/Application`
`Support/Steam/steamapps/common/Stardew`
`Valley/Contents/MacOS/Mods`

- **Linux:** `~/.local/share/Steam/steamapps/common/Stardew Valley/Mods`

4. 配置 Cloudflare Workers AI

4.1 打开配置文件

请您打开 StardewGPT 文件夹中的 `config.json`，应该看到这样的内容：

```
{
  "CloudflareAccountId": "YOUR_CLOUDFLARE_ACCOUNT_ID",
  "ApiKey": "YOUR_CLOUDFLARE_API_TOKEN",
  ...
}
```


我们接下来将配置这个 `CloudflareAccountId` 和 `ApiKey`。


4.2 注册/登录 Cloudflare

请前往 dash.cloudflare.com 登录或注册一个您的 Cloudflare 账号。

4.3 获取 Account ID

注册并且登录成功后，前往 [Workers and Pages](#) 获取您的 Account ID。






一般位于页面右下角（参见 `account_id.png`）。复制后粘贴到 `config.json` 的 `CloudflareAccountId`。请注意要保留双引号。


4.4 创建 API Token

前往 [API Tokens](#) 创建一个密钥。请按照如下步骤（此处使用英文页面演示）：

1. 点击 "Create Token" 开始创建密钥



2. 寻找 "Workers AI", 使用这个模板



Create Custom Token

Get started

API token templates

Get started with a few pre-configured permissions.

Edit zone DNS	Use template
Read billing info	Use template
Read analytics and logs	Use template
Edit Cloudflare Workers	Use template
Workers AI	Use template
Edit load balancing configuration	Use template

3. 仅仅在此选择您的账号，其他内容切勿修改

User API Tokens

[← Back to view all tokens](#)

Create Token

Token name: Workers AI [✎](#)

Permissions

Select edit or read permissions to apply to your accounts or websites for this token.

Account	Workers AI	Read	×
Account	Workers AI	Edit	×

[+ Add more](#)

Account Resources

Select accounts to include or exclude.

Include

Select...

[+ Add more](#)

All accounts

Client IP Address Filtering

Select IP addresses or ranges of IP addresses to filter. This filter limits the client IP addresses that can use the API token with Cloudflare. By default, this token will apply to all addresses.

Operator	Value
Select	e.g. 192.168.1.88


[+ Add more](#)

TTL


Define how long this token will stay active.

Start Date → End Date

4. 确认此处有Workers AI权限



5. 进入下一步后，一定立刻复制该密钥粘贴到 `config.json` 的 `ApiKey`，关闭该页面后您将无法再次看到这个密钥



5. 开始使用

大功告成！进入游戏后按 `K` 即可使用！