

Supervised and Self-Supervised Learning on Food-251

Anonymous Author(s)

Affiliation, Address

anon.email@example.org

Abstract

The abstract paragraph should be indented ½ inch (3 picas) on both the left- and right-hand margins. Use 10 point type, with a vertical spacing (leading) of 11 points. The word **Abstract** must be centered, bold, and in point size 12. Two line spaces precede the abstract. The abstract must be limited to one paragraph.

5 1 Submission of papers to NeurIPS 2026

6 Please read the instructions below carefully and follow them faithfully.

7 1.1 Style

8 Papers to be submitted to NeurIPS 2026 must be prepared according to the instructions presented
9 here. Papers may only be up to **nine** pages long, including figures. **Papers that exceed the page**
10 **limit will not be reviewed (or in any other way considered) for presentation at the conference.**
11 Additional pages *containing acknowledgments, references, checklist, and optional technical appen-*
12 *dices* do not count as content pages.

13 The margins in 2026 are the same as those in previous years.

14 Authors are required to use the NeurIPS L^AT_EX style files obtainable at the NeurIPS website as
15 indicated below. Please make sure you use the current files and not previous versions. Tweaking the
16 style files may be grounds for desk rejection.

17 1.2 Retrieval of style files

18 The style files for NeurIPS and other conference information are available on the website at

19 <http://www.neurips.cc/>

The only supported style file for NeurIPS 2026 is neurips_2026.sty, rewritten for L^AT_EX 2_ε.
Previous style files for L^AT_EX 2.09, Microsoft Word, and RTF are no longer supported.

22 The L^AT_EX style file contains three optional arguments:

- `final`, which creates a camera-ready copy,
- `preprint`, which creates a preprint for submission to, e.g., arXiv,
- `nonatbib`, which will not load the `natbib` package for you in case of package clash.

Preprint option If you wish to post a preprint of your work online, e.g., on arXiv, using the NeurIPS style, please use the preprint option. This will create a nonanonymized version of your work with the text “Preprint. Work in progress.” in the footer. This version may be distributed as you see fit, as

29 long as you do not say which conference it was submitted to. Please **do not** use the `final` option,
30 which should **only** be used for papers accepted to NeurIPS.

31 At submission time, please omit the `final` and `preprint` options. This will anonymize your submission
32 and add line numbers to aid review. Please do *not* refer to these line numbers in your paper as
33 they will be removed during generation of camera-ready copies.

34 The file `neurips_2026.tex` may be used as a “shell” for writing your paper. All you have to do is
35 replace the author, title, abstract, and text of the paper with your own.

36 The formatting instructions contained in these style files are summarized in Sections 2, 3, and 4
37 below.

38 **2 General formatting instructions**

39 The text must be confined within a rectangle 5.5 inches (33 picas) wide and 9 inches (54 picas) long.
40 The left margin is 1.5 inch (9 picas). Use 10 point type with a vertical spacing (leading) of 11 points.
41 Times New Roman is the preferred typeface throughout, and will be selected for you by default.
42 Paragraphs are separated by ½ line space (5.5 points), with no indentation.

43 The paper title should be 17 point, initial caps/lower case, bold, centered between two horizontal
44 rules. The top rule should be 4 points thick and the bottom rule should be 1 point thick. Allow ¼ inch
45 space above and below the title to rules. All pages should start at 1 inch (6 picas) from the top of
46 the page.

47 For the final version, authors’ names are set in boldface, and each name is centered above the
48 corresponding address. The lead author’s name is to be listed first (left-most), and the co-authors’
49 names (if different address) are set to follow. If there is only one co-author, list both author and co-
50 author side by side.

51 Please pay special attention to the instructions in Section 4 regarding figures, tables, acknowledg-
52 ments, and references.

53 **3 Headings: first level**

54 All headings should be lower case (except for first word and proper nouns), flush left, and bold.

55 First-level headings should be in 12-point type.

56 **3.1 Headings: second level**

57 Second-level headings should be in 10-point type.

58 **3.1.1 Headings: third level**

59 Third-level headings should be in 10-point type.


60 **Paragraphs** There is also a `\paragraph` command available, which sets the heading in bold, flush
61 left, and inline with the text, with the heading followed by 1em of space.

62 **4 Citations, figures, tables, references**

63 These instructions apply to everyone.

64 **4.1 Citations within the text**

65 The `natbib` package will be loaded for you by default. Citations may be author/year or numeric, as
66 long as you maintain internal consistency. As to the format of the references themselves, any style is
67 acceptable as long as it is used consistently.



68 Figure 1: Sample figure caption. Explain what the figure shows and add a key take-away message to
69 the caption.

70 The documentation for natbib may be found at

71 <http://mirrors.ctan.org/macros/latex/contrib/natbib/natnotes.pdf>

72 Of note is the command `\citet`, which produces citations appropriate for use in inline text. For
73 example,

74 `\citet{hasselmo}` investigated\dots

75 produces

76 Hasselmo, et al. (1995) investigateddots

77 If you wish to load the natbib package with options, you may add the following before loading the
78 neurips_2026 package:

79 `\PassOptionsToPackage{options}{natbib}`

80 If natbib clashes with another package you load, you can add the optional argument nonatbib when
81 loading the style file:

82 `\usepackage[nonatbib]{neurips_2026}`

83 As submission is double blind, refer to your own published work in the third person. That is, use “In
84 the previous work of Jones et al. [4],” not “In our previous work [4].” If you cite your other papers
85 that are not widely available (e.g., a journal paper under review), use anonymous author names in the
86 citation, e.g., an author of the form “A. Anonymous” and include a copy of the anonymized paper in
87 the supplementary material.

88 4.2 Footnotes

89 Footnotes should be used sparingly. If you do require a footnote, indicate footnotes with a number¹
90 in the text. Place the footnotes at the bottom of the page on which they appear. Precede the footnote
91 with a horizontal rule of 2 inches (12 picas).

92 Note that footnotes are properly typeset *after* punctuation marks.²

93 4.3 Figures

94 All artwork must be neat, clean, and legible. Lines should be dark enough for purposes of reproduc-
95 tion. The figure number and caption always appear after the figure. Place one line space before the

¹Sample of the first footnote.

²As in this example.

96 Table 1: Sample table caption. Explain what the table shows and add a key take-away message to the
97 caption.

98	Part		
99	Name	Description	Size (μm)
100	Dendrite	Input terminal	~ 100
101	Axon	Output terminal	~ 10
102	Soma	Cell body	up to 10^6

103 figure caption and one line space after the figure. The figure caption should be lower case (except for
104 first word and proper nouns); figures are numbered consecutively.

105 You may use color figures. However, it is best for the figure captions and the paper body to be legible
106 if the paper is printed in either black/white or in color.

107 4.4 Tables

108 All tables must be centered, neat, clean and legible. The table number and title always appear before
109 the table. See Table 1.

110 Place one line space before the table title, one line space after the table title, and one line space
111 after the table. The table title must be lower case (except for first word and proper nouns); tables are
112 numbered consecutively.

113 Note that publication-quality tables *do not contain vertical rules*. We strongly suggest the use of the
114 booktabs package, which allows for typesetting high-quality, professional tables:

115 <https://www.ctan.org/pkg/booktabs>

116 This package was used to typeset Table 1.

117 4.5 Math

118 Note that display math in bare TeX commands will not create correct line numbers for
119 submission. Please use LaTeX (or AMSTeX) commands for unnumbered display math. (You
120 really shouldn't be using \$\$ anyway; see [https://tex.stackexchange.com/questions/503/](https://tex.stackexchange.com/questions/503/why-is-preferable-to)
121 [why-is-preferable-to](https://tex.stackexchange.com/questions/503/why-is-preferable-to) and [https://tex.stackexchange.com/questions/40492/what-are-](https://tex.stackexchange.com/questions/40492/what-are-the-differences-between-align-equation-and-displaymath)
122 [the-differences-between-align-equation-and-displaymath](https://tex.stackexchange.com/questions/40492/what-are-the-differences-between-align-equation-and-displaymath) for more information.)

123 4.6 Final instructions

124 Do not change any aspects of the formatting parameters in the style files. In particular, do not modify
125 the width or length of the rectangle the text should fit into, and do not change font sizes (except
126 perhaps in the **References** section; see below). Please note that pages should be numbered.

127 5 Preparing PDF files

128 Please prepare submission files with paper size “US Letter,” and not, for example, “A4.”

129 Fonts were the main cause of problems in the past years. Your PDF file must only contain Type 1 or
130 Embedded TrueType fonts. Here are a few instructions to achieve this.

- 131 • You should directly generate PDF files using `pdflatex`.
- 132 • You can check which fonts a PDF files uses. In Acrobat Reader, select the menu Files>
133 Document Properties>Fonts and select Show All Fonts. You can also use the program
134 `pdf fonts` which comes with `xpdf` and is available out-of-the-box on most Linux machines.
- 135 • `xfig` “patterned” shapes are implemented with bitmap fonts. Use “solid” shapes instead.

136 • The `\bbold` package almost always uses bitmap fonts. You should use the equivalent AMS
137 Fonts:

138 `\usepackage{amsfonts}`

139 followed by, e.g., `\mathbb{R}`, `\mathbb{N}`, or `\mathbb{C}` for $\mathbb{R}$, $\mathbb{N}$ or $\mathbb{C}$. You can also use
140 the following workaround for reals, natural and complex:

141 `\newcommand{\RR}{\mathbb{R}}` %real numbers
142 `\newcommand{\Nat}{\mathbb{N}}` %natural numbers
143 `\newcommand{\CC}{\mathbb{C}}` %complex numbers

144 Note that `amsfonts` is automatically loaded by the `amssymb` package.

145 If your file contains Type 3 fonts or non embedded TrueType fonts, we will ask you to fix it.

146 5.1 Margins in $\LaTeX$

147 Most of the margin problems come from figures positioned by hand using `\special` or other
148 commands. We suggest using the command `\includegraphics` from the `graphicx` package. Always
149 specify the figure width as a multiple of the line width as in the example below:

150 `\usepackage[pdftex]{graphicx} ...`
151 `\includegraphics[width=0.8\linewidth]{myfile.pdf}`

152 See Section 4.4 in the graphics bundle documentation ([http://mirrors.ctan.org/macros/latex/](http://mirrors.ctan.org/macros/latex/required/graphics/grfguide.pdf)
153 [required/graphics/grfguide.pdf](http://mirrors.ctan.org/macros/latex/required/graphics/grfguide.pdf))

154 A number of width problems arise when $\LaTeX$ cannot properly hyphenate a line. please give $\LaTeX$
155 hyphenation hints using the `\-` command when necessary.

156 References

157 References follow the acknowledgments in the camera-ready paper. Use unnumbered first-level
158 heading for the references. Any choice of citation style is acceptable as long as you are consistent.
159 It is permissible to reduce the font size to `small` (9 point) when listing the references. Note that the
160 Reference section does not count towards the page limit.

- 161 [1] P. Kaur, K. Sikka, W. Wang, S. Belongie, and A. Divakaran, “FoodX-251: A Dataset for Fine-grained
162 Food Classification,” *arXiv preprint arXiv:1907.06167*, 2019, [Online]. Available: [https://arxiv.org/abs/](https://arxiv.org/abs/1907.06167)
163 [1907.06167](https://arxiv.org/abs/1907.06167)
- 164 [2] D. Qin *et al.*, “MobileNetV4 - Universal Models for the Mobile Ecosystem,” *arXiv preprint*
165 *arXiv:2404.10518*, 2024, [Online]. Available: <https://arxiv.org/abs/2404.10518>
- 166 [3] S. Woo *et al.*, “ConvNeXt V2: Co-designing and Scaling ConvNets with Masked Autoencoders,” in
167 *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2023, pp. 16133–
168 16142. [Online]. Available: <https://arxiv.org/abs/2301.00808>
- 169 [4] P. K. A. Vasu, J. Gabriel, J. Zhu, O. Tuzel, and A. Ranjan, “MobileOne: An Improved One millisecond
170 Mobile Backbone,” in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recog-*
171 *niton*, 2022, pp. 7907–7917. [Online]. Available: <https://arxiv.org/abs/2206.04040>
- 172 [5] T. Chen, S. Kornblith, M. Norouzi, and G. Hinton, “A Simple Framework for Contrastive Learning of Visual
173 Representations,” in *Proceedings of the 37th International Conference on Machine Learning*, 2020, pp.
174 1597–1607. [Online]. Available: <https://arxiv.org/abs/2002.05709>
- 175 [6] J.-B. Grill *et al.*, “Bootstrap Your Own Latent - A New Approach to Self-Supervised Learning,” in *Advances*
176 *in Neural Information Processing Systems*, 2020, pp. 21271–21284. [Online]. Available: [https://arxiv.org/](https://arxiv.org/abs/2006.07733)
177 [abs/2006.07733](https://arxiv.org/abs/2006.07733)
- 178 [7] J. Zbontar, L. Jing, I. Misra, Y. LeCun, and S. Deny, “Barlow Twins: Self-Supervised Learning via Redun-
179 dancy Reduction,” in *Proceedings of the 38th International Conference on Machine Learning*, 2021, pp.
180 12310–12320. [Online]. Available: <https://arxiv.org/abs/2103.03230>

181 [8] E. D. Cubuk, B. Zoph, J. Shlens, and Q. V. Le, “RandAugment: Practical automated data augmentation
182 with a reduced search space,” in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern
183 Recognition Workshops*, 2020, pp. 702–703. [Online]. Available: <https://arxiv.org/abs/1909.13719>

184 **A Technical appendices and supplementary material**

185 Technical appendices with additional results, figures, graphs, and proofs may be submitted with the
186 paper submission before the full submission deadline (see above). You can upload a ZIP file for
187 videos or code, but do not upload a separate PDF file for the appendix. There is no page limit for the
188 technical appendices.

189 Note: Think of the appendix as “optional reading” for reviewers. The paper must be able to stand
190 alone without the appendix; for example, adding critical experiments that support the main claims
191 to an appendix is inappropriate.

NeurIPS Paper Checklist

The checklist is designed to encourage best practices for responsible machine learning research, addressing issues of reproducibility, transparency, research ethics, and societal impact. Do not remove the checklist: **The papers not including the checklist will be desk rejected.** The checklist should follow the references and follow the (optional) supplemental material. The checklist does NOT count towards the page limit.

Please read the checklist guidelines carefully for information on how to answer these questions. For each question in the checklist:

- You should answer [Yes], [No], or [NA].
- [NA] means either that the question is Not Applicable for that particular paper or the relevant information is Not Available.
- Please provide a short (1–2 sentence) justification right after your answer (even for NA).

The checklist answers are an integral part of your paper submission. They are visible to the reviewers, area chairs, senior area chairs, and ethics reviewers. You will also be asked to include it (after eventual revisions) with the final version of your paper, and its final version will be published with the paper.

The reviewers of your paper will be asked to use the checklist as one of the factors in their evaluation. While “[Yes]” is generally preferable to “[No]”, it is perfectly acceptable to answer “[No]” provided a proper justification is given (e.g., “error bars are not reported because it would be too computationally expensive” or “we were unable to find the license for the dataset we used”). In general, answering “[No]” or “[NA]” is not grounds for rejection. While the questions are phrased in a binary way, we acknowledge that the true answer is often more nuanced, so please just use your best judgment and write a justification to elaborate. All supporting evidence can appear either in the main paper or the supplemental material, provided in appendix. If you answer [Yes] to a question, in the justification please point to the section(s) where related material for the question can be found.

IMPORTANT, please:

- **Delete this instruction block, but keep the section heading “NeurIPS Paper Checklist”.**
- **Keep the checklist subsection headings, questions/answers and guidelines below.**
- **Do not modify the questions and only use the provided macros for your answers.**

1. Claims

Question: Do the main claims made in the abstract and introduction accurately reflect the paper’s contributions and scope?

Answer: [TODO]

Justification: [TODO]

Guidelines:

- The answer NA means that the abstract and introduction do not include the claims made in the paper.
- The abstract and/or introduction should clearly state the claims made, including the contributions made in the paper and important assumptions and limitations. A No or NA answer to this question will not be perceived well by the reviewers.
- The claims made should match theoretical and experimental results, and reflect how much the results can be expected to generalize to other settings.
- It is fine to include aspirational goals as motivation as long as it is clear that these goals are not attained by the paper.

2. Limitations

237 Question: Does the paper discuss the limitations of the work performed by the authors?

238 Answer: **[TODO]**

239 Justification: **[TODO]**

240 Guidelines:

- 241 • The answer NA means that the paper has no limitation while the answer No means that the
242 paper has limitations, but those are not discussed in the paper.
- 243 • The authors are encouraged to create a separate “Limitations” section in their paper.
- 244 • The paper should point out any strong assumptions and how robust the results are to
245 violations of these assumptions (e.g., independence assumptions, noiseless settings, model
246 well-specification, asymptotic approximations only holding locally). The authors should
247 reflect on how these assumptions might be violated in practice and what the implications
248 would be.
- 249 • The authors should reflect on the scope of the claims made, e.g., if the approach was only
250 tested on a few datasets or with a few runs. In general, empirical results often depend on
251 implicit assumptions, which should be articulated.
- 252 • The authors should reflect on the factors that influence the performance of the approach. For
253 example, a facial recognition algorithm may perform poorly when image resolution is low
254 or images are taken in low lighting. Or a speech-to-text system might not be used reliably
255 to provide closed captions for online lectures because it fails to handle technical jargon.
- 256 • The authors should discuss the computational efficiency of the proposed algorithms and
257 how they scale with dataset size.
- 258 • If applicable, the authors should discuss possible limitations of their approach to address
259 problems of privacy and fairness.
- 260 • While the authors might fear that complete honesty about limitations might be used by
261 reviewers as grounds for rejection, a worse outcome might be that reviewers discover limita-
262 tions that aren’t acknowledged in the paper. The authors should use their best judgment and
263 recognize that individual actions in favor of transparency play an important role in devel-
264 oping norms that preserve the integrity of the community. Reviewers will be specifically
265 instructed to not penalize honesty concerning limitations.

266 3. Theory Assumptions and Proofs

267 Question: For each theoretical result, does the paper provide the full set of assumptions and a
268 complete (and correct) proof?

269 Answer: **[TODO]**

270 Justification: **[TODO]**

271 Guidelines:

- 272 • The answer NA means that the paper does not include theoretical results.
- 273 • All the theorems, formulas, and proofs in the paper should be numbered and cross-
274 referenced.
- 275 • All assumptions should be clearly stated or referenced in the statement of any theorems.
- 276 • The proofs can either appear in the main paper or the supplemental material, but if they
277 appear in the supplemental material, the authors are encouraged to provide a short proof
278 sketch to provide intuition.
- 279 • Inversely, any informal proof provided in the core of the paper should be complemented by
280 formal proofs provided in appendix or supplemental material.
- 281 • Theorems and Lemmas that the proof relies upon should be properly referenced.

282 4. Experimental Result Reproducibility

283 Question: Does the paper fully disclose all the information needed to reproduce the main exper-
284 imental results of the paper to the extent that it affects the main claims and/or conclusions of the
285 paper (regardless of whether the code and data are provided or not)?

286 Answer: **[TODO]**

287 Justification: **[TODO]**

288 Guidelines:

- 289 • The answer NA means that the paper does not include experiments.
- 290 • If the paper includes experiments, a No answer to this question will not be perceived well by
291 the reviewers: Making the paper reproducible is important, regardless of whether the code
292 and data are provided or not.
- 293 • If the contribution is a dataset and/or model, the authors should describe the steps taken to
294 make their results reproducible or verifiable.
- 295 • Depending on the contribution, reproducibility can be accomplished in various ways. For
296 example, if the contribution is a novel architecture, describing the architecture fully might
297 suffice, or if the contribution is a specific model and empirical evaluation, it may be
298 necessary to either make it possible for others to replicate the model with the same dataset,
299 or provide access to the model. In general, releasing code and data is often one good way
300 to accomplish this, but reproducibility can also be provided via detailed instructions for
301 how to replicate the results, access to a hosted model (e.g., in the case of a large language
302 model), releasing of a model checkpoint, or other means that are appropriate to the research
303 performed.
- 304 • While NeurIPS does not require releasing code, the conference does require all submissions
305 to provide some reasonable avenue for reproducibility, which may depend on the nature of
306 the contribution. For example
 - 307 (a) If the contribution is primarily a new algorithm, the paper should make it clear how to
308 reproduce that algorithm.
 - 309 (b) If the contribution is primarily a new model architecture, the paper should describe the
310 architecture clearly and fully.
 - 311 (c) If the contribution is a new model (e.g., a large language model), then there should either
312 be a way to access this model for reproducing the results or a way to reproduce the model
313 (e.g., with an open-source dataset or instructions for how to construct the dataset).
 - 314 (d) We recognize that reproducibility may be tricky in some cases, in which case authors
315 are welcome to describe the particular way they provide for reproducibility. In the case
316 of closed-source models, it may be that access to the model is limited in some way (e.g.,
317 to registered users), but it should be possible for other researchers to have some path to
318 reproducing or verifying the results.

319 5. Open Access to Data and Code

320 Question: Does the paper provide open access to the data and code, with sufficient instructions
321 to faithfully reproduce the main experimental results, as described in supplemental material?

322 Answer: **[TODO]**

323 Justification: **[TODO]**

324 Guidelines:

- 325 • The answer NA means that paper does not include experiments requiring code.
- 326 • Please see the NeurIPS code and data submission guidelines ([https://neurips.cc/
327 public/guides/CodeSubmissionPolicy](https://neurips.cc/public/guides/CodeSubmissionPolicy)) for more details.
- 328 • While we encourage the release of code and data, we understand that this might not be
329 possible, so “No” is an acceptable answer. Papers cannot be rejected simply for not including
330 code, unless this is central to the contribution (e.g., for a new open-source benchmark).

- The instructions should contain the exact command and environment needed to run to reproduce the results. See the NeurIPS code and data submission guidelines (<https://neurips.cc/public/guides/CodeSubmissionPolicy>) for more details.
- The authors should provide instructions on data access and preparation, including how to access the raw data, preprocessed data, intermediate data, and generated data, etc.
- The authors should provide scripts to reproduce all experimental results for the new proposed method and baselines. If only a subset of experiments are reproducible, they should state which ones are omitted from the script and why.
- At submission time, to preserve anonymity, the authors should release anonymized versions (if applicable).
- Providing as much information as possible in supplemental material (appended to the paper) is recommended, but including URLs to data and code is permitted.

6. Experimental Setting/Details

Question: Does the paper specify all the training and test details (e.g., data splits, hyperparameters, how they were chosen, type of optimizer) necessary to understand the results?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer NA means that the paper does not include experiments.
- The experimental setting should be presented in the core of the paper to a level of detail that is necessary to appreciate the results and make sense of them.
- The full details can be provided either with the code, in appendix, or as supplemental material.

7. Experiment Statistical Significance

Question: Does the paper report error bars suitably and correctly defined or other appropriate information about the statistical significance of the experiments?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer NA means that the paper does not include experiments.
- The authors should answer “Yes” if the results are accompanied by error bars, confidence intervals, or statistical significance tests, at least for the experiments that support the main claims of the paper.
- The factors of variability that the error bars are capturing should be clearly stated (for example, train/test split, initialization, random drawing of some parameter, or overall run with given experimental conditions).
- The method for calculating the error bars should be explained (closed form formula, call to a library function, bootstrap, etc.)
- The assumptions made should be given (e.g., Normally distributed errors).
- It should be clear whether the error bar is the standard deviation or the standard error of the mean.
- It is OK to report 1-sigma error bars, but one should state it. The authors should preferably report a 2-sigma error bar than state that they have a 96% CI, if the hypothesis of Normality of errors is not verified.
- For asymmetric distributions, the authors should be careful not to show in tables or figures symmetric error bars that would yield results that are out of range (e.g. negative error rates).

- If error bars are reported in tables or plots, the authors should explain in the text how they were calculated and reference the corresponding figures or tables in the text.

8. Experiments Compute Resources

Question: For each experiment, does the paper provide sufficient information on the computer resources (type of compute workers, memory, time of execution) needed to reproduce the experiments?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer NA means that the paper does not include experiments.
- The paper should indicate the type of compute workers CPU or GPU, internal cluster, or cloud provider, including relevant memory and storage.
- The paper should provide the amount of compute required for each of the individual experimental runs as well as estimate the total compute.
- The paper should disclose whether the full research project required more compute than the experiments reported in the paper (e.g., preliminary or failed experiments that didn't make it into the paper).

9. Code of Ethics

Question: Does the research conducted in the paper conform, in every respect, with the NeurIPS Code of Ethics <https://neurips.cc/public/EthicsGuidelines>?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer NA means that the authors have not reviewed the NeurIPS Code of Ethics.
- If the authors answer No, they should explain the special circumstances that require a deviation from the Code of Ethics.
- The authors should make sure to preserve anonymity (e.g., if there is a special consideration due to laws or regulations in their jurisdiction).

10. Broader Impacts

Question: Does the paper discuss both potential positive societal impacts and negative societal impacts of the work performed?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer NA means that there is no societal impact of the work performed.
- If the authors answer NA or No, they should explain why their work has no societal impact or why the paper does not address societal impact.
- Examples of negative societal impacts include potential malicious or unintended uses (e.g., disinformation, generating fake profiles, surveillance), fairness considerations (e.g., deployment of technologies that could make decisions that unfairly impact specific groups), privacy considerations, and security considerations.
- The conference expects that many papers will be foundational research and not tied to particular applications, let alone deployments. However, if there is a direct path to any negative applications, the authors should point it out. For example, it is legitimate to point

- 421 out that an improvement in the quality of generative models could be used to generate
422 deepfakes for disinformation. On the other hand, it is not needed to point out that a generic
423 algorithm for optimizing neural networks could enable people to train models that generate
424 Deepfakes faster.
- 425 • The authors should consider possible harms that could arise when the technology is being
426 used as intended and functioning correctly, harms that could arise when the technology is
427 being used as intended but gives incorrect results, and harms following from (intentional or
428 unintentional) misuse of the technology.
 - 429 • If there are negative societal impacts, the authors could also discuss possible mitigation
430 strategies (e.g., gated release of models, providing defenses in addition to attacks, mecha-
431 nisms for monitoring misuse, mechanisms to monitor how a system learns from feedback
432 over time, improving the efficiency and accessibility of ML).

433 11. Safeguards

434 Question: Does the paper describe safeguards that have been put in place for responsible release
435 of data or models that have a high risk for misuse (e.g., pre-trained language models, image
436 generators, or scraped datasets)?

437 Answer: [TODO]

438 Justification: [TODO]

439 Guidelines:

- 440 • The answer NA means that the paper poses no such risks.
- 441 • Released models that have a high risk for misuse or dual-use should be released with
442 necessary safeguards to allow for controlled use of the model, for example by requiring that
443 users adhere to usage guidelines or restrictions to access the model or implementing safety
444 filters.
- 445 • Datasets that have been scraped from the Internet could pose safety risks. The authors should
446 describe how they avoided releasing unsafe images.
- 447 • We recognize that providing effective safeguards is challenging, and many papers do not
448 require this, but we encourage authors to take this into account and make a best faith effort.

449 12. Licenses for Existing Assets

450 Question: Are the creators or original owners of assets (e.g., code, data, models), used in the
451 paper, properly credited and are the license and terms of use explicitly mentioned and properly
452 respected?

453 Answer: [TODO]

454 Justification: [TODO]

455 Guidelines:

- 456 • The answer NA means that the paper does not use existing assets.
- 457 • The authors should cite the original paper that produced the code package or dataset.
- 458 • The authors should state which version of the asset is used and, if possible, include a URL.
- 459 • The name of the license (e.g., CC-BY 4.0) should be included for each asset.
- 460 • For scraped data from a particular source (e.g., website), the copyright and terms of service
461 of that source should be provided.
- 462 • If assets are released, the license, copyright information, and terms of use in the package
463 should be provided. For popular datasets, <https://paperswithcode.com/datasets> has
464 curated licenses for some datasets. Their licensing guide can help determine the license of
465 a dataset.
- 466 • For existing datasets that are re-packaged, both the original license and the license of the
467 derived asset (if it has changed) should be provided.

468 • If this information is not available online, the authors are encouraged to reach out to the
469 asset’s creators.

470 13. New Assets

471 Question: Are new assets introduced in the paper well documented and is the documentation
472 provided alongside the assets?

473 Answer: **[TODO]**

474 Justification: **[TODO]**

475 Guidelines:

- 476 • The answer NA means that the paper does not release new assets.
- 477 • Researchers should communicate the details of the dataset/code/model as part of their
478 submissions via structured templates. This includes details about training, license, limita-
479 tions, etc.
- 480 • The paper should discuss whether and how consent was obtained from people whose asset
481 is used.
- 482 • At submission time, remember to anonymize your assets (if applicable). You can either
483 create an anonymized URL or include an anonymized zip file.

484 14. Crowdsourcing and Research with Human Subjects

485 Question: For crowdsourcing experiments and research with human subjects, does the paper
486 include the full text of instructions given to participants and screenshots, if applicable, as well
487 as details about compensation (if any)?

488 Answer: **[TODO]**

489 Justification: **[TODO]**

490 Guidelines:

- 491 • The answer NA means that the paper does not involve crowdsourcing nor research with
492 human subjects.
- 493 • Including this information in the supplemental material is fine, but if the main contribution
494 of the paper involves human subjects, then as much detail as possible should be included in
495 the main paper.
- 496 • According to the NeurIPS Code of Ethics, workers involved in data collection, curation, or
497 other labor should be paid at least the minimum wage in the country of the data collector.

498 15. Institutional Review Board (IRB) Approvals or Equivalent for Research with Human 499 Subjects

500 Question: Does the paper describe potential risks incurred by study participants, whether such
501 risks were disclosed to the subjects, and whether Institutional Review Board (IRB) approvals
502 (or an equivalent approval/review based on the requirements of your country or institution) were
503 obtained?

504 Answer: **[TODO]**

505 Justification: **[TODO]**

506 Guidelines:

- 507 • The answer NA means that the paper does not involve crowdsourcing nor research with
508 human subjects.
- 509 • Depending on the country in which research is conducted, IRB approval (or equivalent)
510 may be required for any human subjects research. If you obtained IRB approval, you should
511 clearly state this in the paper.

- 512 • We recognize that the procedures for this may vary significantly between institutions and
513 locations, and we expect authors to adhere to the NeurIPS Code of Ethics and the guidelines
514 for their institution.
- 515 • For initial submissions, do not include any information that would break anonymity (if
516 applicable), such as the institution conducting the review.

517 **16. Declaration of LLM Usage**

518 Question: Does the paper describe the usage of LLMs if it is an important, original, or non-
519 standard component of the core methods in this research? Note that if the LLM is used only for
520 writing, editing, or formatting purposes and does *not* impact the core methodology, scientific
521 rigor, or originality of the research, declaration is not required.

522 Answer: **[TODO]**

523 Justification: **[TODO]**

524 Guidelines:

- 525 • The answer NA means that the core method development in this research does not involve
526 LLMs as any important, original, or non-standard components.
- 527 • Please refer to our LLM policy in the NeurIPS handbook for what should or should not be
528 described.