

STATE FORENSIC TOXICOLOGY LABORATORY

TOXICOLOGY REPORT

Laboratory Case Number:	TOX-2024-11-4129
Medical Examiner Case:	ME-2024-002-HOM
Decedent:	CONFIDENTIAL
Age/Sex:	34-year-old Male
Date of Death:	November 22, 2024
Date Specimens Received:	November 22, 2024
Date Analysis Completed:	November 23, 2024
Toxicologist:	Dr. Jennifer Park, PhD, DABFT
Laboratory Director:	Dr. Robert Martinez, PhD, DABFT

SPECIMENS RECEIVED

The following postmortem specimens were received on November 22, 2024, in properly sealed containers with chain of custody documentation:

- Femoral blood (25 mL)
- Heart blood (15 mL)
- Vitreous humor (6 mL)
- Urine (30 mL)
- Gastric contents (minimal)

ANALYSES PERFORMED

- Volatile Analysis (GC-FID) for alcohols
- Immunoassay screening for drugs of abuse

- GC-MS confirmation
- LC-MS/MS for pharmaceuticals
- Carbon monoxide analysis

TOXICOLOGY FINDINGS

Alcohol Analysis

Specimen	Ethanol Concentration
Femoral Blood	0.12% (120 mg/dL)
Heart Blood	0.10% (100 mg/dL)
Vitreous Humor	0.11% (110 mg/dL)
Urine	0.14% (140 mg/dL)

Drug Screen Results

Drug Class	Result
Amphetamines	NEGATIVE
Benzodiazepines	NEGATIVE
Cannabinoids	NEGATIVE
Cocaine	NEGATIVE
Opioids	NEGATIVE
All Other Tested Substances	NEGATIVE

INTERPRETATION

The femoral blood ethanol concentration of 0.12% (120 mg/dL) indicates the decedent had consumed alcohol prior to death. This level exceeds the legal limit for driving (0.08%) and represents mild to moderate impairment. At this concentration, typical effects include: mild impairment of judgment and coordination, reduced inhibitions, and mild motor impairment. However, this level would not significantly impair the victim's ability to defend himself or alter the interpretation of injuries.

The comprehensive drug screening was entirely negative, indicating no drugs of abuse or pharmaceutical agents were present. The toxicology results do not explain or contribute to the death. The findings are consistent with social alcohol consumption prior to the fatal assault.

CONCLUSION

Toxicological analysis reveals modest ethanol concentration consistent with social drinking and negative results for all other tested substances. The toxicology findings do not contribute to the cause of death, which is attributable entirely to the blunt force trauma documented at autopsy.

Jennifer Park, PhD, DABFT - Forensic Toxicologist

Reviewed by: Robert Martinez, PhD, DABFT - Laboratory Director

Date: November 23, 2024