

Patient Safety Indicators 24 (PSI 24) Postoperative Wound Dehiscence Rate

June 2017

Area-Level Indicator

Type of Score: Rate

Prepared by:

Agency for Healthcare Research and Quality U.S. Department of Health and Human Services www.qualityindicators.ahrq.gov

DESCRIPTION

Postoperative reclosures of the abdominal wall per 100,000 population, ages 18 years and older. Excludes cases with an immunocompromised state and obstetric cases.

[NOTE: The software provides the rate per population. However, common practice reports the measure as per 100,000 population. The user must multiply the rate obtained from the software by 100,000 to report events per 100,000 population.]

June 2017 1 of 4

AHRQ QI™ ICD-9-CM Specification Version 6.0 PSI 12 Perioperative Pulmonary Embolism or Deep Vein Thrombosis Rate www.qualityindicators.ahrq.gov

NUMERATOR

Discharges, for patients ages 18 years and older, with any-listed ICD-9-CM procedure codes for reclosure of postoperative disruption of the abdominal wall. Discharges with any-listed ICD-10-PCS code for repair of abdominal wall with any-listed ICD-10-CM code for wound dehiscence.

Reclosure of postoperative disruption of the abdominal wall procedure codes: (RECLOIP)

Reclosure of postoperative disruption of abdominal wall

June 2017 2 of 4

AHRQ QI™ ICD-9-CM Specification Version 6.0 PSI 12 Perioperative Pulmonary Embolism or Deep Vein Thrombosis Rate www.qualityindicators.ahrq.gov

NUMERATOR EXCLUSIONS

Exclude cases:

- with any-listed ICD-9-CM diagnosis codes or any-listed ICD-9-CM procedure codes for immunocompromised state
- MDC 14 (pregnancy, childbirth, and puerperium)
- with missing gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing), principal diagnosis (DX1=missing), or county (PSTCO=missing)

Appendix I – Immunocompromised State Diagnosis and Procedure Codes

June 2017 3 of 4

AHRQ QI™ ICD-9-CM Specification Version 6.0
PSI 12 Perioperative Pulmonary Embolism or Deep Vein Thrombosis Rate www.qualityindicators.ahrq.gov

DENOMINATOR

Population ages 18 years and older in metropolitan area† or county. Discharges in the numerator are assigned to the denominator based on the metropolitan area or county of the patient residence, not the metropolitan area or county of the hospital where the discharge occurred.

† The term "metropolitan area" (MA) was adopted by the U.S. Census in 1990 and referred collectively to metropolitan statistical areas (MSAs), consolidated metropolitan statistical areas (CMSAs) and primary metropolitan statistical areas (PMSAs). In addition, "area" could refer to either 1) FIPS county, 2) modified FIPS county, 3) 1999 OMB Metropolitan Statistical Area or 4) 2003 OMB Metropolitan Statistical Area. Micropolitan Statistical Areas are not used in the QI software.

June 2017 4 of 4