

# Patient Safety Indicator 21 (PSI 21) Retained Surgical Item or Unretrieved Device Fragment Rate

**June 2017** 

Area-Level Indicator
Type of Score: Rate

## Prepared by:

Agency for Healthcare Research and Quality U.S. Department of Health and Human Services www.qualityindicators.ahrq.gov

#### **DESCRIPTION**

Retained surgical item or unretrieved device fragment cases per 100,000 population, ages 18 years and older.

[NOTE: The software provides the rate per population. However, common practice reports the measure as per 100,000 population. The user must multiply the rate obtained from the software by 100,000 to report events per 100,000 population.]

June 2017 1 of 4

AHRQ QI™ ICD-9-CM Specification Version 6.0
PSI 21 Retained Surgical Item or Unretrieved Device Fragment Rate www.qualityindicators.ahrq.gov

### **NUMERATOR**

Surgical and medical discharges, for patients ages 18 years and older or MDC 14 (pregnancy, childbirth, and puerperium), with any-listed ICD-9-CM diagnosis codes for retained surgical item or unretrieved device fragment. Surgical and medical discharges are defined by specific MS-DRG codes.

<u>Appendix C – Medical Discharge MS-DRGs</u> <u>Appendix E – Surgical Discharge MS-DRGs</u>

Retained surgical item or unretrieved device fragment diagnosis codes: (FOREIID)

9984 Foreign body accidentally left during a 9987 Acute reaction to foreign substance procedure accidentally left during a procedure

June 2017 2 of 4

AHRQ QI™ ICD-9-CM Specification Version 6.0
PSI 21 Retained Surgical Item or Unretrieved Device Fragment Rate www.qualityindicators.ahrq.gov

## NUMERATOR EXCLUSIONS

Exclude cases:

• with missing gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing), principal diagnosis (DX1=missing), or county (PSTCO=missing)

June 2017 3 of 4

AHRQ QI™ ICD-9-CM Specification Version 6.0
PSI 21 Retained Surgical Item or Unretrieved Device Fragment Rate www.qualityindicators.ahrq.gov

#### **DENOMINATOR**

Population ages 18 years and older in metropolitan area† or county. Discharges in the numerator are assigned to the denominator based on the metropolitan area or county of the patient residence, not the metropolitan area or county of the hospital where the discharge occurred.

† The term "metropolitan area" (MA) was adopted by the U.S. Census in 1990 and referred collectively to metropolitan statistical areas (MSAs), consolidated metropolitan statistical areas (CMSAs) and primary metropolitan statistical areas (PMSAs). In addition, "area" could refer to either 1) FIPS county, 2) modified FIPS county, 3) 1999 OMB Metropolitan Statistical Area or 4) 2003 OMB Metropolitan Statistical Area. Micropolitan Statistical Areas are not used in the QI software.

June 2017 4 of 4