

Inpatient Quality Indicator 18 (IQI 18) Gastrointestinal Hemorrhage Mortality Rate

March 2017 Provider-Level Indicator Type of Score: Rate

Prepared by:

Agency for Healthcare Research and Quality U.S. Department of Health and Human Services www.qualityindicators.ahrq.gov

DESCRIPTION

In-hospital deaths per 1,000 hospital discharges with gastrointestinal hemorrhage as a principal diagnosis for patients age 18 years and older. Excludes obstetric discharges, procedure code for liver transplant, and transfers to another hospital.

[NOTE: The software provides the rate per hospital discharge. However, common practice reports the measure as per 1,000 discharges. The user must multiply the rate obtained from the software by 1,000 to report in-hospital deaths per 1,000 hospital discharges.]

March 2017 1 of 4

AHRQ QI™ ICD-9-CM Specification Version 6.0 IQI 18 Gastrointestinal Hemorrhage Mortality Rate www.qualityindicators.ahrq.gov

NUMERATOR

Number of deaths (DISP=20) among cases meeting the inclusion and exclusion rules for the denominator.

March 2017 2 of 4

DENOMINATOR

Discharges, for patients ages 18 years and older, with a principal ICD-9-CM diagnosis code for gastrointestinal hemorrhage.

Gastrointestinal hemorrhage diagnosis codes: (MRTGIHD)

4560 45620 5307 53021	ESOPHAG VARICES W BLEED ESOPHAG VARICES CLASS ELSEWHE MALLORY-WEISS SYNDROME ULCER ESOPHAGUS W BLEED	53361 F 53400 53401 53420	CHR PEPT ULC HEM/PERF-OB AC MARGINAL ULCER W HEM AC MARGIN ULC W HEM-OBST AC MARGIN ULC W HEM/PERF
53082	ESOPHAGEAL HEMORRHAGE	53421	AC MARG ULC HEM/PERF-OBS
53100	AC STOMACH ULCER W HEM	53440	CHR MARGINAL ULCER W HEM
53101	AC STOMAC ULC W HEM-OBST	53441	CHR MARGIN ULC W HEM-OBS
53120	AC STOMAC ULC W HEM/PERF	53460	CHR MARGIN ULC HEM/PERF
53121	AC STOM ULC HEM/PERF-OBS	53461	CHR MARG ULC HEM/PERF-OB
53140	CHR STOMACH ULC W HEM	53501	ACUTE GASTRITIS W HMRHG
53141	CHR STOM ULC W HEM-OBSTR	53511	ATRPH GASTRITIS W HMRHG
53160	CHR STOMACH ULC HEM/PERF	53521	GSTR MCSL HYPRT W HMRG
53161	CHR STOM ULC HEM/PERF-OB	53531	ALCHL GSTRITIS W HMRHG
53200	AC DUODENAL ULCER W HEM	53541	OTH SPF GASTRT W HMRHG
53201	AC DUODEN ULC W HEM-OBST	53551	GSTR/DDNTS NOS W HMRHG
53220	AC DUODEN ULC W HEM/PERF	53561	DUODENITIS W HMRHG
53221	AC DUOD ULC HEM/PERF-OBS	53783	ANGIO STM/DUDN W HMRHG
53240	CHR DUODEN ULCER W HEM	53784	DIEULAFOY LES,STOM&DUOD
53241	CHR DUODEN ULC HEM-OBSTR	56202	DVRTCLO SML INT W HMRHG
53260	CHR DUODEN ULC HEM/PERF	56203	DVRTCLI SML INT W HMRHG
53261	CHR DUOD ULC HEM/PERF-OB	56212	DVRTCLO COLON W HMRHG
53300	AC PEPTIC ULCER W HEMORR	56213	DVRTCLI COLON W HMRHG
53301	AC PEPTIC ULC W HEM-OBST	5693	RECTAL & ANAL HEMORRHAGE
53320	AC PEPTIC ULC W HEM/PERF	56985	ANGIO INTES W HMRHG
53321	AC PEPT ULC HEM/PERF-OBS	56986	DIEULAFOY LES, INTESTINE
53340	CHR PEPTIC ULCER W HEM	5780	HEMATEMESIS
53341	CHR PEPTIC ULC W HEM-OBS	5781	BLOOD IN STOOL
53360	CHR PEPT ULC W HEM/PERF	5789	GASTROINTEST HEMORR NOS

March 2017 3 of 4

AHRQ QI™ ICD-9-CM Specification Version 6.0 IQI 18 Gastrointestinal Hemorrhage Mortality Rate www.qualityindicators.ahrq.gov

DENOMINATOR EXCLUSIONS

Exclude cases:

- transferring to another short-term hospital (DISP=2)
- Any procedure code for liver transplant
- MDC 14 (pregnancy, childbirth, and puerperium)
- with missing discharge disposition (DISP=missing), gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing) or principal diagnosis

Procedure Code for liver transplant (LIVERTRP)

5051 AUXILIARY LIVER TRANSPLANT 5059 OTHER

TRANSPLANT OF

LIVER

March 2017 4 of 4