

Class10

Loretta Cheng

Comparative structure analysis of Adenylate Kinase

We will be performing a principal component analysis on the complete collection of Adenylate kinase structures in the protein data-bank.

ADK (Adenylate Kinase) is an important drug target and we would love to know how it works - i.e. molecular mechanism.

We are trying to analyze the current available ADK structures in the PDB to reveal detailed features and mechanistic principles of these essential shape changing transitions.

Q10. Which of the packages above is found only on BioConductor and not CRAN?

msa

Q11. Which of the above packages is not found on BioConductor or CRAN?:

bio3d-view

Q12. True or False? Functions from the devtools package can be used to install packages from GitHub and BitBucket?

TRUE

```
library(bio3d)

aa <- get.seq("1ake_A")
```

Warning in get.seq("1ake_A"): Removing existing file: seqs.fasta

Fetching... Please wait. Done.

```
aa
```


Now we can download all these PDB structure files:

```
# Download related PDB files
files <- get.pdb(hits$pdb.id, path="pdbs", split=TRUE, gzip=TRUE)
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1AKE.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6S36.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6RZE.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3HPR.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1E4V.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/5EJE.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1E4Y.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3X2S.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6HAP.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6HAM.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/4K46.pdb.gz exists. Skipping download
```

Warning in get.pdb(hits\$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3GMT.pdb.gz exists. Skipping download

Warning in get.pdb(hits\$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/4PZL.pdb.gz exists. Skipping download

	0%
=====	8%
=====	15%
=====	23%
=====	31%
=====	38%
=====	46%
=====	54%
=====	62%
=====	69%
=====	77%
=====	85%
=====	92%
=====	100%

files

```
[1] "pdbs/split_chain/1AKE_A.pdb" "pdbs/split_chain/6S36_A.pdb"  
[3] "pdbs/split_chain/6RZE_A.pdb" "pdbs/split_chain/3HPR_A.pdb"  
[5] "pdbs/split_chain/1E4V_A.pdb" "pdbs/split_chain/5EJE_A.pdb"
```

```
[7] "pdbs/split_chain/1E4Y_A.pdb" "pdbs/split_chain/3X2S_A.pdb"
[9] "pdbs/split_chain/6HAP_A.pdb" "pdbs/split_chain/6HAM_A.pdb"
[11] "pdbs/split_chain/4K46_A.pdb" "pdbs/split_chain/3GMT_A.pdb"
[13] "pdbs/split_chain/4PZL_A.pdb"
```

Now I want to align and superpose these structures which are all over the place.

```
# Align related PDBs
pdbs <- pdbaln(files, fit = TRUE, exefile="msa")
```

Reading PDB files:

```
pdbs/split_chain/1AKE_A.pdb
pdbs/split_chain/6S36_A.pdb
pdbs/split_chain/6RZE_A.pdb
pdbs/split_chain/3HPR_A.pdb
pdbs/split_chain/1E4V_A.pdb
pdbs/split_chain/5EJE_A.pdb
pdbs/split_chain/1E4Y_A.pdb
pdbs/split_chain/3X2S_A.pdb
pdbs/split_chain/6HAP_A.pdb
pdbs/split_chain/6HAM_A.pdb
pdbs/split_chain/4K46_A.pdb
pdbs/split_chain/3GMT_A.pdb
pdbs/split_chain/4PZL_A.pdb
  PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
..  PDB has ALT records, taking A only, rm.alt=TRUE
.... PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
...
```

Extracting sequences

```
pdb/seq: 1   name: pdbs/split_chain/1AKE_A.pdb
  PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 2   name: pdbs/split_chain/6S36_A.pdb
  PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 3   name: pdbs/split_chain/6RZE_A.pdb
  PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 4   name: pdbs/split_chain/3HPR_A.pdb
```

```

PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 5   name: pdbc/split_chain/1E4V_A.pdb
pdb/seq: 6   name: pdbc/split_chain/5EJE_A.pdb
PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 7   name: pdbc/split_chain/1E4Y_A.pdb
pdb/seq: 8   name: pdbc/split_chain/3X2S_A.pdb
pdb/seq: 9   name: pdbc/split_chain/6HAP_A.pdb
pdb/seq: 10  name: pdbc/split_chain/6HAM_A.pdb
PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 11  name: pdbc/split_chain/4K46_A.pdb
PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 12  name: pdbc/split_chain/3GMT_A.pdb
pdb/seq: 13  name: pdbc/split_chain/4PZL_A.pdb

```

Let's have a look at pdbc:

pdbc

```

1                                     .               .               .               40
[Truncated_Name:1] 1AKE_A.pdb -----MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:2] 6S36_A.pdb -----MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:3] 6RZE_A.pdb -----MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:4] 3HPR_A.pdb -----MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:5] 1E4V_A.pdb -----MRIILLGAPVAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:6] 5EJE_A.pdb -----MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:7] 1E4Y_A.pdb -----MRIILLGALVAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:8] 3X2S_A.pdb -----MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:9] 6HAP_A.pdb -----MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:10] 6HAM_A.pdb -----MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:11] 4K46_A.pdb -----MRIILLGAPGAGKGTQAQFIMAKFGIPQIS
[Truncated_Name:12] 3GMT_A.pdb -----MRLILLGAPGAGKGTQANFIKEKFGIPQIS
[Truncated_Name:13] 4PZL_A.pdb TENLYFQSNMRIILLGAPGAGKGTQAKIIEQKYNIAHIS
                                **~*****  *****  *  *~ *  **
1                                     .               .               .               40

41                                     .               .               .               80
[Truncated_Name:1] 1AKE_A.pdb TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDLVIALVKE
[Truncated_Name:2] 6S36_A.pdb TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDLVIALVKE
[Truncated_Name:3] 6RZE_A.pdb TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDLVIALVKE
[Truncated_Name:4] 3HPR_A.pdb TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDLVIALVKE
[Truncated_Name:5] 1E4V_A.pdb TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDLVIALVKE
[Truncated_Name:6] 5EJE_A.pdb TGDMLRAAVKSGSELGKQAKDIMDACKLVTDLVIALVKE

```

[Truncated_Name:7] 1E4Y_A.pdb	TGDMRLRAAVKSGSELGKQAKDIMDAGKLVTDDELVIALVKE
[Truncated_Name:8] 3X2S_A.pdb	TGDMRLRAAVKSGSELGKQAKDIMDCGKLVTDDELVIALVKE
[Truncated_Name:9] 6HAP_A.pdb	TGDMRLRAAVKSGSELGKQAKDIMDAGKLVTDDELVIALVRE
[Truncated_Name:10] 6HAM_A.pdb	TGDMRLRAAIKSGSELGKQAKDIMDAGKLVTDDEIIIALVKE
[Truncated_Name:11] 4K46_A.pdb	TGDMRLRAAIKAGTELGKQAKSVIDAGQLVSDDIILGLVKE
[Truncated_Name:12] 3GMT_A.pdb	TGDMRLRAAVKAGTPLGVEAKTYMDEGKLVPSDLIIGLVKE
[Truncated_Name:13] 4PZL_A.pdb	TGDMIRETIKSGSALGQELKKVLDAGELVSDEFIIKIVKD
	****~* ~* *~ ** * ~* ** * ^^ ~*^^
	41 . . . 80
	81 . . . 120
[Truncated_Name:1] 1AKE_A.pdb	RIAQEDCRNGFLLDGFPR TIPQADAMKEAGINVDYVLEFD
[Truncated_Name:2] 6S36_A.pdb	RIAQEDCRNGFLLDGFPR TIPQADAMKEAGINVDYVLEFD
[Truncated_Name:3] 6RZE_A.pdb	RIAQEDCRNGFLLDGFPR TIPQADAMKEAGINVDYVLEFD
[Truncated_Name:4] 3HPR_A.pdb	RIAQEDCRNGFLLDGFPR TIPQADAMKEAGINVDYVLEFD
[Truncated_Name:5] 1E4V_A.pdb	RIAQEDCRNGFLLDGFPR TIPQADAMKEAGINVDYVLEFD
[Truncated_Name:6] 5EJE_A.pdb	RIAQEDCRNGFLLDGFPR TIPQADAMKEAGINVDYVLEFD
[Truncated_Name:7] 1E4Y_A.pdb	RIAQEDCRNGFLLDGFPR TIPQADAMKEAGINVDYVLEFD
[Truncated_Name:8] 3X2S_A.pdb	RIAQEDSRNGFLLDGFPR TIPQADAMKEAGINVDYVLEFD
[Truncated_Name:9] 6HAP_A.pdb	RICQEDSRNGFLLDGFPR TIPQADAMKEAGINVDYVLEFD
[Truncated_Name:10] 6HAM_A.pdb	RICQEDSRNGFLLDGFPR TIPQADAMKEAGINVDYVLEFD
[Truncated_Name:11] 4K46_A.pdb	RIAQDDCAKGFLDGFPR TIPQADGLKEVGVVVDYVIEFD
[Truncated_Name:12] 3GMT_A.pdb	RLKEADCANGYLFDFPR TIPQADAMKEAGVAIDYVLEID
[Truncated_Name:13] 4PZL_A.pdb	RISKNCNNGFLLDGVPR TIPQAQELDKLGVNIDYIVEVD
	*^ * *~* ** ***** ** ^ *^ ~**~* *
	81 . . . 120
	121 . . . 160
[Truncated_Name:1] 1AKE_A.pdb	VPDELIVDRIVGRRVHAPSGRVYHV KFNPPKVEGKDDVTG
[Truncated_Name:2] 6S36_A.pdb	VPDELIVDKIVGRRVHAPSGRVYHV KFNPPKVEGKDDVTG
[Truncated_Name:3] 6RZE_A.pdb	VPDELIVDAIVGRRVHAPSGRVYHV KFNPPKVEGKDDVTG
[Truncated_Name:4] 3HPR_A.pdb	VPDELIVDRIVGRRVHAPSGRVYHV KFNPPKVEGKDDGTG
[Truncated_Name:5] 1E4V_A.pdb	VPDELIVDRIVGRRVHAPSGRVYHV KFNPPKVEGKDDVTG
[Truncated_Name:6] 5EJE_A.pdb	VPDELIVDRIVGRRVHAPSGRVYHV KFNPPKVEGKDDVTG
[Truncated_Name:7] 1E4Y_A.pdb	VPDELIVDRIVGRRVHAPSGRVYHV KFNPPKVEGKDDVTG
[Truncated_Name:8] 3X2S_A.pdb	VPDELIVDRIVGRRVHAPSGRVYHV KFNPPKVEGKDDVTG
[Truncated_Name:9] 6HAP_A.pdb	VPDELIVDRIVGRRVHAPSGRVYHV KFNPPKVEGKDDVTG
[Truncated_Name:10] 6HAM_A.pdb	VPDELIVDRIVGRRVHAPSGRVYHV KFNPPKVEGKDDVTG
[Truncated_Name:11] 4K46_A.pdb	VADSVIVERMAGRRHLASGR TYHNVNPPKVEGKDDVTG
[Truncated_Name:12] 3GMT_A.pdb	VPFSEIIERMSGRRTHPASGR TYHV KFNPPKVEGKDDVTG
[Truncated_Name:13] 4PZL_A.pdb	VADNLLIERITGRRIH PASGR TYHTKFNPPKVADKDDVTG
	* ^^^ ^ *** * *** * ^***** *** **
	121 . . . 160

```

161 . . . 200
[Truncated_Name:1] 1AKE_A.pdb EELTTRKDDQEETVRKRLVEYHQM TAPLIGYYSKEAEAGN
[Truncated_Name:2] 6S36_A.pdb EELTTRKDDQEETVRKRLVEYHQM TAPLIGYYSKEAEAGN
[Truncated_Name:3] 6RZE_A.pdb EELTTRKDDQEETVRKRLVEYHQM TAPLIGYYSKEAEAGN
[Truncated_Name:4] 3HPR_A.pdb EELTTRKDDQEETVRKRLVEYHQM TAPLIGYYSKEAEAGN
[Truncated_Name:5] 1E4V_A.pdb EELTTRKDDQEETVRKRLVEYHQM TAPLIGYYSKEAEAGN
[Truncated_Name:6] 5EJE_A.pdb EELTTRKDDQEECVRKRLVEYHQM TAPLIGYYSKEAEAGN
[Truncated_Name:7] 1E4Y_A.pdb EELTTRKDDQEETVRKRLVEYHQM TAPLIGYYSKEAEAGN
[Truncated_Name:8] 3X2S_A.pdb EELTTRKDDQEETVRKRLCEYHQM TAPLIGYYSKEAEAGN
[Truncated_Name:9] 6HAP_A.pdb EELTTRKDDQEETVRKRLVEYHQM TAPLIGYYSKEAEAGN
[Truncated_Name:10] 6HAM_A.pdb EELTTRKDDQEETVRKRLVEYHQM TAPLIGYYSKEAEAGN
[Truncated_Name:11] 4K46_A.pdb EDLVIREDDKEETVLARLGVYHNQ TAPLIAYYGKEAEAGN
[Truncated_Name:12] 3GMT_A.pdb EPLVQRDDKEETVKKRLDVYEAQ TKPLITYYGDWARRGA
[Truncated_Name:13] 4PZL_A.pdb EPLITRTDDNEDTVKQRLSVYHAQ TAKLIDFYRNFSSNT
* * * * * ^ * * * * ^ *

```

```

161 . . . 200

201 . . . 227
[Truncated_Name:1] 1AKE_A.pdb T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:2] 6S36_A.pdb T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:3] 6RZE_A.pdb T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:4] 3HPR_A.pdb T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:5] 1E4V_A.pdb T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:6] 5EJE_A.pdb T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:7] 1E4Y_A.pdb T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:8] 3X2S_A.pdb T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:9] 6HAP_A.pdb T--KYAKVDGTKPVCEVRADLEKILG-
[Truncated_Name:10] 6HAM_A.pdb T--KYAKVDGTKPVCEVRADLEKILG-
[Truncated_Name:11] 4K46_A.pdb T--QYLKFDGTKAVAEVSAELEKALA-
[Truncated_Name:12] 3GMT_A.pdb E-----NGLKAPA-----YRKISG-
[Truncated_Name:13] 4PZL_A.pdb KIPKYIKINGDQAVEKVSQDIFDQLNK
*

```

```

201 . . . 227

```

Call:

```
pdbaln(files = files, fit = TRUE, exefile = "msa")
```

Class:

```
pdb, fasta
```

Alignment dimensions:


```
13 sequence rows; 227 position columns (204 non-gap, 23 gap)
```



```
+ attr: xyz, resno, b, chain, id, ali, resid, sse, call
```

Now we have out aligned and superposed structures we can perform all sorts of analysis on them. Let's do PCA...

```
# Perform PCA
pc.xray <- pca(pdbx)
plot(pc.xray)
```



Results of PCA on Adenylate kinase X-Ray structures. Each dot represents one PDB structure. We can cluster the structures by RMSD (or any other method)

```
rmsd(pdbx)
```

Warning in rmsd(pdbx): No indices provided, using the 204 non NA positions

	1AKE_A	6S36_A	6RZE_A	3HPR_A	1E4V_A	5EJE_A	1E4Y_A	3X2S_A	6HAP_A	6HAM_A
1AKE_A	0.000	7.097	7.200	0.311	0.251	0.427	0.941	0.621	1.355	0.851
6S36_A	7.097	0.000	0.434	7.184	7.077	7.111	6.785	7.195	6.346	6.859
6RZE_A	7.200	0.434	0.000	7.289	7.178	7.212	6.882	7.290	6.441	6.959


3HPR_A	0.311	7.184	7.289	0.000	0.382	0.507	1.002	0.643	1.426	0.909
1E4V_A	0.251	7.077	7.178	0.382	0.000	0.475	0.971	0.636	1.377	0.851
5EJE_A	0.427	7.111	7.212	0.507	0.475	0.000	1.093	0.702	1.526	0.989
1E4Y_A	0.941	6.785	6.882	1.002	0.971	1.093	0.000	0.961	1.067	0.748
3X2S_A	0.621	7.195	7.290	0.643	0.636	0.702	0.961	0.000	1.448	0.899
6HAP_A	1.355	6.346	6.441	1.426	1.377	1.526	1.067	1.448	0.000	1.162
6HAM_A	0.851	6.859	6.959	0.909	0.851	0.989	0.748	0.899	1.162	0.000
4K46_A	1.013	7.420	7.518	0.951	1.039	1.059	1.182	0.870	1.787	1.019
3GMT_A	10.863	6.336	6.308	10.950	10.852	10.882	10.632	10.902	10.207	10.646
4PZL_A	6.917	2.381	2.457	6.987	6.896	6.953	6.562	6.967	6.110	6.684
4K46_A	3GMT_A	4PZL_A								
1AKE_A	1.013	10.863	6.917							
6S36_A	7.420	6.336	2.381							
6RZE_A	7.518	6.308	2.457							
3HPR_A	0.951	10.950	6.987							
1E4V_A	1.039	10.852	6.896							
5EJE_A	1.059	10.882	6.953							
1E4Y_A	1.182	10.632	6.562							
3X2S_A	0.870	10.902	6.967							
6HAP_A	1.787	10.207	6.110							
6HAM_A	1.019	10.646	6.684							
4K46_A	0.000	11.156	7.199							
3GMT_A	11.156	0.000	7.047							
4PZL_A	7.199	7.047	0.000							

```
rd <- rmsd(pdb)
```

Warning in rmsd(pdb): No indices provided, using the 204 non NA positions

```
hc.rd <- hclust(dist(rd))
grps <- cutree(hc.rd, k=3)

plot(pc.xray, 1:2, col=grps)
```



We can make a wee movie- also called a trajectory of the major differences (i.e structural displacements) of ADK.

```
# Visualize first principal component  
pc1 <- mktrj(pc.xray, pc=1, file="pc_1.pdb")
```