Injury/Pain ⌄ **AI Report** ✕

OUTBODY® OUTBODY Report 태국_체력 측정 PC

Member ID : [redacted] Gender : Male Age : 29 yrs Evaluated At : **2026-07-31 PM 01:57**

OUTBODY Profile



Body Type

'Full Body Imbalance · Balance' Type

Your center of gravity is weak, causing repeated swaying and difficulty maintaining posture.

Areas of Concern

Neck, Thigh

OUTBODY Age

31yrs

(+2yrs)

Focus Goal

Injury/Pain

My Body Weakness

TOP2

Forward Head	▲3°	Your neck is bent forward	4° 20° Normal Warning Danger
Posterior Flexibility	▲165°	You have difficulty bending your lower back forward	170° 160° Normal Warning Danger

Classified as **'Full Body Imbalance · Balance'** type, the areas that need the most attention are **Forward Head · Posterior Flexibility**. Consistent corrective routines in daily life are essential for early management.

Injury Prediction Model

Comprehensive prediction of 5 pain risk factors



Injury Risk Area TOP1

Neck

"Current neck posture may load over 6kg (avg. head 4.5kg)."

As the head moves forward, neck and shoulders tense more, so fatigue builds faster.

Check this! Do you drop your head when using your phone?

If neglected Predicted changes in your body

Fatigue build-up

The back of the neck and shoulders can harden, so you may wake up tired.

Lower focus

The path up can narrow, making your head feel heavy and lowering focus.

Muscle Imbalance Analysis

Muscle Imbalance

Neck Warning



Forward Head | 3°

Forward head & rounded shoulders

Back neck tightens, and chest stays tense.

Tight Muscle Weak Muscle

Compensation

Forward Head

Head shift adds load

Neck/shoulder tension

Forward head makes neck and shoulders tense, and stress builds.

Solution

Muscle balance

Reset scapular alignment

Tuck the chin and set the shoulder blades to reduce head load and neck stress.

Exercises and Habits to Improve Muscle Imbalance

DO (Recommended Exercise)

Chest Opening Stretch

A stretching exercise that relaxes the neck and chest by lightly supporting the neck and flipping the upper body backward from a proper standing position.

DON'T (Habits to Avoid)



Shallow, slumped sitting

Slouching in a chair pulls the neck forward; please sit deep in the chair.

Note: This result is for reference only and does not replace medical advice. Consult healthcare professionals for decisions.

OUTBODY® OUTBODY Report 태국_체력 측정 PC

Member ID : [redacted] Gender : Male Age : 29 yrs Evaluated At : **2026-07-31 PM 01:57**

Detailed Body Analysis by Area

Key Body Weaknesses TOP6 Warning

Body Size 42cm

Body Ratio Face / Shoulder

Member ID : [redacted] Gender : Male Age : 29 yrs Evaluated At : **2026-07-31 PM 01:57**

Detailed Body Analysis by Area

Key Body Weaknesses TOP6

Forward Head	Warning	3°
Round Shoulders	Warning	3cm
Shoulder Imbalance (Left)	Normal	2°
Spinal Tilt (Left)	Normal	1°
Pelvic Shift (B)	Normal	1cm
Posterior Flexibility	Warning	165°



Body Size

Shoulder Width	42cm	Avg 42cm
Arm Length	179cm	Avg 179cm
Spine Length	76cm	Avg 70cm
Leg Length	88cm	Avg 89cm
Waist Circumference	84cm	Avg 85cm
Hip Width	38cm	Avg 36cm

Body Ratio

Face / Shoulder
3.1
Avg 2.7
Face is narrow and shoulders are wide.

Arms / Height
1
Avg 1
Arm-to-height ratio is within the standard range.

Upper / Lower
1
Avg 1
Upper-to-lower body ratio is within the standard range.

OUTBODY Age Trend

Posture	+4 (26.01.20 08:40)	+5 (26.07.22 04:43)	+5 (26.07.22 04:48)	+5 (26.07.31 06:57)
Flexibility	+6 (26.01.20 08:40)	+1 (26.07.22 04:43)	+3 (26.07.22 04:48)	+4 (26.07.31 06:57)
Strength	-6 (26.07.31 07:09)			
Agility	Not Tested			
Balance	+6 (26.07.31 07:27)	+6 (26.07.31 07:30)	+5 (26.07.31 08:04)	
Body Composition	0 (26.07.31 07:19)			

OUTBODY Full Test Records

OUTBODY Age

31 yrs (+2yrs)

Total Test **5** / 6 items

Posture	Flexibility	Strength
+5yrs (34yrs)	+4yrs (33yrs)	-6yrs (23yrs)

Agility	Balance	Body Composition
Not Tested	+5yrs (34yrs)	0yrs (29yrs)

Complete the remaining exams to finish your OUTBODY Cube!

Next recommended assessment date: by 2026-08-14! (D-8)

Manage your workouts and track progress as a member! to continue managing your personalized exercises and progress!

1 Follow Custom Exercises



2 Check Before & After Changes



Scan the QR code to start using OUTBODY member to receive customized home training videos.

OUTBODY Mobile
https://app.outbody.life

Start Custom Care

Note: This result is for reference only and does not replace medical advice. Consult healthcare professionals for decisions.

Member ID : [redacted] Gender : Male Age : 29 yrs Evaluated At : **2026-07-31 PM 01:57**

Detailed Analysis

Posture Measurements Neutral Posture

Forward Head

3°

4° 20°
Normal Warning Danger

Your neck is bent forward



When the head moves forward, the neck and shoulders strain to support it, causing fatigue to build up faster.

[Lifestyle Tips]

- Looking down at your phone with your head tilted
- Sitting slouched without using the backrest



Head Tilt

When the head tilts to one side, extra strain builds on that side of the neck and

Member ID : [redacted] Gender : Male Age : 29 yrs Evaluated At : **2026-07-31 PM 01:57**

Detailed Analysis

Posture Measurements | Neutral Posture

Forward Head

3°

4° 20°

Normal Warning Danger

Your neck is bent forward





When the head moves forward, the neck and shoulders strain to support it, causing fatigue to build up faster.

[Lifestyle Tips]

- Looking down at your phone with your head tilted
- Sitting slouched without using the backrest



Head Tilt

0°

6° 10°

Normal Warning Danger

Your neck posture is perfect





When the head tilts to one side, extra strain builds on that side of the neck and shoulders, causing stiffness.

[Lifestyle Tips]

- Carrying a bag on one shoulder only
- Looking at a monitor or phone placed to one side



Shoulder Height

16°

13° 5°

Normal Warning Danger

Your shoulder height is perfect





Sustained shoulder elevation keeps the neck and shoulders tense, leading to fatigue and stiffness.

[Lifestyle Tips]

- Keeping shoulders raised while using a mouse
- Shallow breathing that lifts the shoulders



Round Shoulders

⚠ 3cm

2cm 4cm

Normal Warning Danger

Shoulders are rounded forward





When shoulders round forward, arm movement becomes limited and neck/shoulder tension increases.

[Lifestyle Tips]

- Looking down at a phone or laptop screen
- Sitting hunched without back support for long periods



Shoulder Imbalance

2°

4° 11°

Normal Warning Danger

Your shoulder line is perfect





When shoulder heights differ, one side bears more load, causing repeated neck and shoulder discomfort.

[Lifestyle Tips]

- Carrying a bag on one shoulder only
- Using armrest or mouse on one side, causing body to tilt



Spinal Tilt

1°

2° 7°

Normal Warning Danger

Your spinal posture is perfect





When the torso tilts to one side, the back and waist work to compensate, making one side stiffer.

[Lifestyle Tips]

- Crossing legs while sitting (loading weight on one hip)
- Leaning on one side with chin propped for long periods



Pelvic Shift (B)

1cm

2cm 4cm

Normal Warning Danger

Your pelvic posture is perfect





When the pelvis tilts backward, the lower back rounds and fatigues easily.

[Lifestyle Tips]

- Sliding forward in a chair while sitting
- Sinking deep into a sofa



Note: This result is for reference only and does not replace medical advice. Consult healthcare professionals for decisions.

Member ID : [redacted] Gender : Male Age : 29 yrs Evaluated At : **2026-07-31 PM 01:57**

Pelvic Imbalance

1°

2° 4°

Normal Warning Danger

Your pelvic posture is perfect





Pelvic misalignment makes the center of gravity unstable, causing hip and lower back discomfort.

[Lifestyle Tips]

- Crossing legs or leaning on one hip
- Sitting on the floor with one leg raised for long periods



Pelvic Tilt

11°

13° 19°

Normal Warning Danger

Your pelvic posture is perfect





Forward pelvic tilt concentrates load on the lower back, causing discomfort easily.

[Lifestyle Tips]

- Standing in high heels for long periods
- Sitting at the edge of a chair with pelvis sliding forward



Pelvic Shift (B)

1cm

2cm 4cm
Normal Warning Danger

Your pelvic posture is perfect



When the pelvis tilts backward, the lower back rounds and fatigues easily.

[Lifestyle Tips]

- Sliding forward in a chair while sitting
- Sinking deep into a sofa



Note: This result is for reference only and does not replace medical advice. Consult healthcare professionals for decisions.

Member ID [redacted] Gender : Male Age : 29 yrs Evaluated At : **2026-07-31 PM 01:57**

Pelvic Imbalance

1°

2° 4°
Normal Warning Danger

Your pelvic posture is perfect



Pelvic misalignment makes the center of gravity unstable, causing hip and lower back discomfort.

[Lifestyle Tips]

- Crossing legs or leaning on one hip
- Sitting on the floor with one leg raised for long periods



Pelvic Tilt

11°

13° 19°
Normal Warning Danger

Your pelvic posture is perfect



Forward pelvic tilt concentrates load on the lower back, causing discomfort easily.

[Lifestyle Tips]

- Standing in high heels for long periods
- Sitting at the edge of a chair with pelvis sliding forward



Foot Pressure Distribution

0%

5% 10%
Normal Warning Danger

The weight is evenly distributed on both feet



When foot pressure leans to one side, walking becomes unstable and fatigue builds up faster.

[Lifestyle Tips]

- Standing on one leg habitually
- Walking with weight shifted to inner or outer foot



Flexibility Measurements **Neutral Posture**

Shoulder FL/ER (L)

177°

175° 150°
Normal Warning Danger

Good outward rotation of your shoulder



Limited shoulder range of motion causes extra strain on the neck and shoulders when raising arms, leading to tension and stiffness.

[Lifestyle Tips]

- Looking down at a screen in a hunched posture
- Sleeping on one side with an arm tucked under the pillow



Shoulder FL/ER (R)

180°

175° 150°
Normal Warning Danger

Good outward rotation of your shoulder



Limited shoulder range of motion causes extra strain on the neck and shoulders when raising arms, leading to tension and stiffness.

[Lifestyle Tips]

- Looking down at a screen in a hunched posture
- Sleeping on one side with an arm tucked under the pillow



Shoulder EX/IR (L)

20°

30° 60°
Normal Warning Danger

The inward rotational movement of your extended shoulders is normal



Stiff shoulders make it uncomfortable to move arms backward, causing neck and shoulder tension.

[Lifestyle Tips]

- Sitting hunched over for long periods
- Sleeping with arms raised above the head



Shoulder EX/IR (R)

⚠ 32°

30° 60°
Normal Warning Danger

You have difficulty lowering your right shoulder down and moving it back



Stiff shoulders make it uncomfortable to move arms backward, causing neck and shoulder tension.

[Lifestyle Tips]

- Sitting hunched over for long periods
- Sleeping with arms raised above the head



Note: This result is for reference only and does not replace medical advice. Consult healthcare professionals for decisions.

OUTBODY® OUTBODY Report 태국_체력 측정 PC

Member ID : [redacted] Gender : Male Age : 29 yrs Evaluated At : **2026-07-31 PM 01:57**

Good outward rotation of your shoulder


- Sleeping on one side with an arm tucked under the pillow

Shoulder FL/ER (R)

180°

175° 150°

Normal Warning Danger

Good outward rotation of your shoulder



Limited shoulder range of motion causes extra strain on the neck and shoulders when raising arms, leading to tension and stiffness.

[Lifestyle Tips]

- Looking down at a screen in a hunched posture
- Sleeping on one side with an arm tucked under the pillow



Shoulder EX/IR (L)

20°

30° 60°

Normal Warning Danger

The inward rotational movement of your extended shoulders is normal





Stiff shoulders make it uncomfortable to move arms backward, causing neck and shoulder tension.

[Lifestyle Tips]

- Sitting hunched over for long periods
- Sleeping with arms raised above the head



Shoulder EX/IR (R)

⚠ 32°

30° 60°

Normal Warning Danger

You have difficulty lowering your right shoulder down and moving it back





Stiff shoulders make it uncomfortable to move arms backward, causing neck and shoulder tension.

[Lifestyle Tips]

- Sitting hunched over for long periods
- Sleeping with arms raised above the head



Note: This result is for reference only and does not replace medical advice. Consult healthcare professionals for decisions.

OUTBODY® **OUTBODY Report** 태국_체력 측정 PC

Member ID : [redacted] Gender : Male Age : 29 yrs Evaluated At : **2026-07-31 PM 01:57**

Core Stability

2°

10° 20°

Normal Warning Danger

The upper body movement during squats is normal





A weak core causes chronic tension around the lower back, leading to stiffness and discomfort.

[Lifestyle Tips]

- Sitting with hips slid forward and back leaning against the chair
- Sleeping face down



Back Flexibility

⚠ 12°

10° 20°

Normal Warning Danger

Your arms lean forward during squats





When the back is stiff, the lower back and neck compensate for rotation movements, causing tension buildup.

[Lifestyle Tips]

- Hunching over a screen for extended periods
- Leaning back with a rounded back on a bed or sofa



Posterior Flexibility

⚠ 165°

170° 160°

Normal Warning Danger

You have difficulty bending your lower back forward





When stiff legs cause the lower back to compensate during daily movements, tension builds up and causes discomfort.

[Lifestyle Tips]

- Spending long periods sitting on hard surfaces
- Sleeping curled up with knees bent



Calf Flexibility

⚠ 18°

13° 19°

Normal Warning Danger

Your calf muscles tend to be stiff



Stiff ankles make it difficult to distribute body weight, causing knees and lower back to fatigue easily.

[Lifestyle Tips]

- Wearing high-heeled shoes frequently or standing for long periods
- Sitting with heels raised off the ground



Pelvic Muscle Balance (R)

⚠ 5°

4° 9°

Normal Warning Danger

Your pelvis moves sideways during squats





Insufficient pelvic balance causes the center of gravity to shift to one side, putting accumulated strain on one hip and lower back.

[Lifestyle Tips]

- Standing on one leg habitually
- Crossing legs or leaning on one hip while sitting



Note: This result is for reference only and does not replace medical advice. Consult healthcare professionals for decisions.