
16

Practice and review

Understand the idea. Build the method. Earn the marks.

FIG. 01 / MECHANICS

Add components to find the resultant



Horizontal: 3 N

Vertical: 4 N

Magnitude: 5 N

Direction: 53.1° north of east

Takeaway: add vectors by direction; do not add 3 + 4 as force magnitudes.

Document	Practice and review
Level / lessons	3 / 82
Edition	November 2026 / Bench Sheet
Pages	89

Sixteen tests, with explained answer keys. Work without notes, then classify each error as concept, method, algebra, units or reading. Return to the main handout to revise the corresponding lesson.

Your study route

Mechanics and Heat / Test A 4
Mechanics and Heat / Test B 8
Electricity and Magnetism / Test A 12
Electricity and Magnetism / Test B 16
Optics and Waves / Test A 20
Optics and Waves / Test B 24
Calculus I / Test A 28
Calculus I / Test B 32
Mechanics and Heat Lab / Test A 36
Mechanics and Heat Lab / Test B 40
Instruments and Lab Safety / Test A 44
Instruments and Lab Safety / Test B 47
Humans and the Environment / Test A 50
Humans and the Environment / Test B 53
Professional Development Seminar / Test A 56
Professional Development Seminar / Test B 58
Mechanics and Heat / Test A / Answers 60
Mechanics and Heat / Test B / Answers 62
Electricity and Magnetism / Test A / Answers 64
Electricity and Magnetism / Test B / Answers 66
Optics and Waves / Test A / Answers 68
Optics and Waves / Test B / Answers 70
Calculus I / Test A / Answers 72
Calculus I / Test B / Answers 74
Mechanics and Heat Lab / Test A / Answers 76
Mechanics and Heat Lab / Test B / Answers 78
Instruments and Lab Safety / Test A / Answers 80
Instruments and Lab Safety / Test B / Answers 82
Humans and the Environment / Test A / Answers 84
Humans and the Environment / Test B / Answers 85
Professional Development Seminar / Test A / Answers 86
Professional Development Seminar / Test B / Answers 88

Mechanics and Heat / Test A

25 marks / Suggested time: 25 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. A runner completes one lap and returns to the start. Average velocity is:

   A. Always positive

   B. Impossible to define

   C. Zero

   D. Equal to average speed

2. The area under a velocity-time graph gives:

   A. Displacement

   B. Force

   C. Speed at the final instant

   D. Acceleration

3. Two perpendicular forces of 6 N and 8 N have resultant magnitude:

   A. 10 N

   B. 48 N

   C. 2 N

   D. 14 N

4. At the top of a projectile path, acceleration is:

   A. Zero

   B. Horizontal

   C. Upward

   D. Downward with magnitude g

5. An object moving at constant velocity has:

   A. A forward net force

   B. Increasing acceleration

   C. Zero net force

D. No forces acting at all

Part II / Show your reasoning

1. A cart travels 12 m right then 4 m left in 4 s. Find distance, displacement, average speed and average velocity.

2. A car slows from 20 to 8 m/s in 4 s with constant acceleration. Find acceleration and displacement.

3. Find the magnitude and direction of a vector with components -3 m and +4 m.

4. A ball is projected horizontally at 5 m/s from a height of 4.9 m. Ignore air resistance and use g = 9.8 $\mathrm{m/s^2}$. Find flight time and horizontal range.

5. A 5 kg block slides to the right on a horizontal floor with coefficient of kinetic friction 0.2. It is pulled horizontally to the right with 20 N. Use g = 10 $\mathrm{m/s^2}$. Find normal force, friction and acceleration.

Mechanics and Heat / Test B

25 marks / Suggested time: 25 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. Doubling speed at fixed radius changes centripetal acceleration by a factor of:

   A. Two

   B. Four

   C. Eight

   D. One half

2. A force perpendicular to displacement does work equal to:

   A. Fd

   B. Zero

   C. -Fd

   D. Half of Fd

3. If the extension of a Hooke-law spring doubles while k stays constant, its stored energy becomes:

   A. Four times as large

   B. Twice as large

   C. Unchanged

   D. Half as large

4. During melting at fixed pressure, added heat mainly:

   A. Raises temperature continuously

   B. Changes phase

   C. Decreases mass

   D. Disappears

5. Which heat-transfer mechanism can operate through a vacuum?

   A. Fluid mixing

   B. Convection

C. Conduction through air

D. Radiation

Part II / Show your reasoning

1. An ideal Atwood machine has masses 2 kg and 3 kg. Use g = 10 $\mathrm{m/s^2}$. Find acceleration and tension.

2. A 2 kg object speeds up from 3 to 5 m/s. Find the net work done.

3. A spring of constant 200 N/m is compressed by 0.10 m and releases a 0.50 kg block on a frictionless horizontal surface. Find its speed when the spring returns to natural length.

4. How much energy heats 0.50 kg of water from 20 to 30 degrees C? Use c = 4200 J/(kg K).

5. A rod is 2 m long and has expansion coefficient 0.000012 per K. It warms by 50 K. Find the increase in length in metres and millimetres.

Electricity and Magnetism / Test A

30 marks / Suggested time: 30 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. A neutral object loses electrons. It becomes:
   A. Negative
   B. Positive
   C. Uncharged forever
   D. Magnetic only
2. A negative test charge in a field directed right feels force:
   A. Left
   B. Zero
   C. Right
   D. Up
3. A charge outside a closed empty box gives net flux through the box of:
   A. $\frac{q}{\varepsilon_0}$
   B. Always positive
   C. Always negative
   D. Zero
4. Inside the material of a conductor in electrostatic equilibrium, the electric field is:
   A. Equal to its surface value
   B. Infinite
   C. Zero
   D. Always outward
5. For equal and opposite point charges, take potential as zero at infinity. At their midpoint the potential is:
   A. Zero
   B. Undefined

C. Positive

D. Negative

6. Adding a dielectric to an isolated charged capacitor increases C. Its voltage:

A. Decreases

B. Increases

C. Must stay fixed

D. Becomes infinite

Part II / Show your reasoning

1. Two charges exert 12 N at separation r. What is the force at separation 2r, and at r if one charge is tripled?

2. A field of 200 N/C points east. Find the force on a charge of -0.003 C.

3. A uniform field of 50 N/C passes through a flat area of 0.20 square metres. The chosen surface normal points in the same direction as the field. Find flux. What if the normal is perpendicular to the field?

4. An isolated charged conducting sphere, with no external fields, has field magnitude 80 N/C at r = 0.20 m. Find the field at r = 0.40 m. Both distances are from the centre and outside the sphere.

5. A +2 C charge moves through a potential difference of +3 V. Find its potential-energy change and the work done by the field.

6. A 4 $\mu\mathrm{F}$ capacitor is connected to 12 V. Find the charge in microcoulombs.

Electricity and Magnetism / Test B

30 marks / Suggested time: 30 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. At fixed voltage, doubling resistance makes power:
   A. Unchanged
   B. Double
   C. Half
   D. Four times
2. After a long time in an ideal DC charging circuit, capacitor current is:
   A. Maximum
   B. Negative forever
   C. Zero
   D. Equal to the battery voltage divided by the resistor resistance
3. A charge moving parallel to a magnetic field experiences magnetic force:
   A. qvB
   B. Twice qvB
   C. Opposite its velocity
   D. Zero
4. Two parallel wires carrying currents in the same direction:
   A. Repel
   B. Attract
   C. Have no interaction
   D. Must carry zero field
5. Which situation produces an induced emf?
   A. No change of area, field or angle
   B. Changing magnetic flux
   C. A stationary unchanging field only

D. Constant flux

6. In vacuum, electric and magnetic fields of a plane EM wave are:

A. Parallel to each other

B. Longitudinal only

C. Zero

D. Perpendicular to each other and to travel

Part II / Show your reasoning

1. A 3 Ω resistor carries 2 A. Find voltage and power.

2. A 4 Ω and 8 Ω resistor are in series across 24 V. Find total current and each voltage drop.

3. A straight 0.50 m wire carries 2 A perpendicular to a 0.30 T field. Find force magnitude.

4. The field is 30 microtesla at 2 cm from a long straight wire. Find the field at 6 cm at the same current.

5. A 20-turn coil has flux per turn changing by 0.03 Wb in 0.10 s. Find average emf magnitude.

6. A sinusoidal voltage has peak value 20 V. Find its RMS value, then the average power in a 10 Ω resistor.

Optics and Waves / Test A

30 marks / Suggested time: 30 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. Which wave can propagate through vacuum?

   A. A water wave

   B. Light

   C. A stretched-string wave

   D. Sound in air

2. With wave speed fixed, doubling frequency makes wavelength:

   A. Half as large

   B. Unchanged

   C. Four times as large

   D. Twice as large

3. Group velocity describes the motion of:

   A. The wave-packet envelope

   B. The source itself

   C. One particle only

   D. A stationary node

4. Two tones at 440 and 443 Hz produce a beat frequency of:

   A. 1320 Hz

   B. 883 Hz

   C. 3 Hz

   D. 441.5 Hz

5. At the same medium, which has greater photon energy?

   A. Lower-frequency light

   B. Both always equal

   C. Higher-frequency light

D. Longer-wavelength light

6. Light enters glass from air. Which quantity remains unchanged?

A. Ray direction in every case

B. Speed

C. Wavelength

D. Frequency

Part II / Show your reasoning

1. A source makes 50 complete oscillations in 10 s. Find frequency and period.

2. A wave has frequency 8 Hz and wavelength 0.75 m. Find speed. If frequency becomes 12 Hz in the same nondispersive medium, find wavelength.

3. At distance r an isotropic source has intensity 18 W per square metre. Find intensity at 3r, ignoring absorption.

4. A 1 m string fixed at both ends supports waves at 40 m/s. Find its fundamental frequency and second harmonic.

5. Light A has twice the frequency of light B. Compare photon energy and vacuum wavelength.

6. Find the critical angle for glass of index 1.5 into air of index 1.0.

Optics and Waves / Test B

30 marks / Suggested time: 30 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. An image with magnification -2 is:

   A. Upright and smaller

   B. Inverted and twice as tall

   C. Virtual in every case

   D. Upright and twice as tall

2. In a simple astronomical telescope, the objective usually has:

   A. A longer focal length than the eyepiece

   B. Zero focal length

   C. The same role as a polarizer

   D. No effect on the image

3. If double-slit separation increases while wavelength and screen distance stay fixed, fringe spacing:

   A. Becomes negative

   B. Increases

   C. Stays fixed

   D. Decreases

4. Two ideal crossed polarizers transmit from an initially unpolarized beam:

   A. One quarter

   B. Zero

   C. All its intensity

   D. Half

5. The unit of optical lens power is:

   A. Hertz

   B. Watt

C. Dioptre

D. Newton

6. A quarter-wave plate acts primarily by changing the relative:

A. Charge of light

B. Speed of the source

C. Mass of photons

D. Phase of orthogonal components

Part II / Show your reasoning

1. A converging lens has focal length 12 cm and an object at 24 cm. Find image distance, magnification and image type.

2. A telescope objective has focal length 100 cm and eyepiece 5 cm. Find angular magnification magnitude. What happens if the eyepiece is replaced by 10 cm?

3. In a double-slit experiment, wavelength is 500 nm, screen distance 2 m and slit separation 0.50 mm. Find fringe spacing.

4. Unpolarized intensity 80 W per square metre passes through a polarizer and an analyzer at 45 degrees. Find the final intensity.

5. A diverging lens has focal length -50 cm. Find its optical power.

6. For light from air into glass of index 1.5, estimate Brewster angle.

Calculus I / Test A

30 marks / Suggested time: 30 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. The derivative of x^2 at $x = 3$ is:

   A. 3

   B. 6

   C. 9

   D. 0

2. The derivative of a constant 7 is:

   A. 7

   B. 1

   C. x

   D. 0

3. The derivative of xe^x is:

   A. $e^x(1 + x)$

   B. 0

   C. e^x

   D. xe^x

4. The derivative of $\sin(5x)$ is:

   A. $-5\sin(5x)$

   B. $\sin(5)$

   C. $\cos(5x)$

   D. $5\cos(5x)$

5. For $x^2 + y^2 = 25$, the slope at (3,4) is:

   A. 0

   B. $\frac{3}{4}$

   C. $-\frac{3}{4}$

D. $\frac{4}{3}$

6. The derivative of $\arctan x$ is:

A. $\arctan(1)$

B. $\frac{1}{1+x^2}$

C. $\frac{1}{\cos^2 x}$

D. $-\frac{1}{1+x^2}$

Part II / Show your reasoning

1. Use the definition to find the derivative of f(x)=3x squared.

2. Find the tangent to f(x)=x cubed at $x = 2$.

3. Differentiate y=(x+1)/(x-1), for x not equal to 1.

4. Differentiate y=cos(x^2).

5. Find dy/dx for xy+y squared=6.

6. Differentiate y=x to the power x for x greater than zero.

Calculus I / Test B

30 marks / Suggested time: 30 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. Before applying L Hopital directly, the quotient should have form:

   A. $\frac{0}{0}$ or $\frac{\infty}{\infty}$

   B. $\frac{1}{1}$ only

   C. $\frac{0}{5}$ only

   D. Any fraction

2. If f' is negative on an interval, f is:

   A. Decreasing

   B. Constant

   C. Always concave down

   D. Increasing

3. To find absolute extrema on a closed interval, check:

   A. Only where f' is zero

   B. Only endpoints

   C. Endpoints and interior critical numbers

   D. Only where f is zero

4. Rolle theorem additionally requires:

   A. An infinite interval

   B. Equal endpoint function values

   C. A discontinuity

   D. A nonzero derivative everywhere

5. An indefinite integral must generally include:

   A. Only a numerical answer

   B. A fixed upper limit

   C. No variable

D. An arbitrary constant

6. The $\int_{-2}^{2} x\,dx$ equals:

A. 8

B. -4

C. 0

D. 4

Part II / Show your reasoning

1. Evaluate the limit of sin(3x)/x as x approaches zero.

2. For $f(x) = x^2$-4x, find increasing and decreasing intervals and the minimum point.

3. Find absolute maximum and minimum of $f(x) = x^2$-2x on [0,3].

4. Use the mean-value theorem for $f(x) = x^2$ on [1,3] to find c.

5. Evaluate the integral of 6x(x^2+2) squared with respect to x.

6. Evaluate the integral from 0 to 1 of 2x(x^2+1) dx.

Mechanics and Heat Lab / Test A

30 marks / Suggested time: 30 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. If y is force in N and x is extension in m, slope units are:
   A. N/m
   B. m/N
   C. N times m
   D. No units
2. Pendulum length should be measured to:
   A. The top of the table
   B. The lowest swing point
   C. The bottom of the bob
   D. The centre of the bob
3. For t^2 vertically versus h horizontally, g equals:
   A. Slope squared
   B. Slope/2
   C. 2 times slope
   D. 2/slope
4. The spring constant is the slope of:
   A. Time versus temperature
   B. Extension versus force
   C. Force versus extension
   D. Mass versus time
5. For fixed k, multiplying the oscillating mass by four makes the period:
   A. Four times
   B. Half
   C. Twice

D. Unchanged

6. The equilibrant of a 7 N eastward resultant is:

A. 7 N east

B. 14 N west

C. Zero

D. 7 N west

Part II / Show your reasoning

1. A measured g is 9.6 $\mathrm{m/s^2}$ and reference g is 9.8 $\mathrm{m/s^2}$. Calculate percentage error and name one possible systematic error.

2. A pendulum takes 30 s for 15 cycles at length 0.99 m. Calculate period and g.

3. The slope of t^2 against height is 0.20 square seconds per metre. Find g.

4. A 0.30 kg mass extends a spring by 6 cm. Use g=10 $\mathrm{m/s^2}$. Find k.

5. A T-squared-versus-mass graph has slope 0.80 square seconds per kg. Find spring constant.

6. Two forces are 6 N east and 8 N north. Find equilibrant magnitude and direction.

Mechanics and Heat Lab / Test B

30 marks / Suggested time: 30 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. In the simple cooling model, the cooling rate is proportional to:

   A. Mass only

   B. Zero

   C. Temperature excess above surroundings

   D. Absolute time only

2. Boyle law requires:

   A. Fixed temperature and gas amount

   B. Changing gas amount

   C. Fixed pressure

   D. Fixed volume

3. Two rods are made of the same material and have the same temperature rise. A rod twice as long has expansion:

   A. Twice as large

   B. Unchanged

   C. Four times as large

   D. Half as large

4. Electrical energy supplied by constant voltage and current for time t is:

   A. V/I

   B. IVt

   C. I/t

   D. Vt/I

5. In an ideal mixing experiment, the final equilibrium temperature lies:

   A. Below both

   B. Between the initial temperatures

C. Always at zero

D. Above both initial temperatures

6. To determine joules per calorie, divide electrical energy in joules by heat measured in:

A. Watts

B. Calories

C. Kelvin

D. Joules

Part II / Show your reasoning

1. Room temperature is 25 degrees C. A body starts at 85 degrees C and its temperature excess halves in 5 minutes. What is its temperature then?

2. A trapped gas has volume 40 cubic centimetres at absolute pressure 120 kPa. Find its volume at 160 kPa at the same temperature.

3. A 0.50 m rod expands 0.30 mm after warming by 40 K. Find its expansion coefficient.

4. A heater at 6 V carries 2 A for 100 s. If all energy melts a sample already at its melting point and the melted mass is 0.004 kg, find supplied energy and latent heat.

5. A 0.20 kg solid cools from 90 to 40 degrees C and warms 0.10 kg water from 30 to 40 degrees C. Ignore calorimeter heat capacity and losses; use water c=4200 J/(kg K). Find the solid specific heat.

6. An electrical experiment supplies 836.8 J and records heat gain of 200 cal. Find the conversion factor. If unaccounted heat escapes, does E/Q measured tend to be too high or too low?

Instruments and Lab Safety / Test A

20 marks / Suggested time: 20 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. Which best describes risk?
   A. The mass of any bottle
   B. The same as smell
   C. The label colour alone
   D. The chance and severity of harm under the exposure conditions
2. Which is appropriate before touching a clean door handle?
   A. Keep contaminated gloves on
   B. Wipe gloves on clothing
   C. Remove contaminated gloves correctly
   D. Smell the gloves
3. Eating with contaminated hands is mainly which exposure route?
   A. Inhalation
   B. Injection
   C. Noise exposure
   D. Ingestion
4. An oxidizer is especially associated with:
   A. Intensifying combustion
   B. Preventing all fires
   C. Measuring temperature
   D. Making all chemicals inert

Part II / Show your reasoning

1. A student uses an unfamiliar reagent without reading its safety information. Identify the problem and two appropriate preparatory actions.

2. Explain why ordinary prescription glasses and a lab coat alone are insufficient for a splash-risk task.

3. Classify inhaling vapour and a contaminated needle puncture by exposure route. Explain why no smell does not prove no hazard.

4. A bottle has both flammable and corrosive hazards. State two distinct risks and a control principle for each.

Instruments and Lab Safety / Test B

20 marks / Suggested time: 20 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. Which is designed to prepare one accurately specified solution volume?

   A. A beaker

   B. A watch glass

   C. A volumetric flask

   D. A test-tube rack

2. A fume hood should be used as:

   A. Permanent chemical storage

   B. A controlled work enclosure for appropriate vapour hazards

   C. A way to evaporate all waste

   D. A food cupboard

3. An unknown chemical spill should first prompt a student to:

   A. Alert the instructor and keep people clear

   B. Mix it with another chemical

   C. Ignore it

   D. Taste it

4. Which is an administrative control?

   A. Gloves

   B. Training and written procedures

   C. A sealed rotor

   D. Splash goggles

Part II / Show your reasoning

1. Name a suitable device to transfer an accurate fixed 10 mL volume and explain two good practices.

2. Give two reasons why heating a tightly sealed vessel containing a volatile liquid is hazardous.

3. A box blocks access to the eyewash station. Explain the risk and an appropriate preventive action.

4. Classify goggles, safety training, a suitable containment cabinet and correct handwashing.

Humans and the Environment / Test A

20 marks / Suggested time: 20 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. Which is an abiotic factor?

   A. Algae

   B. Bacteria

   C. Water temperature

   D. Fish

2. Decomposers mainly help by:

   A. Recycling nutrients from dead matter

   B. Creating sunlight

   C. Stopping all energy loss

   D. Removing all producers

3. Which directly reduces a local population?

   A. Reproduction

   B. Births

   C. Immigration

   D. Emigration

4. Both organisms benefit in:

   A. Parasitism

   B. Mutualism

   C. Predation

   D. Competition

Part II / Show your reasoning

1. Classify sunlight, grass, soil mineral content and a rabbit as biotic or abiotic.

2. A question specifies 10 percent transfer efficiency at each step. Producers have 10000 energy units. Find energy available to primary and secondary consumers.

3. A population begins with 200 individuals. During a period there are 25 births, 12 deaths, 8 immigrants and 6 emigrants. Find the final size.

4. Identify a relationship where both benefit and another where one benefits while the other is harmed. Explain the signs.

Humans and the Environment / Test B

20 marks / Suggested time: 20 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. Excess nutrient input into water is most closely associated with:

   A. Eutrophication

   B. Lens refraction

   C. Sterilization

   D. No biological change

2. A footprint larger than biocapacity indicates:

   A. Unlimited sustainability

   B. An ecological reserve

   C. An ecological deficit

   D. Zero resource use

3. Which is highest in the general waste hierarchy?

   A. Disposal after mixing

   B. Landfill

   C. Uncontrolled burning

   D. Waste prevention

4. A complete sustainability assessment considers:

   A. Only this month

   B. Environmental, social and economic effects

   C. Only profit

   D. Only tree numbers

Part II / Show your reasoning

1. Explain a three-step route from excess fertilizer use to fish harm and name one preventive measure.

2. A region has footprint 4.5 and biocapacity 2.8 global hectares per person. Identify and calculate the balance.

3. Classify avoiding excess packaging, reusing a jar, reprocessing aluminium cans and placing residual waste in an approved landfill.

4. Give one environmental, one social and one economic indicator for a campus energy-efficiency project, plus one trade-off to evaluate.

Professional Development Seminar / Test A

20 marks / Suggested time: 20 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. Which is a professional criterion emphasized in the lecture?

   A. No responsibility to society

   B. Learning stops at graduation

   C. No preparation

   D. Specialized knowledge and ethical standards

2. Using student work to improve instruction best illustrates the teacher as:

   A. A storage clerk only

   B. An assessor and learning guide

   C. A person who never changes plans

   D. A passive spectator

3. Support during a teacher first years of practice is mainly:

   A. Only pre-service admission

   B. Induction

   C. Retirement

   D. Waste management

4. The central value of supervised field experience is:

   A. Eliminating evaluation

   B. Replacing all theory

   C. Connecting theory to practice with feedback

   D. Avoiding learners

Part II / Show your reasoning

1. Give two reasons teaching is considered a profession, each with an example.

2. Describe two teacher roles beyond explaining subject content.

3. Compare pre-service preparation with induction in two clear points.

4. Give a four-step improvement cycle for a trainee after an observed lesson.

Professional Development Seminar / Test B

20 marks / Suggested time: 20 minutes. MCQs: 1 mark each. Written problems: 4 marks each. Attempt without notes.

Part I / Choose one answer

1. Which is the strongest development goal?

   A. Improve one identified practice and evaluate its effect

   B. Collect the most certificates

   C. Become better somehow

   D. Attend anything

2. What makes a portfolio stronger?

   A. No evaluation

   B. More unrelated documents

   C. Evidence linked to goals and reflection

   D. Only decorative pages

3. Constructive professional feedback should be:

   A. Only praise regardless of evidence

   B. Unrelated to teaching

   C. Personal and humiliating

   D. Based on observation and useful next steps

4. The best reason to choose an educational tool is:

   A. It supports a defined learning objective

   B. It has the most animations

   C. Everyone must use the same tool

   D. It is newest

Part II / Show your reasoning

1. Write a short development plan for a teacher whose students struggle to explain answers.

2. Name two portfolio items and explain what each can demonstrate.

3. Rewrite this feedback constructively: Your lesson was bad.

4. Propose a simple technology use to diagnose misconceptions, and state how you would evaluate its value.

Mechanics and Heat / Test A / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: C. The net displacement is zero even though the distance travelled is not.

Written solution: Distance = 16 m; displacement = +8 m; speed = 16/4 = 4 m/s; velocity = 8/4 = +2 m/s. Award one mark for each quantity.

Review the matching lesson in the subject handout.

Question 2

MCQ: A. Area has units (m/s) times s = m and includes the sign of velocity.

Written solution: a = (8-20)/4 = -3 $\mathrm{m/s^2}$. s = [(20+8)/2] times 4 = 56 m. Two marks for each calculation, including the sign and unit.

Review the matching lesson in the subject handout.

Question 3

MCQ: A. The Pythagorean calculation gives the square root of 36+64 = 10 N.

Written solution: Magnitude = 5 m. The vector is in quadrant II: 126.9 degrees counterclockwise from positive x, or 53.1 degrees north of west. Two marks for magnitude and two for a correct direction.

Review the matching lesson in the subject handout.

Question 4

MCQ: D. Gravity continues to act at the top.

Written solution: 4.9 = 0.5 times 9.8 times t^2, so t = 1 s. Range = 5 times 1 = 5 m. Two marks per result with the equation shown.

Review the matching lesson in the subject handout.

Question 5

MCQ: C. Constant velocity means zero acceleration, so forces balance.

Written solution: N = 50 N, friction = 0.2 times 50 = 10 N, net force = 10 N, a = 10/5 = 2 $\mathrm{m/s^2}$. One mark for each step.

Review the matching lesson in the subject handout.

Mechanics and Heat / Test B / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: B. The speed is squared.

Written solution: Net driving force on the two-mass system is (3-2) times 10 = 10 N. Total mass = 5 kg, so a = 2 $\mathrm{m/s^2}$. For the rising 2 kg mass, T-20 = 2 times 2, hence T = 24 N. Two marks per result.

Review the matching lesson in the subject handout.

Question 2

MCQ: B. The cosine of 90 degrees is zero.

Written solution: Net work = 0.5 times 2 times (25-9) = 16 J. Give marks for the energy theorem, both squared speeds, substitution and unit.

Review the matching lesson in the subject handout.

Question 3

MCQ: A. Spring energy is proportional to extension squared.

Written solution: Spring energy = 0.5 times 200 times 0.10 squared = 1 J. Set 1 = 0.5 times 0.50 times v squared to get v = 2 m/s. Two marks for each stage.

Review the matching lesson in the subject handout.

Question 4

MCQ: B. Energy changes the phase while temperature remains at the melting point.

Written solution: Temperature rise = 10 K. Q = mc times temperature rise = 0.50 times 4200 times 10 = 21000 J. Four marks: model, temperature difference, substitution, result/unit.

Review the matching lesson in the subject handout.

Question 5

MCQ: D. Electromagnetic radiation needs no material medium.

Written solution: Increase = 0.000012 times 2 times 50 = 0.0012 m = 1.2 mm. Award marks for formula, substitution, metres and conversion.

Review the matching lesson in the subject handout.

Electricity and Magnetism / Test A / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: B. Removing negative charge leaves a positive net charge.

Written solution: At 2r: 12/4 = 3 N. Tripling one charge at r: 36 N. Two marks for each ratio and result.

Review the matching lesson in the subject handout.

Question 2

MCQ: A. The negative charge reverses the field direction in $F = qE$.

Written solution: Magnitude = 0.003 times 200 = 0.60 N. Direction is west because the charge is negative. Two marks for magnitude and two for direction with reasoning.

Review the matching lesson in the subject handout.

Question 3

MCQ: D. No charge is enclosed, so total entering and leaving flux cancels.

Written solution: Parallel normal: flux = 50 times 0.20 = 10 N m squared/C. Perpendicular normal: cosine 90 degrees = 0, so flux = 0. Two marks per case.

Review the matching lesson in the subject handout.

Question 4

MCQ: C. Free charges redistribute until the internal field is cancelled.

Written solution: Inverse-square scaling gives 80 times (0.20/0.40) squared = 20 N/C. Credit the outside-sphere condition and inverse-square reasoning.

Review the matching lesson in the subject handout.

Question 5

MCQ: A. The signed scalar potentials cancel when distances and charge magnitudes match.

Written solution: Energy change = 2 times 3 = +6 J. Work by field = -6 J. Two marks each; the signs are essential.

Review the matching lesson in the subject handout.

Question 6

MCQ: A. Charge remains fixed and $V = \frac{Q}{C}$.

Written solution: Q = CV = 4 times 12 = 48 microcoulombs. In SI this is 0.000048 C. Credit formula, substitution, prefix and result.

Review the matching lesson in the subject handout.

Electricity and Magnetism / Test B / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: C. $P = \frac{V^2}{R}$, so doubling the denominator halves it.

Written solution: V = IR = 6 V. P = VI = 12 W (or I^2R). Two marks per result.

Review the matching lesson in the subject handout.

Question 2

MCQ: C. After a long time, the capacitor voltage equals the battery voltage. The resistor voltage and circuit current are zero. During charging, charge moves in the wires onto and off the plates; it does not cross the ideal dielectric.

Written solution: Total resistance = 12 Ω; current = 2 A; drops are 8 V and 16 V. One mark each; the drops must sum to 24 V.

Review the matching lesson in the subject handout.

Question 3

MCQ: D. The sine of the angle is zero.

Written solution: F = BIL = 0.30 times 2 times 0.50 = 0.30 N. Four marks for formula, perpendicular condition, substitution and unit.

Review the matching lesson in the subject handout.

Question 4

MCQ: B. Each current experiences the magnetic field of the other wire.

Written solution: B is inversely proportional to r, so B = 30 times 2/6 = 10 microtesla. Credit model, ratio, arithmetic and unit.

Review the matching lesson in the subject handout.

Question 5

MCQ: B. Faraday law depends on the rate of flux change.

Written solution: Magnitude = 20 times 0.03/0.10 = 6 V. The direction needs the direction of the flux change; it cannot be inferred from these magnitudes alone.

Review the matching lesson in the subject handout.

Question 6

MCQ: D. A plane electromagnetic wave in vacuum is transverse.

Written solution: RMS = 20/square root of 2 = 14.14 V. Average power = RMS squared/10 = 20 W. Two marks per stage.

Review the matching lesson in the subject handout.

Optics and Waves / Test A / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: B. Light is electromagnetic and does not require a material medium.

Written solution: Frequency = 50/10 = 5 Hz. Period = 10/50 = 0.20 s. Two marks each.

Review the matching lesson in the subject handout.

Question 2

MCQ: A. Wavelength equals speed divided by frequency.

Written solution: Speed = 8 times 0.75 = 6 m/s. New wavelength = 6/12 = 0.50 m. Two marks each.

Review the matching lesson in the subject handout.

Question 3

MCQ: A. The group is the envelope formed by combining nearby frequencies.

Written solution: Inverse-square spreading gives 18/9 = 2 W per square metre. The distance triples, so the area over which power spreads increases ninefold.

Review the matching lesson in the subject handout.

Question 4

MCQ: C. Beat frequency is the absolute difference.

Written solution: Fundamental wavelength = 2 m; frequency = 40/2 = 20 Hz. Second harmonic = 40 Hz. Two marks per frequency with reasoning.

Review the matching lesson in the subject handout.

Question 5

MCQ: C. Photon energy is proportional to frequency.

Written solution: A has twice the photon energy and half the vacuum wavelength.

Two marks for each relationship.

Review the matching lesson in the subject handout.

Question 6

MCQ: D. The boundary does not change the frequency of the incident oscillation.

Written solution: Sine of critical angle = $\frac{1}{1}$.5 = 0.6667, so critical angle = 41.8 degrees. Total internal reflection occurs above this angle. Credit condition, equation, value and interpretation.

Review the matching lesson in the subject handout.

Optics and Waves / Test B / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: B. The minus sign indicates inversion and magnitude 2 gives the size ratio.

Written solution: 1/di = 1/12 - 1/24 = 1/24, so di = 24 cm. m = -1. Image is real, inverted and equal size. One mark each for distance, magnification, real and inverted/equal size.

Review the matching lesson in the subject handout.

Question 2

MCQ: A. The long-focus objective and short-focus eyepiece give a large angular-magnification ratio.

Written solution: Initial magnitude = 100/5 = 20. New magnitude = 100/10 = 10. Doubling eyepiece focal length halves angular magnification.

Review the matching lesson in the subject handout.

Question 3

MCQ: D. Fringe spacing is inversely proportional to slit separation.

Written solution: Convert wavelength to 0.0000005 m and separation to 0.0005 m. Spacing = (0.0000005 times 2)/0.0005 = 0.002 m = 2 mm. Credit both conversions, calculation and result.

Review the matching lesson in the subject handout.

Question 4

MCQ: B. Their axes differ by 90 degrees and $\cos^2 90^\circ$ is zero.

Written solution: First polarizer gives 40. Analyzer gives 40 times cosine squared 45 degrees = 20 W per square metre. Two marks for each stage.

Review the matching lesson in the subject handout.

Question 5

MCQ: C. Lens power is inverse focal length in metres, expressed in dioptres.

Written solution: Convert to -0.50 m. Power=1/(-0.50)=-2 dioptres. Credit conversion, formula, sign and unit.

Review the matching lesson in the subject handout.

Question 6

MCQ: D. A controlled phase delay changes the polarization state.

Written solution: Tangent of Brewster angle=1.5/1.0. The angle is arctan(1.5)=56.3 degrees. Credit correct ratio, inverse tangent, result and interpretation as incidence angle.

Review the matching lesson in the subject handout.

Calculus I / Test A / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: B. The derivative is 2x, so its value at 3 is 6.

Written solution: [3(x+h) squared -3x squared]/h = [6xh+3h squared]/h = 6x+3h. Taking the limit gives 6x. One mark each for setup, expansion, cancellation and limit.

Review the matching lesson in the subject handout.

Question 2

MCQ: D. A constant function has zero rate of change.

Written solution: f(2)=8; derivative=3x squared; slope at 2 is 12. Tangent y-8=12(x-2), equivalently y=12x-16. One mark per step.

Review the matching lesson in the subject handout.

Question 3

MCQ: A. The product rule differentiates each factor in turn.

Written solution: Derivative = [(x-1)-(x+1)]/(x-1) squared = -2/(x-1) squared. Award marks for quotient rule, numerator order, denominator square and simplification.

Review the matching lesson in the subject handout.

Question 4

MCQ: D. The inner derivative contributes a factor of 5.

Written solution: Outer derivative is -sin(x^2); inner derivative is 2x. Multiply to obtain -2x sin(x^2). Credit both layers, sign and product.

Review the matching lesson in the subject handout.

Question 5

MCQ: C. Implicit differentiation gives slope $-\frac{x}{y}$.

Written solution: Differentiate: y+x y'+2y y'=0. Collect: (x+2y)y'=-y. Hence y'=-

y/(x+2y), where the denominator is nonzero. Four marks across these steps.

Review the matching lesson in the subject handout.

Question 6

MCQ: B. This is the standard inverse-tangent derivative.

Written solution: Take logarithms: ln y=x ln x. Differentiate: y'/y=ln x+1. Multiply by y: y'=x to the x times (ln x+1). Four marks for these stages.

Review the matching lesson in the subject handout.

Calculus I / Test B / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: A. The rule concerns specified indeterminate quotient forms.

Written solution: The form is $\frac{0}{0}$. L Hopital gives limit 3 cos(3x)/1 = 3. Alternatively use the standard sine limit. Credit form, derivative, evaluation and answer.

Review the matching lesson in the subject handout.

Question 2

MCQ: A. Negative slope means the function decreases as x increases.

Written solution: Derivative = 2x-4, zero at 2. It is negative for x<2 and positive for x>2. Minimum is (2,-4). One mark each for derivative, intervals and point.

Review the matching lesson in the subject handout.

Question 3

MCQ: C. The largest or smallest value may occur at either kind of candidate.

Written solution: Critical point x=1. Values: f(0)=0, f(1)=-1, f(3)=3. Minimum -1 at x=1; maximum 3 at $x = 3$. Credit candidates, evaluations and both extrema.

Review the matching lesson in the subject handout.

Question 4

MCQ: B. Equal endpoint heights make the average slope zero.

Written solution: The polynomial is continuous and differentiable. Average slope = (9-1)/(3-1)=4. Solve 2c=4 to get c=2, which is inside (1,3). Four marks for hypotheses, slope, solution and interval check.

Review the matching lesson in the subject handout.

Question 5

MCQ: D. Differentiation loses constants, so all antiderivatives differ by a constant on an interval.

Written solution: Set u=x^2+2, $du = 2x\,dx$. Integral becomes 3 times integral u squared du = u cubed+C = (x^2+2) cubed+C. Credit substitution, factor, integration and constant.

Review the matching lesson in the subject handout.

Question 6

MCQ: C. The odd integrand has equal and opposite signed areas.

Written solution: Set $u = x^2 + 1$; limits become 1 and 2. Integral of u du from 1 to 2 = (4-1)/2 = 3/2. Credit substitution, new limits, antiderivative and subtraction.

Review the matching lesson in the subject handout.

Mechanics and Heat Lab / Test A / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: A. Slope units are vertical units divided by horizontal units.

Written solution: Percentage error = 100 times 0.2/9.8 = 2.04 percent. A consistent height-scale zero offset is one possible systematic error. Two marks for the calculation and two for a specific error with its consistency explained.

Review the matching lesson in the subject handout.

Question 2

MCQ: D. The ideal mass is represented at the bob centre.

Written solution: T=30/15=2 s. g=$4\pi^2$ times 0.99/4=9.77 $\mathrm{m/s^2}$. Two marks per calculation.

Review the matching lesson in the subject handout.

Question 3

MCQ: D. Rearranging h = gt squared/2 gives t^2 = (2/g)h.

Written solution: g = 2/0.20 = 10 $\mathrm{m/s^2}$. Four marks for axis identification, rearrangement, substitution and unit.

Review the matching lesson in the subject handout.

Question 4

MCQ: C. Force = k times extension matches y = mx.

Written solution: Force = 3 N; extension = 0.06 m; k=3/0.06=50 N/m. Award marks for force, conversion, ratio and unit.

Review the matching lesson in the subject handout.

Question 5

MCQ: C. Period is proportional to the square root of mass.

Written solution: Slope = $4\pi^2$/k, so k=$4\pi^2$/0.80=49.35 N/m. Credit the selected axes, rearrangement, numerical value and units.

Review the matching lesson in the subject handout.

Question 6

MCQ: D. Equal magnitude and opposite direction produce zero net force.

Written solution: Resultant magnitude is 10 N at 53.1 degrees north of east. Equilibrant is 10 N at 233.1 degrees from positive x, or 53.1 degrees south of west. Two marks for magnitude and two for direction.

Review the matching lesson in the subject handout.

Mechanics and Heat Lab / Test B / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: C. Newton cooling uses the difference between object and surrounding temperatures.

Written solution: Initial excess = 60 degrees C. Halved excess = 30 degrees C. Add room temperature: 25+30=55 degrees C. Credit both differences and final interpretation.

Review the matching lesson in the subject handout.

Question 2

MCQ: A. Only pressure and volume are varied in the ideal Boyle experiment.

Written solution: V2 = 120 times 40/160 = 30 cubic centimetres. Credit controlled conditions, equation, rearrangement and unit.

Review the matching lesson in the subject handout.

Question 3

MCQ: A. Expansion is proportional to original length.

Written solution: Convert expansion to 0.00030 m. Alpha=0.00030/(0.50 times 40)=0.000015 per K. Credit conversion, formula, substitution and result.

Review the matching lesson in the subject handout.

Question 4

MCQ: B. Electrical power is VI; multiplying by time gives energy.

Written solution: Energy=6 times 2 times 100=1200 J. Latent heat=$\frac{1200}{0.004} = 300000\ \mathrm{J/kg}$. Two marks per calculation; the no-loss and initial-phase-temperature assumptions matter.

Review the matching lesson in the subject handout.

Question 5

MCQ: B. Energy flows from the hotter body to the cooler one until equilibrium.

Written solution: Water gains 0.10 times 4200 times 10=4200 J. Solid loses 0.20 times cs times 50=10cs. Thus cs=420 J/(kg K). Two marks for each side and result.

Review the matching lesson in the subject handout.

Question 6

MCQ: B. The denominator determines the per-calorie unit.

Written solution: Factor=836.8/200=4.184 J/cal. Heat escaping reduces measured Q for the supplied E, tending to make the ratio too high. Two marks for each part.

Review the matching lesson in the subject handout.

Instruments and Lab Safety / Test A / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: D. Risk depends on both the hazard and how people are exposed.

Written solution: Problem: unassessed chemical hazards. Actions: consult the reagent SDS and approved procedure; clarify required controls and waste handling with the instructor before use. One mark for hazard, one for exposure reasoning and one per specific action.

Review the matching lesson in the subject handout.

Question 2

MCQ: C. This prevents spreading contamination outside the work area.

Written solution: Prescription glasses do not seal against splashes; appropriate splash goggles are needed. A coat does not protect hands, so compatible gloves may be required by the assessed procedure. Award one mark per protection gap and suitable control.

Review the matching lesson in the subject handout.

Question 3

MCQ: D. Material can pass from the hands to food and the digestive system.

Written solution: Vapour: inhalation. Needle: injection. Some harmful substances are odourless, or odour detection is unreliable. One mark per route and two for the explanation.

Review the matching lesson in the subject handout.

Question 4

MCQ: A. Oxidizers can support or intensify combustion.

Written solution: Fire risk: control ignition sources using the approved setup. Tissue damage from splashes: prevent contact using appropriate containment and compatible protection. One mark per risk and per linked control.

Review the matching lesson in the subject handout.

Instruments and Lab Safety / Test B / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: C. The calibration mark defines the specified contained volume under its calibration conditions.

Written solution: Use an appropriate 10 mL volumetric pipette with a pipette aid. Read the meniscus at eye level and follow the calibrated delivery procedure. Credit device, aid and two measurement practices.

Review the matching lesson in the subject handout.

Question 2

MCQ: B. It is an engineering control for relevant airborne exposures.

Written solution: Vapour generation can raise pressure, and thermal expansion can further stress the vessel. Rupture can release hot liquid or vapour. Credit two mechanisms and their resulting consequences.

Review the matching lesson in the subject handout.

Question 3

MCQ: A. Unknown hazards require assessment and the established response.

Written solution: It can delay emergency irrigation after exposure. Keep access clear and report the obstruction so it is corrected promptly under laboratory procedures. Credit emergency delay, possible worsening of injury, removal/reporting and prevention.

Review the matching lesson in the subject handout.

Question 4

MCQ: B. Administrative controls organize how work is authorized and performed.

Written solution: Goggles: PPE. Training: administrative control. Suitable containment cabinet: engineering control. Correct handwashing: safe work practice (often grouped with administrative controls). One mark each.

Review the matching lesson in the subject handout.

Humans and the Environment / Test A / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: C. Temperature is a physical condition rather than a living organism.

Written solution: Sunlight and mineral content are abiotic. Grass and rabbit are biotic. One mark each.

Review the matching lesson in the subject handout.

Question 2

MCQ: A. They break down organic matter and return nutrients to the system.

Written solution: Primary consumers receive 1000 units; secondary consumers receive 100 units. Two marks for each transfer. These values depend on the stated efficiency.

Review the matching lesson in the subject handout.

Question 3

MCQ: D. Emigration removes individuals from the local population.

Written solution: Net change =25-12+8-6=15. Final size=215. Credit signs of all four processes and final total.

Review the matching lesson in the subject handout.

Question 4

MCQ: B. Mutualism is defined by benefits to both participants.

Written solution: Mutualism is (+,+): both gain a benefit. Parasitism is (+,-): parasite benefits and host is harmed. One mark for each name and each explanation.

Review the matching lesson in the subject handout.

Humans and the Environment / Test B / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: A. Nutrient enrichment can drive excessive growth and subsequent oxygen depletion.

Written solution: Runoff carries nutrients to water; algal growth increases; decomposition can lower dissolved oxygen and harm fish. Reduce excess nutrient application or intercept runoff. One mark for each causal step and one for prevention.

Review the matching lesson in the subject handout.

Question 2

MCQ: C. Demand exceeds the available biological capacity under the accounting model.

Written solution: It has an ecological deficit of 4.5-2.8=1.7 global hectares per person. Credit comparison, subtraction, units and deficit interpretation.

Review the matching lesson in the subject handout.

Question 3

MCQ: D. Avoiding waste reduces the need for later treatment and disposal.

Written solution: Prevention, reuse, recycling and disposal, respectively. One mark for each classification.

Review the matching lesson in the subject handout.

Question 4

MCQ: B. The concept integrates all three dimensions and future consequences.

Written solution: Examples: electricity use/emissions; comfort or accessibility; cost savings/payback; upfront cost versus long-term savings. One mark for each relevant, measurable item.

Review the matching lesson in the subject handout.

Professional Development Seminar / Test A / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: D. Professional practice combines expertise, preparation and ethical obligations.

Written solution: Specialized preparation: teachers study subject knowledge and pedagogy. Ethical duty: teachers assess fairly and protect learner dignity. Two marks for each criterion-example pair.

Review the matching lesson in the subject handout.

Question 2

MCQ: B. Assessment information guides the next teaching decision.

Written solution: Assessor: identifies learning gaps using evidence and feedback. Learning guide: supports students in choosing strategies and solving problems. Two marks per role with a concrete action.

Review the matching lesson in the subject handout.

Question 3

MCQ: B. Induction bridges initial preparation and independent professional practice.

Written solution: Pre-service occurs before entry and develops foundational subject and pedagogical knowledge. Induction occurs during early practice and provides mentoring and support in the real workplace. One mark each for stage and purpose in both cases.

Review the matching lesson in the subject handout.

Question 4

MCQ: C. Practice tests and develops professional knowledge in authentic settings.

Written solution: Review evidence; identify one specific weakness; plan and apply a targeted change; evaluate the next lesson using evidence. One mark per coherent step.

Review the matching lesson in the subject handout.

Professional Development Seminar / Test B / Answers

Suggested marking points are for self-study; your lecturer may use a different scheme.

Question 1

MCQ: A. A focused goal connects action to measurable change.

Written solution: Need: weak explanations. Goal: improve evidence-based responses. Activity: learn and apply structured questioning. Evidence: compare student response samples before and after a defined period. One mark per linked component.

Review the matching lesson in the subject handout.

Question 2

MCQ: C. The reader can see what the evidence proves and how practice developed.

Written solution: A lesson plan can demonstrate planning and alignment. An anonymized student-work sample with commentary can demonstrate learning and the effect of feedback. Two marks per item and explanation.

Review the matching lesson in the subject handout.

Question 3

MCQ: D. Evidence-based feedback supports improvement while respecting the colleague.

Written solution: Example: Several students could not identify the task goal; stating the success criteria and checking one example before independent work may help. Credit observable evidence, effect, actionable suggestion and respectful language.

Review the matching lesson in the subject handout.

Question 4

MCQ: A. Pedagogical purpose should guide selection.

Written solution: Use a brief concept quiz with plausible distractors. Review response patterns, reteach the misconception and check with a new question. Evaluate whether explanations or transfer improve, not only whether students clicked. One mark each for tool, diagnosis, response and evaluation.

Review the matching lesson in the subject handout.