
Exists In Collection
Collection *
citylist
Item *
"Hyderabad"
Write Line
Text
"whether the city hyderabad is availabl


Assign
To variable * Out
citylist
Set value *
new list(of String) from {"Hyderabad","(
For Each currentText
In *
citylist
Body
Write Line
Text
currentText.ToString
Write Line
Text
"List After appending the items"


Data Manager
Output
Markers
Errors
Source
Debug
Hyderabad
Goa
Mumbai
New Delhi
List After appending the items
Hyderabad
Goa
Mumbai
New Delhi
Banglore
Vizag
List after removing the item
Hyderabad
Mumbai
New Delhi
Banglore
Vizag
whether the city hyderabad is available?True
week4 execution ended in: 00:00:01
List After appending the items


Remove From Collection
Collection *
citylist
Remove element
Specific Item
By Index
All Items
Item
"Goa"
Write Line
Text
"List after removing the item"
For Each currentText
In *
citylist
Body
Write Line
Text
currentText.ToString


Assign
To variable * Out
birthyear
Set value *
2005
Assign
To variable * Out
currentage
Set value *
currentage-birthyear
Message Box
Text *
"my age is"+currentage.ToString
Data Manager
Output
Markers
Errors
Variables
Arguments
Namespaces
Connections
Name
Data Type
Scope
Default Value
Create variable
birthyear
Int32
Main
currentage
Int32
Main
2026

Messag...
my age is21
OK


New Column
Column Name
CGPA
Data Type
System.Double
Allow Null
Auto Increment
Default Value
Unique
Max Length
-1
OK
Cancel


Append Items to Collection
Collection *
citylist
Items *
2 items in Collection
For Each currentText
In *
citylist
Body
Write Line
Text
currentText.ToString
Data Manager
Output
Markers
Errors
Variables
Arguments
Namespaces
Connections
Name
Data Type
Scope
Default Value
Create variable
citylist
List<String>
democollections


Build Data Table
studentnumber (Int32)
studentname (String)
CGPA (Double)
1
Yashu
9.2
2
Abhi
8.8
OK
Cancel


Build Data Table
studentnumber (Int32)
studentname (String)
OK
Cancel


Edit Column
Column Name
studentnumber
Data Type
Int32
Allow Null
Auto Increment
Default Value
Unique
Max Length
100
Data Type has changed. All data from this column will be lost.
OK
Cancel


Start backup
Documents
UiPath
week4
Sort
View
Name
Date modified
Type
Size
.entities
.objects
.project
.settings
.templates
.tmh
demo
demo_datatable.xaml
demo_dict_collection.xaml
democollections.xaml
entry-points
Main.xaml
project
project.uiproj


Edit Column
Column Name
studentname
Data Type
String
Allow Null
Auto Increment
Default Value
Unique
Max Length
50
Data Type has changed. All data from this column will be lost.
OK
Cancel


Build Data Table
DataTable...
Output Data Table as Text
Data Table *
studentdatatable
Message Box
Text *
studentresult.ToString
Write Range Workbook
"demo.xlsx"
"sheet1"
Cell
studentdatatable
Data Manager
Output
Markers
Errors
Variables
Arguments
Namespaces
Connections
Name
Data Type
Scope
Default Value
Create variable
studentresult
String
demo_datatable
studentdatatable
DataTable
demo_datatable


Build Data Table
DataTable...
Output Data Table as Text
Data Table *
studentdatatable
Message Box
Text *
studentresult.ToString
Write Range Workbook
"demo.xlsx"
"sheet1"
Cell
studentdatatable
100%
Common
DisplayName
Output Data Table
Input
Data Table
studentd
Misc
Private
Output
Text
studentresul


Home
demo.xlsx
New
File
A1
studentnumber
A
B
C
D
E
studentnumber
studentname
CGPA
1
Yashu
9.2
2
Abhi
8.8


Messag...
cmr
OK

Message...
HELLO WORLD
OK


Assign
To variable *
Out
str1
Set value *
"CMRIT"
Message Box
Text *
str1.ToLower
Assign
To variable *
Out
str2
Set value *
"hello world"
100%
Data Manager
Output
Markers
Errors
Variables
Arguments
Namespaces
Connections
Name
Data Type
Scope
Default Value
Create variable
str1
String
string
str2
String
string
str3
String
string


Message Box
Text *
str2.ToUpper
Message Box
Text *
str1.Length
Assign
To variable * Out
str3
Set value *
str1.Replace("CMRIT","cmr")
Message Box
Text *
str3
Message Box
Text *
str2.Substring(6)


Expression Editor
Assign > Set value (InArgument)
The value you want to assign to the variable.
Fx
Use Variables
1 New Dictionary(Of Integer, String) From {{100, "Yash"}, {200, "Abhi"}}


Messag...
world
OK


Messag...
cmrit
OK

Messag...
[100, Yash]
OK

Messag...
[200, Abhi]
OK


Assign
To variable * Out
str1
Set value *
"CMRIT"
Message Box
Text *
str1.ToLower
Assign
To variable * Out
str2
Set value *
"hello world"
100%
Data Manager
Output
Markers
Errors
Variables
Arguments
Namespaces
Connections
Name
Data Type
Scope
Default Value
Create variable
str1 String string
str2 String string
str3 String string


Assign
To variable * Out
empDetails
Set value *
New Dictionary(Of Integer, String) From
For Each currentKeyValuePairOfNumberAndText
In *
empDetails
Body
Message Box
Text *
urrentKeyValuePairOfNumberAndText.ToS
Data Manager
Output
Markers
Errors
Variables
Arguments
Namespaces
Connections
Name
Data Type
Scope
Default Value
Create variable
empDetails Dictionary<Int32,String> demo_dict_collection