

MATLAB学习笔记

居中

MATLAB学习笔记

左对齐

诶嘿

右对齐

诶嘿

插入图片测试



定义尺寸



定义大小并居中显示



一、常用函数

这是一个测试

没错，这是一个测试

代码测试

```
void Turn_around()
{
  straight ();
  delay_ms(80);
  TIM2_pwm1(1000);
  TIM2_pwm2(0);
  TIM4_pwm1(0);
  TIM4_pwm2(1000);
  delay_ms(900);
  while(sensor_5==0)
  {
    TIM2_pwm1(650);
    TIM2_pwm2(0);
    TIM4_pwm1(0);
    TIM4_pwm2(650);
  }
  stop();
}
```

区块测试

表格测试

这是一个普通段落

Foo	F001
2565	28596

这是另一个普通段落。

网页链接测试

嵌套测试

测试

https://www.baidu.com

https://1184219586@qq.com

这是h1

这是h2

这是一个标题。

- 1. 这是第一行列表项。
- 2. 这是第二行列表项。

给出一些例子代码：

```
return shell_exec("echo $input | $markdown_script");
```

- Red
- Green
- Blue

- 111
- 222
- 333

- 111
- 222
- 333

- 1. 测试1
- 2. 测试2
- 3. 测试3
- 4. 测试四

- Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam hendrerit mi posuere lectus. Vestibulum enim wisi, viverra nec, fringilla in, laoreet vitae, risus.
- Donec sit amet nisl. Aliquam semper ipsum sit amet velit. Suspendisse id sem consectetur libero luctus adipiscing.

- 1. This is a list item with two paragraphs. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam hendrerit mi posuere lectus.

Vestibulum enim wisi, viverra nec, fringilla in, laoreet vitae, risus. Donec sit amet nisl. Aliquam semper ipsum sit amet velit.

- 2. Suspendisse id sem consectetur libero luctus adipiscing.

- A list item with a blockquote:

This is a blockquote inside a list item.

1985. What a great season.

1986. What a great season.

Here is an example of AppleScript:

```
tell application "Foo"
    beep
end tell
```

以上为分割线测试

This is [an example](#) inline link.

[This link](#) has no title attribute.

这是[百度](#)的网址

这是[百度](#)的网址

See my [About](#) page for details.

是的 ©

This is [an example](#) reference-style link.

强调测试

single asterisks

single underscores

double asterisks

double underscores

*unfrigging*believable

this text is surrounded by literal asterisks

Use the `printf()` function.

There is a literal backtick (`) here.

A single backtick in a code span: `

A backtick-delimited string in a code span: `foo`