



# LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



## Trellix SecondSight September 2026 Threat Hunting Daily Update

### Threat Report

|                       |                 |
|-----------------------|-----------------|
| <b>Classification</b> | TLP:CLEAR       |
| <b>Published</b>      | 2026-09-19      |
| <b>Version</b>        | 1.0             |
| <b>Author</b>         | Lost Boys Cyber |
| <b>Report Type</b>    | Threat Report   |

TLP:CLEAR | Lost Boys Cyber | Trellix SecondSight September 2026 Threat Hunting Daily Update - Threat Report

Published: 2026-09-19 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

## Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Activity Overview
5. Affected Sectors and Exposure
6. Tactics, Techniques, and Procedures
7. Infrastructure and Indicators
8. Detection Engineering
  - 8.1. Detection Summary
  - 8.2. Sigma / Detection Content
  - 8.3. Hunt Query
9. Threat Hunting
  - 9.1. Hunt Hypothesis
  - 9.2. Hunt Query
  - 9.3. Cloud/API Hunt Query
10. Risk Assessment
11. Recommended Actions
12. References

# Trellix SecondSight September 2026 Threat Hunting Daily Update

## 1. Executive Summary

Trellix SecondSight emphasizes threat-hunting value from file-type mismatch analysis, reused infrastructure correlation, and rapid partner-shared indicator expansion. The operational takeaway is to convert periodic CTI into repeatable hunts across file metadata, infrastructure reuse, and cross-tenant indicator propagation.

This report is a 2026-09-19 daily update built for current analyst review. It preserves source limitations: it does not invent IOCs or attribution beyond the cited reporting, and it uses detection logic to operationalize behaviors defenders can validate in their own telemetry.

## 2. Intelligence Requirements

| Question                                | Current Answer                                                                                           | Confidence |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------|------------|
| What should defenders prioritize today? | Validate exposure, harden identity/API paths, and hunt for behavior-level signals tied to the reporting. | Medium     |
| Are hard IOCs available?                | Not consistently across all public sources; this report emphasizes telemetry and behavior hunts.         | Medium     |
| Which teams should act?                 | SOC, IAM, vulnerability management, cloud/security engineering, and sector system owners.                | Medium     |

## 3. Source Review & Confidence

| Source                                                   | Contribution                                                                                                                                                                                                                                      | Confidence  |
|----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Trellix SecondSight September 2026 threat hunting report | <a href="https://www.trellix.com/advanced-research-center/threat-reports/secondsight-threat-hunting-report-september-2026/">https://www.trellix.com/advanced-research-center/threat-reports/secondsight-threat-hunting-report-september-2026/</a> | Medium/High |
| CISA cyber defense guidance                              | <a href="https://www.cisa.gov/topics/cyber-threats-and-advisories">https://www.cisa.gov/topics/cyber-threats-and-advisories</a>                                                                                                                   | Medium/High |
| MITRE ATT&CK Enterprise                                  | <a href="https://attack.mitre.org/">https://attack.mitre.org/</a>                                                                                                                                                                                 | Medium/High |

## 4. Threat Activity Overview

Trellix SecondSight emphasizes threat-hunting value from file-type mismatch analysis, reused infrastructure correlation, and rapid partner-shared indicator expansion. The operational takeaway is to convert periodic CTI into repeatable hunts across file metadata, infrastructure reuse, and cross-tenant indicator propagation.

## 5. Affected Sectors and Exposure

| Sector / Environment                  | Exposure Relevance                                                                           |
|---------------------------------------|----------------------------------------------------------------------------------------------|
| Enterprise identity and cloud tenants | Credential, OAuth, API, and administrative telemetry are often where activity first appears. |
| Endpoint and browser fleets           | User-executed lures, fake installers, scripts, and remote tools require endpoint visibility. |

|                               |                                                                                              |
|-------------------------------|----------------------------------------------------------------------------------------------|
| Third-party service providers | Shared administrative paths can multiply impact across clients and operational environments. |
|-------------------------------|----------------------------------------------------------------------------------------------|

## 6. Tactics, Techniques, and Procedures

| Tactic / Phase | Observed Technique         | Evidence                                             |
|----------------|----------------------------|------------------------------------------------------|
| T1036          | Masquerading               | Used as defensive mapping for the reported behavior. |
| T1105          | Ingress Tool Transfer      | Used as defensive mapping for the reported behavior. |
| T1583          | Acquire Infrastructure     | Used as defensive mapping for the reported behavior. |
| T1071          | Application Layer Protocol | Used as defensive mapping for the reported behavior. |

## 7. Infrastructure and Indicators

| Indicator / Infrastructure                                    | Type              | Operational Use                                                           |
|---------------------------------------------------------------|-------------------|---------------------------------------------------------------------------|
| No durable public IOC set validated in this automated run     | Source limitation | Use behavior-based hunts and add IOCs only after analyst validation.      |
| Lookalike domains, newly seen OAuth apps, unusual API clients | Observable class  | Common places to find related activity without overfitting to stale IOCs. |

## 8. Detection Engineering

### 8.1. Detection Summary

| Signal                                                                  | Telemetry Source         | Analytic Goal                               |
|-------------------------------------------------------------------------|--------------------------|---------------------------------------------|
| New OAuth consent, MFA method, or passkey changes near risky sign-in    | Entra ID / identity logs | Detect account takeover and persistence.    |
| Browser download or script execution from AI-themed/search-result lures | EDR / proxy / DNS        | Detect social-engineering execution chains. |
| Unusual API-token use or high-volume AI/API access                      | Cloud/API gateway logs   | Detect credential theft or model/API abuse. |

### 8.2. Sigma / Detection Content

```

title: Suspicious Identity Persistence or AI-Themed Lure Activity
status: experimental
description: Behavior-level rule for daily CTI operationalization; tune field names to local SIEM schema.
logsource:
  product: azure
  service: signinlogs
detection:
  selection:
    Operation|contains:
      - 'Add authentication method'
      - 'Consent to application'
      - 'Update application'

```

```

timeframe: 1h
condition: selection
level: high

```

### 8.3. Hunt Query

```

DeviceProcessEvents
| where Timestamp > ago(14d)
| where ProcessCommandLine has_any
('copilot','chatgpt','claude','deepseek','passkey','mfa','oauth','token')
  or FileName in~ ('powershell.exe','wscript.exe','cscript.exe','mshta.exe','rundll32.exe')
| summarize Events=count(), Devices=dcount(DeviceName), Users=dcount(InitiatingProcessAccountName) by
FileName, ProcessCommandLine
| order by Events desc

```

## 9. Threat Hunting

### 9.1. Hunt Hypothesis

Threat activity related to this item is more likely to surface as identity, endpoint, browser, cloud, or API anomalies than as a stable IOC list.

### 9.2. Hunt Query

```

SigninLogs
| where TimeGenerated > ago(14d)
| where ResultType == 0
| where AppDisplayName has_any ('Graph','Office 365','Azure','Copilot') or UserAgent has_any
('python','curl','node','go-http')
| summarize Signins=count(), IPs=make_set(IPAddress, 20), Apps=make_set(AppDisplayName, 20) by
UserPrincipalName
| where Signins > 10 or array_length(IPs) > 5

```

### 9.3. Cloud/API Hunt Query

```

CloudAppEvents
| where Timestamp > ago(14d)
| where ActionType has_any ('Consent to application','Add service principal','Add owner to
application','Create API key','Update application')
| project Timestamp, AccountDisplayName, ActionType, Application, IPAddress, RawEventData

```

## 10. Risk Assessment

| Dimension  | Assessment                                                                                                                  |
|------------|-----------------------------------------------------------------------------------------------------------------------------|
| Likelihood | Medium for exposed organizations matching the described behaviors.                                                          |
| Impact     | Credential theft, persistence, data access, operational disruption, or intellectual-property loss depending on environment. |
| Confidence | Medium; source limitations are recorded above.                                                                              |

## 11. Recommended Actions

| Priority | Owner | Action                                                                                      |
|----------|-------|---------------------------------------------------------------------------------------------|
| Critical | SOC   | Run the included hunts and tune to known admin/tooling baselines.                           |
| High     | IAM   | Enforce phishing-resistant MFA, review new MFA/passkey methods, and restrict OAuth consent. |

|        |                   |                                                                                       |
|--------|-------------------|---------------------------------------------------------------------------------------|
| High   | Cloud/API owners  | Inventory API keys, service principals, AI-service access, and abnormal usage spikes. |
| Medium | Vendor management | Confirm third-party access controls and incident notification paths.                  |

## 12. References

- [1] Trellix SecondSight September 2026 threat hunting report: <https://www.trellix.com/advanced-research-center/threat-reports/secondsight-threat-hunting-report-september-2026/>
- [2] CISA cyber defense guidance: <https://www.cisa.gov/topics/cyber-threats-and-advisories>
- [3] MITRE ATT&CK Enterprise: <https://attack.mitre.org/>