LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING

BeyondTrust Remote Support CVE-2026-102764 Active Exploitation Priority

CVE / Vulnerability Threat Intelligence Report

Classification	TLP:CLEAR
Published	2026-10-23
Version	1.0
Author	Lost Boys Cyber
Report Type	CVE / Vulnerability Threat Intelligence Report

Published: 2026-10-23 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Vulnerability Metadata
3. Source Review & Confidence
4. Vulnerability Details
5. Attack Scenarios
6. Affected Products and Exposure
7. Mitigation and Workarounds
8. Detection Engineering
9. Threat Hunting
10. MITRE ATT&CK Mapping
11. Validation / Lab Testing
12. Recommended Actions Summary
13. References

BeyondTrust Remote Support CVE-2026-102764 Active Exploitation Priority

1. Executive Summary

CISA warned on 16 October 2026 that CVE-2026-102764 is a critical authentication-bypass condition in BeyondTrust Remote Support (formerly Bomgar) affecting versions 26.2.3 and earlier. Current reporting describes exploitation beginning before public disclosure and requires priority action for self-hosted appliances. This report treats the vulnerability as an active remote-access exposure requiring urgent appliance inventory, patch verification, and retrospective review—not as proof that any individual organization was compromised.

Remote-support infrastructure is high-value because it commonly holds privileged credentials, reaches many endpoints, and is trusted by helpdesk operations. Operators should identify internet-reachable and partner-reachable instances, apply BeyondTrust's supported update path, rotate secrets that could have been exposed, and hunt for anomalous administration, file operations, and remote-session activity.

2. Vulnerability Metadata

Field	Value
CVE	CVE-2026-102764
Product	BeyondTrust Remote Support (formerly Bomgar)
Affected versions	CISA identifies 26.2.3 and earlier; verify the vendor matrix before change execution
Reported class	Critical authentication bypass / improper origin validation in an internal messaging component
Disclosure window	October 2026; reporting describes pre-disclosure exploitation
Exploitation status	CISA urgent-patching alert; treat as actively exploited
Confidence	High for prioritization; medium for public technical detail and attribution claims

3. Source Review & Confidence

The review uses a CISA alert as the primary operational source, contemporaneous security reporting for exploitation context, and the BeyondTrust product/support material for product-scope context. No Lost Boys Cyber scanning, exploitation, or victim telemetry was performed. Public reporting names a China-linked activity hypothesis; this report intentionally does not treat that hypothesis as verified attribution for local alerts.

4. Vulnerability Details

CISA describes CVE-2026-102764 as a critical authentication-bypass vulnerability affecting Remote Support. Security reporting characterizes the issue as improper origin validation in an internal messaging component and says a remote attacker could conduct file operations on an affected appliance. Because remote-support servers bridge operator identity, endpoint access, and privileged tools, defenders should assume that successful exploitation could enable credential access, tool staging, remote-session abuse, or data collection even when the first observed signal is only an appliance-side file event.

5. Attack Scenarios

- An exposed self-hosted Remote Support appliance is probed and the flaw is used to obtain unauthorized access before normal helpdesk authentication.

- An attacker uses an appliance-side file operation to stage tooling, alter support configuration, or collect session/credential material.
- A compromised remote-support tenant or appliance is used to launch trusted remote actions against managed endpoints, blending into normal helpdesk activity.

6. Affected Products and Exposure

Exposure pattern	Priority	Defender action
Internet-facing self-hosted Remote Support	Critical	Patch/upgrade immediately; restrict public administration while validating
Partner/VPN-reachable appliance	Critical	Confirm version, MFA and origin controls; review access logs
Shared helpdesk/privileged support deployment	High	Rotate exposed administrative secrets and review support-session changes
SaaS tenant	High	Obtain vendor confirmation of remediation and retain audit logs

7. Mitigation and Workarounds

1. Identify all BeyondTrust Remote Support appliances, including DR, lab, and third-party operated instances.
2. Validate the precise installed build against the vendor-supported remediation path; update and document post-restart version evidence.
3. Restrict management interfaces to trusted networks and enforce MFA/least privilege for administrators and support operators.
4. Rotate administrator, service, API, and integration credentials that may have been present on or reachable from the appliance.
5. Preserve appliance, identity-provider, VPN, proxy, and endpoint telemetry before and after remediation for retrospective investigation.
6. Ask managed-service providers and aviation/aerospace suppliers using remote support for written patch and log-retention confirmation.

8. Detection Engineering

Signal	Telemetry	Analytic goal
New or modified appliance-side files near disclosure window	Appliance audit/FIM	Identify staging or unauthorized configuration changes
New remote-support administrators, API tokens, or integration changes	Appliance/IdP audit	Identify persistence or account abuse
Unusual remote-support sessions from new geographies or service accounts	Remote Support, VPN, IdP	Identify unauthorized trusted-tool use
Helpdesk tool spawning shell, script, archive, or download utilities	EDR process telemetry	Identify post-compromise activity on managed endpoints

```
DeviceProcessEvents
| where Timestamp > ago(30d)
| where InitiatingProcessFileName has_any ("bomgar", "beyondtrust", "remote")
| where FileName in~ ("cmd.exe", "powershell.exe", "bash", "sh", "curl", "wget", "certutil.exe",
"rundll32.exe")
```

```
| project Timestamp, DeviceName, AccountName, InitiatingProcessFileName, FileName, ProcessCommandLine
| order by Timestamp desc
```

9. Threat Hunting

Hypothesis: If an exposed remote-support appliance was abused, changes to privileged support identities or unusual remote-tool child-process lineage may precede endpoint activity.

```
DeviceLogonEvents
| where Timestamp > ago(30d)
| where LogonType in~ ("RemoteInteractive", "Network")
| where AccountName has_any ("bomgar", "beyondtrust", "support")
| summarize FirstSeen=min(Timestamp), LastSeen=max(Timestamp), Devices=dcount(DeviceName) by
AccountName, RemoteIP
| order by LastSeen desc
```

10. MITRE ATT&CK Mapping

Technique	Name	Rationale
T1190	Exploit Public-Facing Application	Relevant initial-access hypothesis for exposed appliances
T1078	Valid Accounts	Remote-support account/session abuse is a follow-on hunt target
T1219	Remote Access Software	Support platform can be abused after unauthorized access
T1505.003	Web Shell	Appliance-side staging is a retrospective hunt target, not confirmed activity

11. Validation / Lab Testing

No exploit was executed, no production system was scanned, and no source claims were independently reproduced. Validation in this run is limited to multi-source review and query syntax review. Operators should validate patch level and administrator/session auditing in a representative non-production environment.

12. Recommended Actions Summary

Priority	Owner	Action
Critical	Remote support owner	Identify, patch, and version-verify every self-hosted appliance
Critical	SOC	Preserve/review appliance and identity logs from the pre-patch period
High	IAM	Rotate relevant privileged and integration credentials; review new accounts/tokens
High	Third-party risk	Obtain supplier/MSSP remediation confirmation
Medium	Detection engineering	Deploy remote-tool lineage and privileged-session analytics

13. References

See `sources.md` and `references.md` for source URLs, dates, and limitations.