



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



BlackCat / ALPHV Malware Analysis - f815f5d6c85b

Malware Analysis Report

Classification	TLP:CLEAR
Published	2026-06-16
Version	1.0
Author	Lost Boys Cyber
Report Type	Malware Analysis Report

TLP:CLEAR | Lost Boys Cyber | BlackCat / ALPHV Malware Analysis - f815f5d6c85b - Malware Analysis Report

Published: 2026-06-16 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Sample Metadata
3. Static Analysis

Local Sandbox Malware Analysis Draft - f815f5d6c85b

- Timestamp: 2026-06-16T18:00:25.912995+00:00
- VM: `win-malware-lab`
- Snapshot restored after run: `clean-guestadditions-sysmon`
- Interface: `vboxnet0`
- Host-only gateway/DNS: `192.168.56.1`
- Analysis VM: `remnux`
- Analysis interface: `enp0s3`
- Guest IP: `192.168.56.20`
- Sample SHA256: `f815f5d6c85bcb1ec071dd39532a20f5ce910989552d980d1d4346f57b75f89`
- Sample file: `f815f5d6c85bcb1ec071dd39532a20f5ce910989552d980d1d4346f57b75f89.sample`
- PCAP: `capture.pcapng`

1. Executive Summary

This TRASHcan run produced an evidence-backed malware-analysis draft for `f815f5d6c85bcb1ec071dd39532a20f5ce910989552d980d1d4346f57b75f89.sample` using local sandbox telemetry, static triage, GhidraMCP/Ghidra-ready reverse-engineering evidence capture, bundled YARA family matching, generated detection content, deterministic scoring, and a private-client artifact bundle. Treat this output as source material for a final Lost Boys Cyber report rather than a finished client deliverable.

- Deterministic verdict: `malicious`
- Evidence score: `85`
- Confidence: `0.85`
- Scoring reasons: `packer/obfuscation indicators, suspicious static strings or commands, dynamic behavioral findings, ATT&CK techniques mapped`

2. Sample Metadata

Field	Value
Sample SHA256	`f815f5d6c85bcb1ec071dd39532a20f5ce910989552d980d1d4346f57b75f89`
Sample SHA1	`45212fa4501ede5af428563f8043c4ae40faec76`
Sample MD5	`7a34b6a3c558492c04f3418d726b86a8`
Approximate Size	`3414528` bytes
File Type	`/media/sf_remnux_transfer/analysis-runs/2026-06-16_175434_f815f5d6c85b/f815f5d6c85bcb1ec071dd39532a20f5ce910989552d980d1d4346f57b75f89.sample: PE32 executable (GUI) Intel 80386 (stripped to external PDB), for MS Wind...`
Execution VM	`win-malware-lab`
Analysis Path	`remnux`

3.1 File and Build Characteristics

- `file` classification: `/media/sf\_remnux\_transfer/analysis-runs/2026-06-16\_175434\_f815f5d6c85b/f815f5d6c85bcb1ec071dd39532a20f5ce910989552d980d1d4346f57b75f89.sample: PE32 executable (GUI) Intel 80386 (stripped to external PDB), for MS Wind...`

- Static strings output: `strings.txt`
- Full static triage JSON: `static\_triage.json`

3.2 rabin2 Metadata

```

arch      x86
baddr     0x400000
binsz     3414528
bintype   pe
bits      32
canary    true
injprot   false
retguard  false
class     PE32
cmp.csum  0x00345af0
compiled  Tue Jan  4 23:04:17 2022
crypto    false
endian    little
havecode  true
hdr.csum  0x00345af0
laddr     0x0
lang      c
linenum   true
lsyms     true
machine   i386
nx        true
os        windows
overlay   false
cc        cdecl
pic       true
relocs    true
signed    false
sanitize  false
static    false
stripped  true
subsys    Windows GUI
va        true

```

3.3 Section Layout

[Sections]

nth	paddr	size	vaddr	vsize	perm	type	name
0	0x00000400	0x1f2800	0x00401000	0x1f3000	-r-x----	.text	
1	0x001f2c00	0x200	0x005f4000	0x1000	-rw----	.data	
2	0x001f2e00	0xd7000	0x005f5000	0xd7000	-r-----	.rdata	
3	0x002c9e00	0x11e00	0x006cc000	0x12000	-r-----	.eh_frame	
4	0x00000000	0x0	0x006de000	0x1000	-rw----	.bss	
5	0x002dbc00	0x1c00	0x006df000	0x2000	-rw----	.idata	
6	0x002dd800	0x200	0x006e1000	0x1000	-rw----	.CRT	
7	0x002dda00	0x64000	0x006e2000	0x95000	-rw----	.tls	

- 4. Code Analysis and Embedded Artefacts

4.1 Imports and Logic Clues

[Imports]

nth	vaddr	bind	type	lib	name
1	0x006df498	NONE	FUNC	ADVAPI32.dll	CloseServiceHandle
2	0x006df49c	NONE	FUNC	ADVAPI32.dll	ControlService
3	0x006df4a0	NONE	FUNC	ADVAPI32.dll	CreateProcessWithLogonW
4	0x006df4a4	NONE	FUNC	ADVAPI32.dll	EnumDependentServicesW
5	0x006df4a8	NONE	FUNC	ADVAPI32.dll	EnumServicesStatusExW
6	0x006df4ac	NONE	FUNC	ADVAPI32.dll	GetUserNameW
7	0x006df4b0	NONE	FUNC	ADVAPI32.dll	OpenProcessToken

```

8  0x006df4b4 NONE FUNC ADVAPI32.dll OpenSCManagerW
9  0x006df4b8 NONE FUNC ADVAPI32.dll OpenServiceW
10 0x006df4bc NONE FUNC ADVAPI32.dll QueryServiceStatusEx
11 0x006df4c0 NONE FUNC ADVAPI32.dll RegCloseKey
12 0x006df4c4 NONE FUNC ADVAPI32.dll RegOpenKeyExW
13 0x006df4c8 NONE FUNC ADVAPI32.dll RegQueryValueExW
14 0x006df4cc NONE FUNC ADVAPI32.dll RegSetValueExW
1  0x006df4d4 NONE FUNC KERNEL32.dll AcquireSRWLockExclusive
2  0x006df4d8 NONE FUNC KERNEL32.dll AcquireSRWLockShared
3  0x006df4dc NONE FUNC KERNEL32.dll AddVectoredExceptionHandler
4  0x006df4e0 NONE FUNC KERNEL32.dll AttachConsole
5  0x006df4e4 NONE FUNC KERNEL32.dll CancelIo
6  0x006df4e8 NONE FUNC KERNEL32.dll CloseHandle
7  0x006df4ec NONE FUNC KERNEL32.dll CompareStringOrdinal
8  0x006df4f0 NONE FUNC KERNEL32.dll CopyFileExW
9  0x006df4f4 NONE FUNC KERNEL32.dll CreateEventW
10 0x006df4f8 NONE FUNC KERNEL32.dll CreateFileMappingA
11 0x006df4fc NONE FUNC KERNEL32.dll CreateFileW
12 0x006df500 NONE FUNC KERNEL32.dll CreateMutexA
13 0x006df504 NONE FUNC KERNEL32.dll CreateNamedPipeW
14 0x006df508 NONE FUNC KERNEL32.dll CreateProcessW
15 0x006df50c NONE FUNC KERNEL32.dll CreateThread
16 0x006df510 NONE FUNC KERNEL32.dll CreateToolhelp32Snapshot
17 0x006df514 NONE FUNC KERNEL32.dll DeleteFileW
18 0x006df518 NONE FUNC KERNEL32.dll DeviceIoControl
19 0x006df51c NONE FUNC KERNEL32.dll DuplicateHandle
20 0x006df520 NONE FUNC KERNEL32.dll EnterCriticalSection
21 0x006df524 NONE FUNC KERNEL32.dll ExitProcess
22 0x006df528 NONE FUNC KERNEL32.dll FileTimeToSystemTime
23 0x006df52c NONE FUNC KERNEL32.dll FillConsoleOutputAttribute
... (175 more lines omitted)

```

4.2 Bundled YARA Triage Hits

- None observed

4.2 GhidraMCP / Ghidra Reverse-Engineering Follow-up

- Use GhidraMCP for sample-backed code-level validation whenever Ghidra is available.
- Preserve the Ghidra project path, imported program name, decompiled snippets, renamed functions/symbols, comments, xrefs, offsets, recovered config values, and any MCP transcript/summary notes under the final analyst-kit `notes/` or `evidence/` bundle.
- If GhidraMCP is unavailable, document the blocker and use radare2/headless Ghidra output as the fallback evidence path.
- 5. Dynamic Analysis

5.1 Behavioral Findings

- `persistence` Autorun registry value points to a user-writable path severity `high`

5.2 Dropped / Recently Modified Files

- None observed

5.3 Autoruns and Persistence-Relevant Registry Data

- `HKEY\_CURRENT\_USER\Software\Microsoft\Windows\CurrentVersion\Run\OneDrive` -> `""C:\\Users\\analyst\\AppData\\Local\\Microsoft\\OneDrive\\OneDrive.exe" /background`
- `HKEY\_LOCAL\_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run\SecurityHealth` -> `hex(2):25,00,77,00,69,00,6e,00,64,00,69,00,72,00,25,00,5c,00,`
- `HKEY\_LOCAL\_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run\VBoxTray` -> `hex(2):25,00,53,00,79,00,73,00,74,00,65,00,6d,00,52,00,6f,00,6f,00,`
- 6. Process Tree and Execution Chain

The curated process-tree summary was written to `process\_tree\_summary.md`.

- No guest process tree was collected

- 7. Network and Infrastructure Analysis

7.1 Suspicious Domains

- None observed

7.2 DNS Queries

- [illegible]

7.3 TLS SNI

- `arc.msn.com`
- `checkappexec.microsoft.com`
- `config.edge.skype.com`
- `edge.microsoft.com`
- `fs.microsoft.com`
- `g.live.com`
- `go.microsoft.com`
- `msedge.api.cdp.microsoft.com`
- `nav.smartscreen.microsoft.com`
- `ntp.msn.com`
- `settings-win.data.microsoft.com`

- `slscr.update.microsoft.com`
- `v20.events.data.microsoft.com`
- `www.bing.com`

7.4 HTTP Requests

- None observed

Full HTTP request count: `103`

7.5 Fake HTTP/HTTPS Hits

- None observed

Full fake-service hit count: `0`

7.6 Suricata Alerts

- None observed

7.7 C2 Candidate Scoring

- None observed

7.8 Memory Analysis

- Memory dump present: `False`
- Volatility 3 available: `False`
- Memory analysis JSON: `memory\_analysis.json`

7.9 MITRE ATT&CK Mapping

- `T1059.001` PowerShell: encoded/base64 PowerShell-like strings
- `T1105` Ingress Tool Transfer: download or LOLBIN command strings
- `T1060` persistence: Autorun registry value points to a user-writable path
- `T1071` Application Layer Protocol: network communication observed
- 8. Full IOC Summary
- Total normalized IOC rows written to `iocs\_full.csv`: `253`
- Full machine-readable IOC coverage is stored in CSV form for downstream enrichment or upload.

8.1 Static IOC JSON Excerpt

```
{
  "domain": [
    "2cuqgeerjdba2rhdiviezodpu3lc4qz2sjf4qin6f7std2evleqlzjid.onion",
    "3.UMf",
    "C.VKo",
    "FILES.txt",
    "autorun.inf",
    "backtrack.rst",
    "bigint.rsnegative",
    "boot.ini",
    "bootfont.bin",
    "bootsect.bak",
    "buf.len",
    "buffer.len",
    "bufreader.rsstream",
    "cmd.exe",
    "codepoint.library",
    "common.rsattempt",
    "config.msi",
    "console.rsattach",
    "crypto.getRandomValues",
    "crypto.randomFillSync",
    "d.mant",
    "d.params",
```

```

"d.plus",
"desktop.ini",
"discoverer.rsAlready",
"drag-and-drop-target.bat",
"dragon.rsassertion",
"dst.len",
"duration.rsDuration",
"edge.height",
"encode.rsInvalid",
"error.rsregex",
"explorer.exe",
"github.com",
"guard.buf.size",
"guard.canceled",
"guard.queue.dequeue",
"lib.rsassertion",
"m.data",
"missing.This",
"mod.rsH",
"mod.rsassertion",
"mod.rsbackreferences",
"mod.rsexplicit",
"mod.rsstrings",
"mod.rst",
"net.rsinvalid",
"ntuser.dat",
"ntuser.dat.log",
"ntuser.ini",
"once.rsp",
"other.ranges",
"panicking.rsBox",
"pattern.rsassertion",
"patterns.len",
"prefilter.rsRareByteOffsets",
"raw.rscannot",
"recycle.bin",
"rle.rsH",
"rsvssadmin.exe",
"self.buffer.len",
"self.cap",
"self.capacity",
"self.char",
"self.compiled",
"self.data.get",
"self.flags",
"self.height",
"self.len",
"self.node.height",
"self.parser",
"self.queue",
"self.ranges",
"self.steals.get",
"src.len",
"stack.rsPreparing",
"steals.get",
"strftime.rsassertion",
"time.rsoverflow",
"torproject.org",
"translate.rsp",
"unicode.rsassertion",
"utf8.rsinternal",
"windows.old",
"windows.rsSystemTimeToTzSpecificLocalTime"
],
"ipv4": [

```



```

    "127.0.0.1"
  ],
  "registry_key": [
    "HKEY_LOCAL_MACHINE\\SYSTEM\\CurrentControlSet\\Services\\LanmanServer\\Parameters /v MaxMpxCt /d
65535 /t REG_DWORD /f"
  ],
  "url": [
    "http://2cuqgeerjdba2rhdiviezodpu3lc4qz2sjf4qin6f7std2evleqlzjid.onion/?access-key=${ACCESS_KEY}",
    "https://github.com/clap-rs/clap/issueserror:",
    "https://github.com/rust-lang/rust/issues/39364xYg",
    "https://torproject.org/\\n2)"
  ],
  "windows_path": [
    "C:\\Users\\Public\\All Users\\deploy_note_and_image_for_all_users=",
    "C:\\Users\\runneradmin\\.cargo\\registry\\src\\github.com-1285ae84e5963aae\\addr2line-0.16.0\\src\\
function.rs",
    "C:\\Users\\runneradmin\\.cargo\\registry\\src\\github.com-1285ae84e5963aae\\addr2line-0.16.0\\src\\
lib.rs0",
    "C:\\Users\\runneradmin\\.cargo\\registry\\src\\github.com-1285ae84e5963aae\\gimli-0.25.0\\src\\
read\\abbrev.rs",
    "C:\\Users\\runneradmin\\.cargo\\registry\\src\\github.com-1285ae84e5963aae\\gimli-0.25.0\\src\\
read\\line.rs",
    "C:\\Users\\runneradmin\\.cargo\\registry\\src\\github.com-1285ae84e5963aae\\hashbrown-0.11.0\\src\\
raw\\mod.rsH",
    "C:\\Users\\runneradmin\\.cargo\\registry\\src\\github.com-1285ae84e5963aae\\object-0.26.2\\src\\
read\\coff\\section.rs",
    "C:\\Users\\runneradmin\\.cargo\\registry\\src\\github.com-1285ae84e5963aae\\object-0.26.2\\src\\
read\\coff\\symbol.rs",
    "C:\\Users\\runneradmin\\.cargo\\registry\\src\\github.com-1285ae84e5963aae\\rustc-demangle-0.1.21\\
src\\legacy.rs",
    "C:\\Users\\runneradmin\\.cargo\\registry\\src\\github.com-1285ae84e5963aae\\rustc-demangle-0.1.21\\
src\\lib.rs",
    "C:\\Users\\runneradmin\\.cargo\\registry\\src\\github.com-1285ae84e5963aae\\rustc-demangle-0.1.21\\
src\\v0.rs",
    "C:\\Windows\\System32\\cmd.exe /c ",
    "C:\\\\Desktop\\.png@",
    "\\\\.\\pipe\\__rust_anonymous_pipe1__.",
    "////////////////////////////////",
    "////////////////////////////////",
    "a:\\n1) Download and install Tor Browser from: https://torproject.org/\\n2) Navigate to:
http://2cuqgeerjdba2rhdiviezodpu3lc4qz2sjf4qin6f7std2evleqlzjid.onion/",
    "C:\\Users\\",
    "s:\\n- Employees personal data, CVs, DL, SSN.\\n- Complete network map including credentials for
local and remote services.\\n- Financial information including clients data, bills, budgets, annual
reports, "
  ]
}

```

• 9. Detection Engineering

TRASHcan generated the following detection artefacts automatically:

- `rule.yar`
- `yara\_triage\_summary.json`
- `yara\_triage\_hits.txt`
- `process\_tree\_summary.md`
- `iocs\_full.csv`
- `sigma\_behavior.yml`

9.1 Detection Content

sigma_behavior.yml

```

title: Sandbox Observed Autorun Persistence To User Writable Path f815f5d6c85b
id: 30b0b72a-089b-558b-9e03-d43fa030ab48
status: experimental

```

```

description: Detects Run or RunOnce persistence pointing at Temp, AppData, ProgramData, or Startup
paths.
references:
  - local-sandbox-run:f815f5d6c85bcbc1ec071dd39532a20f5ce910989552d980d1d4346f57b75f89
author: RAICcoon local sandbox
date: 2026-06-16
tags:
  - attack.persistence
  - attack.t1547.001
logsource:
  product: windows
  service: sysmon
detection:
  selection_event:
    EventID:
      - 12
      - 13
      - 14
    TargetObject|contains:
      - '\Run'
      - '\RunOnce'
      - '\StartupApproved'
  selection_path:
    Details|contains:
      - '\Temp\'
      - '\AppData\'
      - '\ProgramData\'
      - '\Startup\'
  condition: selection_event and selection_path
falsepositives:
  - Legitimate software updaters using per-user autoruns
level: high

```

rule.yar

```

rule RAICcoon_f815f5d6c85b_Triage
{
  meta:
    description = "Auto-generated triage rule for local sandbox run"
    sha256 = "f815f5d6c85bcbc1ec071dd39532a20f5ce910989552d980d1d4346f57b75f89"
    author = "RAICcoon local sandbox"
  strings:
    $s1 = "{\"config_id\":\"\", \"public_key\":\
    \"MIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAugqZ4ATE9+9FqununW/DBvGosnUX/
    bNxQZMYUmE14GJIBNa6vwYSNXOLG09mvdAqZqD3lXihWDjy25+gzqSeS+Fs2qNyTdfGPA8iu2xx5RRUXKLGFThxtIzg3fohAK3+LxJV
    hxtuITAT38IHacc7dVLHsrddu4UDjiHGFdvXjB55Nwe5cu1BYlHsARMYycBA2FwLP57cKvc2/C30XBAF6qbsVXBcyFhrK00YA/
    +5IjFfEhgHy2FLHRf8lmPQPbSlrM6dk+w4D5KVqOPx/eFp0geUJJlmlre3fLI29qWS20bkGqAEz9j07y69HGYN9Nt7+DRgBwrpNo/
    EkZkuaSTtQIDAQAB\", \"extension\": \"wpzlbji\", \"note_file_name\": \"RECOVER-{$EXTENSION}-FILES.txt\",
    \"note_full_text\": \"> Introduction\\n\\nImportant files on your system was ENCRYPTED and now they
    have have \\\"{$EXTENSION}\\\" extension.\\nIn order to recover your files you need to follow
    instructions below.\\n\\n> Sensitive Data\\n\\nSensitive data on your system was DOWNLOADED and it
    will be PUBLISHED if you refuse to cooperate.\\n\\nData includes:\\n- Employees personal data, CVs, DL,
    SSN.\\n- Complete network map including credentials for local and remote services.\\n- Financial
    information including clients data, bills, budgets, annual reports, bank statements.\\n- Complete
    datagrams/schemas/drawings for manufacturing in solidworks format\\n- And more...\\n\\n> CAUTION\\n\\
    \\nDO NOT MODIFY FILES YOURSELF.\\nDO NOT USE THIRD PARTY SOFTWARE TO RESTORE YOUR DATA.\\nYOU MAY
    DAMAGE YOUR FILES, IT WILL RESULT IN PERMANENT DATA LOSS.\\nYOUR DATA IS STRONGLY ENCRYPTED, YOU CAN
    NOT DECRYPT IT WITHOUT CIPHER KEY.\\n\\n> Recovery procedure\\n\\nFollow these simple steps to get in
    touch and recover your data:\\n1) Download and install Tor Browser from: https://torproject.org/\\n2)
    Navigate to: http://2cuqgeerjdba2rhdiviezodpu3lc4qz2sjf4qin6f7std2evleqlzjid.onion/?access-key=$
    {ACCESS_KEY}\"\", \"note_short_text\": \"Important files on your system was ENCRYPTED.\\nSensitive data on
    your system was DOWNLOADED.\\nTo recover your files and prevent publishing of sensitive information
    follow instructions in \\\"{$NOTE_FILE_NAME}\\\" file.\\n\", \"default_file_mode\": {\"SmartPattern\":
    [10485760, 10]}, \"default_file_cipher\": \"Best\", \"credentials\": [\"\", \"\"], [\"\", \"\"], [\"\", \"\"],
    [\"\", \"\"], \"kill_services\": [\"mepocs\", \"memtas\", \"veeam\", \"svc$\", \"backup\", \"sql\", \"vss\",
    \"msexchange\"], \"kill_processes\": [\"encsvc\", \"thebat\", \"mydesktopqos\", \"xfssvccon\", \"firefox\",

```

```

"infopath\","winword\","steam\","synctime\","notepad\","ocomm\","onenote\","mspub\","thunderbird\","agntsvc\","sql\","excel\","powerpnt\","outlook\","wordpad\","dbeng50\","isqlplussvc\","sqbcoreservice\","oracle\","ocautoupds\","dbsnmp\","msaccess\","tbirdconfig\","ocssd\","mydesktopservice\","visio\"],"exclude_directory_names":["system volume information\","intel\","$windows.~ws\","application data\","$recycle.bin\","mozilla\","program files (x86)\","program files\","$windows.-bt\","public\","msocache\","windows\","default\","all users\","tor browser\","programdata\","boot\","config.msi\","google\","perflogs\","appdata\","windows.old\"],"exclude_file_names":["desktop.ini\","autorun.inf\","ntldr\","bootsect.bak\","thumbs.db\","boot.ini\","ntuser.dat\","iconcache.db\","bootfont.bin\","ntuser.ini\","ntuser.dat.log\"],"exclude_file_extensions":["themepack\","nls\","diagpkg\","msi\","lnk\","exe\","cab\","scr\","bat\","drv\","rtp\","msp\","prf\","msc\","ico\","key\","ocx\","diagcab\","diagcfg\","pdb\","wp\","hlp\","ics\","rom\","dll\","msstyles\","mod\","ps1\","ics\","hta\","bin\","cmd\","ani\","386\","lock\","cur\","idx\","sys\","com\","deskthemepack\","shs\","ldf\","theme\","mpa\","nomedia\","spl\","cpl\","adv\","icl\","msu\"],"exclude_file_path_wildcard":[],"enable_network_discovery":true,"enable_self_propagation":true,"enable_set_wallpaper":true,"enable_esxi_vm_kill":true,"enable_esxi_vm_snapshot_kill":false,"strict_include_paths":[]}}
src/bin/encrypt_app/app.rs" ascii wide
    $s2 = "CreateProcessWithLogonW=success," ascii wide
    $s3 = "CreateProcessWithLogonW=failed," ascii wide
    $s4 = "CreateProcessWithLogonW" ascii wide
    $s5 = "CreateProcessW" ascii wide
condition:
    uint16(0) == 0x5a4d and 2 of them
}

```

- 10. Threat Hunting
- Hunt for the bundled YARA family themes in endpoint telemetry using `kql\_triage\_hunts.kql`.
- Pivot from suspicious domains, direct-IP connections, dropped files, autoruns, and process-tree anomalies captured in this run.
- If the sample behaved like a loader or access implant, scope adjacent hosts for similar parent-child chains and follow-on persistence.
- 11. Guest Artifact Inventory
- `application.evtx`
- `collection\_time.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_ConnectedDevicesPlatform\_CDPGlobalSettings.cdp`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_ConnectedDevicesPlatform\_L.analyst.cdp`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_ConnectedDevicesPlatform\_L.analyst.cdpresource`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_ConnectedDevicesPlatform\_L.analyst\_ActivitiesCache.db-shm`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_BrowserMetrics\_BrowserMetrics-6A318E22-1994.pma`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_CrashpadMetrics-active.pma`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Crashpad\_settings.dat`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_AutofillStrikeDatabase\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_AutofillStrikeDatabase\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_BudgetDatabase\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_BudgetDatabase\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Cache\_data\_0`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Cache\_data\_1`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Code Cache\_js\_index-dir\_the-real-index`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Download Service\_EntryDB\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Download Service\_EntryDB\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_EdgePushStorageWithConnectTokenAndKey\_LOG`

- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_EdgePushStorageWithWinRt\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_EdgePushStorageWithWinRt\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Extension State\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Favicons`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Favicons-journal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Feature Engagement Tracker\_AvailabilityDB\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Feature Engagement Tracker\_AvailabilityDB\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Feature Engagement Tracker\_EventDB\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Feature Engagement Tracker\_EventDB\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_History`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_History-journal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Local Storage\_leveldb\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Preferences`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_PreferedApps`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Session Storage\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Site Characteristics Database\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Sync Data\_LevelDB\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_WebAssistDatabase`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_WebAssistDatabase-journal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_data\_reduction\_proxy\_leveldb\_000005.log`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_data\_reduction\_proxy\_leveldb\_CURRENT`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_data\_reduction\_proxy\_leveldb\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_data\_reduction\_proxy\_leveldb\_MANIFEST-000004`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_load\_statistics.db-shm`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_load\_statistics.db-wal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_optimization\_guide\_hint\_cache\_store\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_optimization\_guide\_hint\_cache\_store\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_optimization\_guide\_model\_and\_features\_store\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_optimization\_guide\_model\_and\_features\_store\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_shared\_proto\_db\_000003.log`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_shared\_proto\_db\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_shared\_proto\_db\_metadata\_000003.log`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_shared\_proto\_db\_metadata\_LOG`

- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Functional Data-wal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Functional SAN Data-wal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Last Browser`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Last Version`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Local State`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_lockfile`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_OneDrive\_logs\_Personal\_SyncEngine-2026-06-16.1755.7436.1.aodl`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_OneDrive\_logs\_Personal\_TraceCurrent.0304.0013.etl`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_OneDrive\_logs\_Personal\_telemetryCache.etc.session`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_OneDrive\_setup\_logs\_Update\_2026-06-16\_175558\_1d0c-1d10.log`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_TokenBroker\_Cache\_9cd93bc6dcf544bae69531052e64647ec02f2bb4.tbres`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Vault\_UserProfileRoaming\_Latest.dat`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Windows\_Caches\_{3DA71D5A-20CC-432F-A115-DFE92379E91F}.3.ver0x000000000000000f.db`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Windows\_Notifications\_wpndatabase.db`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Windows\_Notifications\_wpndatabase.db-shm`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Windows\_Notifications\_wpndatabase.db-wal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Windows\_PowerShell\_ModuleAnalysisCache`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.AAD.BrokerPlugin\_cw5n1h2txyewy\_Settings\_settings.dat`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_AC\_Microsoft\_CryptnetUrlCache\_Content\_57C8EDB95DF3F0AD4EE2DC2B8CFD4157`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_AC\_Microsoft\_CryptnetUrlCache\_Content\_77EC63BDA74BD0D0E0426DC8F8008506`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_AC\_Microsoft\_CryptnetUrlCache\_MetaData\_57C8EDB95DF3F0AD4EE2DC2B8CFD4157`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_AC\_Microsoft\_CryptnetUrlCache\_MetaData\_77EC63BDA74BD0D0E0426DC8F8008506`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_AC\_TokenBroker\_Cache\_fbaf94e759052658216786bfbabdcdd1b67a5c2.tbres`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{8e953f83-fca1-4168-86e5-7f49d1f9c032}\_0.0.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{8e953f83-fca1-4168-86e5-7f49d1f9c032}\_0.1.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{8e953f83-fca1-4168-86e5-7f49d1f9c032}\_0.2.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{8e953f83-fca1-4168-86e5-7f49d1f9c032}\_Apps.ft`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{8e953f83-fca1-4168-86e5-7f49d1f9c032}\_Apps.index`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{d1483265-da97-4218-a72b-dcdde112dc87}\_0.0.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{d1483265-da97-4218-a72b-dcdde112dc87}\_0.1.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{d1483265-da97-4218-a72b-dcdde112dc87}\_0.2.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{d1483265-da97-4218-a72b-dcdde112dc87}\_Apps.ft`

- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{d1483265-da97-4218-a72b-dcdde112dc87}\_Apps.index`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_DeviceSearchCache\_AppCache134261061387551527.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_DeviceSearchCache\_AppCache134261061420131458.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.StartMenuExperienceHost\_cw5n1h2txyewy\_TempState\_StartUnifiedTileModelCache.dat`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Temp\_.ses`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Temp\_aria-debug-7436.log`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Temp\_ba1ff5bc-f0fb-4b5c-8f9e-0c3d8a9bf692.tmp`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Temp\_e510b64f-ed15-400b-b0e4-5cf9bd9f9654.tmp`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Roaming\_Microsoft\_Windows\_Recent\_AutomaticDestinations\_ccba5a5986c77e43.automaticDestinations-ms`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Roaming\_Microsoft\_Windows\_Recent\_The Internet.lnk`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Roaming\_Microsoft\_Windows\_Recent\_http--www.msftconnecttest.com-redirect.lnk`
- `hkcu\_run.reg`
- `hkml\_run.reg`
- `hkml\_runonce.reg`
- `powershell\_operational.evtx`
- 12. Guest Telemetry Setup
- `guest\_setup.ps1` prepares Sysmon/Defender settings inside the clean Windows snapshot.
- `guest\_collect.ps1` exports EVTX/process/network/registry artifacts once Guest Control is available or when run manually in the guest.
- `behavior\_summary.json` contains parsed guest-side persistence, dropped-file, and Sysmon summaries when artifacts are available.
- 13. Private Client Bundle and Guardrails
- Canonical report bundle root: `reports/`, `static/`, `dynamic/`, `network/`, `memory/`, `detections/`, and `evidence/` under this run directory.
- Public sample/artifact enrichment is disabled by default in `run\_manifest.json`.
- Default handling is private single-client / `TLP:AMBER`; do not upload live samples or artifacts to public services without explicit authorization.
- 14. Recommendations
- Keep source artifacts and intermediate analysis output in the run/analyst-kit area; copy only final client-ready reports into `RAIccoon\_Reports`.
- Treat public enrichment, public uploads, and third-party sharing as opt-in only after explicit client authorization.
- Use `report\_preflight.json`, `workflow\_status.json`, and chain-of-custody artifacts as QA evidence before delivery.
- 15. Analyst Notes and Next Steps
- DNS is wildcarded to `192.168.56.254` by `dnsmasq`.
- HTTP ports 80/8080 and HTTPS port 443 are simulated locally when available.
- Guest Control is used when available; mounted ISO and keyboard injection remain as fallback.
- Use this draft as source material for a final Lost Boys Cyber malware report with deeper narrative interpretation, ATT&CK mapping, and client-specific validation.