



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



BlueMoon Exploit Kit State-Aligned Adoption and Aerospace Targeting Daily Update - 2026-09-22

Threat Intelligence Report

Classification	TLP:CLEAR
Published	2026-09-22
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Intelligence Report

TLP:CLEAR | Lost Boys Cyber | BlueMoon Exploit Kit State-Aligned Adoption and Aerospace Targeting Daily Update - 2026-09-22 - Threat Intelligence Report

Published: 2026-09-22 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Actor / Campaign Overview
5. Tactics, Techniques, and Procedures
6. Infrastructure and Indicators
7. Victimology and Targeting
8. Aviation and Aerospace Sector Impact
9. Detection Engineering
 - 9.1. Detection Logic Summary
 - 9.2. Sigma Rule
 - 9.3. Network Hunt Query
10. Threat Hunting
 - 10.1. Hunt Hypotheses
 - 10.2. Endpoint Query
 - 10.3. Identity Query
11. MITRE ATT&CK Mapping
12. Risk Assessment
13. Recommended Actions
14. References

BlueMoon Exploit Kit State-Aligned Adoption and Aerospace Targeting

Daily Update - 2026-09-22

> Daily automation refresh: This 2026-09-22 report turns current intelligence coverage into a finished Lost Boys Cyber report with source-backed analysis, structured tables, detections, and hunt content.

1. Executive Summary

BlueMoon matters beyond patching because Proofpoint reported rapid adoption by multiple state-aligned actors and specific targeting of U.S. aerospace companies. This report is the canonical daily artifact for both the general Top 5 threat list and the aviation/aerospace Top 5 list.

2. Intelligence Requirements

Requirement	Answered By This Report
What happened or changed?	Proofpoint research elevated the chain from vulnerability-management item to active espionage campaign concern, including aerospace targeting.
Who is exposed?	Aerospace manufacturers, defense contractors, engineering teams, government agencies, and high-value Windows endpoint populations.
What should defenders do today?	Patch Chrome/Edge and Windows, isolate high-risk browsing, and run endpoint hunts for browser-to-script execution and post-exploitation staging.
Confidence	High for Proofpoint-sourced targeting; medium for cross-source summaries.

3. Source Review & Confidence

Source	Contribution	Confidence
Proofpoint	Primary source; reports multiple actors and U.S. aerospace targeting	High
SecurityWeek	Corroborates CVE chain and zero-day patch context	Medium
BleepingComputer	Defender-facing explanation of Windows/Chrome chain	Medium
The Hacker News	Campaign summary and adoption context	Medium

4. Threat Actor / Campaign Overview

BlueMoon is reported as a reusable exploit kit chaining recent Chrome and Windows vulnerabilities. Its rapid adoption by multiple espionage actors means defenders should treat it as a campaign-enablement platform, not a single actor intrusion.

5. Tactics, Techniques, and Procedures

TTP	Description	Defensive Relevance
Exploit chaining	Browser compromise followed by	Patch sequencing must cover browser and

	Windows ALPC local privilege escalation	OS together.
Aerospace targeting	Reported use against U.S. aerospace companies	Sector defenders should prioritize engineering endpoints and executive systems.
Espionage adoption	Multiple state-aligned actors using a shared kit	Attribution should remain cautious; focus on behavior.

6. Infrastructure and Indicators

Observable Type	Observable / Pattern	Handling Guidance
Source-limited public IOCs	No unique atomic indicators were published in all selected sources for this automated report unless listed in iocs.csv.	Treat behavior, tooling, and infrastructure patterns as primary hunt leads.
Domains / infrastructure	Validate from primary source before blocking.	Prefer detection and enrichment over blind blocking when source confidence is medium.
Accounts / identity artifacts	Recruiter, VPN, administrator, or service-account themes depending on campaign.	Review conditional access, new devices, and impossible-travel signals.

7. Victimology and Targeting

Victimology includes U.S. aerospace companies, government-linked targets, and high-value Windows endpoint users. The chain is relevant to aviation design, avionics, defense manufacturing, satellite, and MRO organizations with sensitive intellectual property.

8. Aviation and Aerospace Sector Impact

Segment	Operational Relevance	Exposure Path	Defender Action
Aerospace and defense manufacturing	Engineering workstations can hold controlled technical data and source/design artifacts.	Spearphishing, watering holes, malicious web content.	Prioritize browser/OS patch compliance for engineering and executive devices.
Satellite/space systems suppliers	Ground-segment operators depend on Windows workstations for administration and analysis.	Targeted browsing or partner communications.	Monitor privileged operator endpoints and separate browsing from admin roles.
Aviation suppliers and MRO	Vendor portals and documentation workflows increase browser exposure.	Web-based partner workflows.	Apply isolation and EDR hunts for browser-child process anomalies.

9. Detection Engineering

9.1. Detection Logic Summary

Signal	Telemetry Source	Analytic Goal
Unusual script or admin tool launch after web, email, or remote-access activity	EDR / process telemetry	Identify initial access and execution.
New outbound connections to untrusted	DNS/proxy/netflow	Surface command-and-control or tool

infrastructure		staging.
Identity anomalies linked to target workflow	Identity provider logs	Detect stolen credential or social-engineering follow-on use.

9.2. Sigma Rule

```

title: Suspicious Script Or Remote Tool Activity In Daily Threat Coverage
status: experimental
description: Detects suspicious script execution and remote-tool staging patterns relevant to daily threat-intelligence coverage.
logsource:
  category: process_creation
  product: windows
detection:
  selection_parent:
    ParentImage|endswith:
      - '\w3wp.exe'
      - '\java.exe'
      - '\chrome.exe'
      - '\outlook.exe'
      - '\teams.exe'
  selection_child:
    Image|endswith:
      - '\powershell.exe'
      - '\cmd.exe'
      - '\wscript.exe'
      - '\cscript.exe'
      - '\mshta.exe'
      - '\rundll32.exe'
  condition: selection_parent and selection_child
level: high

```

9.3. Network Hunt Query

```

DeviceNetworkEvents
| where Timestamp > ago(14d)
| where InitiatingProcessFileName in~
('powershell.exe','cmd.exe','wscript.exe','cscript.exe','rundll32.exe','python.exe','node.exe')
| summarize Connections=count(), RemoteIPs=dcount(RemoteIP), RemoteUrls=make_set(RemoteUrl, 20) by
DeviceName, InitiatingProcessFileName, InitiatingProcessCommandLine
| order by Connections desc

```

10. Threat Hunting

10.1. Hunt Hypotheses

Hypothesis	Query Focus
A user or administrator was socially engineered into executing attacker tooling.	Script interpreters spawned from collaboration, browser, or email processes.
A vulnerable public-facing service was exploited and used for staging.	Web-service parent processes launching shells or making rare outbound connections.
Stolen or purchased credentials enabled follow-on access.	New device, new geography, or abnormal application access in identity logs.

10.2. Endpoint Query

```

DeviceProcessEvents
| where Timestamp > ago(14d)
| where FileName in~
('powershell.exe','cmd.exe','wscript.exe','cscript.exe','mshta.exe','rundll32.exe','node.exe','python.e

```

```

xe')
| where ProcessCommandLine has_any ('download','invoke-webrequest','frombase64string','-
enc','curl','wget','token','apikey')
| project Timestamp, DeviceName, InitiatingProcessFileName, FileName, ProcessCommandLine, AccountName
| order by Timestamp desc

```

10.3. Identity Query

```

SigninLogs
| where TimeGenerated > ago(14d)
| summarize Apps=make_set(AppDisplayName, 20), IPs=make_set(IPAddress, 50),
Countries=make_set(Location, 20), Count=count() by UserPrincipalName
| where array_length(IPs) > 5 or array_length(Countries) > 2 or Count > 50

```

11. MITRE ATT&CK Mapping

Technique	Name	Evidence / Rationale
T1189	Drive-by Compromise	Browser exploit delivery path.
T1068	Exploitation for Privilege Escalation	Windows ALPC LPE component.
T1059	Command and Scripting Interpreter	Likely post-exploitation staging.
T1027	Obfuscated Files or Information	Exploit kits frequently obfuscate delivery artifacts.

12. Risk Assessment

Risk	Likelihood	Impact	Notes
Aerospace endpoint compromise	Medium/High	High	Source reporting names U.S. aerospace targeting.
Patch-gap exploitation	High	High	Multiple CVEs and patch timings increase residual exposure.
Misattribution	Medium	Medium	Multiple actors using one kit complicates response assumptions.

13. Recommended Actions

Priority	Owner	Action
1	SOC / detection engineering	Deploy or tune detections above and run the 14-day hunts.
2	Vulnerability / IT operations	Patch or isolate exposed systems named in the source coverage.
3	Identity / endpoint engineering	Review MFA, device compliance, and suspicious remote-tool execution.
4	Third-party risk	Confirm suppliers and managed-service providers are applying equivalent controls.

14. References

- [1] Proofpoint: <https://www.proofpoint.com/us/blog/threat-insight/once-bluemoon-multiple-state-aligned-threat-actors-rapidly-adopt-novel-exploit>
- [2] SecurityWeek: <https://www.securityweek.com/bluemoon-exploit-kit-chains-recent-chrome-windows-zero-days/>
- [3] BleepingComputer: <https://www.bleepingcomputer.com/news/security/new-bluemoon-kit-exploited-windows-and-chrome-zero-day-flaws/>
- [4] The Hacker News: <https://thehackernews.com/2026/09/four-spy-groups-used-same-chrome-and.html>