



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



BlueMoon Exploit-Kit Reporting Requires Browser-to-Windows Exploit Chain Hunting

Threat Report

Classification	TLP:CLEAR
Published	2026-09-14
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Report

TLP:CLEAR | Lost Boys Cyber | BlueMoon Exploit-Kit Reporting Requires Browser-to-Windows Exploit Chain Hunting - Threat Report

Published: 2026-09-14 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review and Confidence
4. Threat / Campaign Overview
5. Tactics, Techniques, and Procedures
6. Infrastructure, Indicators, and Observables
7. Detection Engineering
8. Threat Hunting
9. Risk Assessment
10. Recommended Actions
11. References

BlueMoon Exploit-Kit Reporting Requires Browser-to-Windows Exploit Chain Hunting

1. Executive Summary

BLUF: Open-source reporting links multiple espionage groups to shared Chrome and Windows exploit-kit capability, reinforcing browser hardening and exploit-chain telemetry needs. This report is a finished Lost Boys Cyber daily intelligence product for 2026-09-14. Source recency was prioritized for the last 24-72 hours and expanded to 7 days or standing sector references where necessary for corroboration.

Field	Value
Daily Section	Top 5 general threat reports
Severity	High
Confidence	Medium
Primary Exposure	Endpoint, browser, VIP-user, and government/corporate espionage targets.
Analyst Decision	Review controls, hunt telemetry, and update watchlists/playbooks

2. Intelligence Requirements

Requirement	Answer
What changed?	Open-source reporting links multiple espionage groups to shared Chrome and Windows exploit-kit capability, reinforcing browser hardening and exploit-chain telemetry needs.
Who should care?	Endpoint, browser, VIP-user, and government/corporate espionage targets.
What should analysts do today?	Validate exposure, run hunts, and review third-party/control exceptions

3. Source Review and Confidence

#	Source	URL	Role
1	BleepingComputer BlueMoon exploit-kit coverage	https://www.bleepingcomputer.com/news/security/new-blumoon-kit-exploited-windows-and-chrome-zero-day-flaws/	Used for corroboration and defender context
2	The Hacker News exploit-kit coverage	https://thehackernews.com/2026/09/four-spy-groups-used-same-chrome-and.html	Used for corroboration and defender context
3	Google Chrome releases blog	https://chromereleases.googleblog.com/	Used for corroboration and defender context
4	Microsoft Security Update	https://msrc.microsoft.com/	Used for corroboration and

	Guide	update-guide	defender context
--	-------	--------------	------------------

Confidence is Medium. This product avoids unverified attribution and treats vendor/news reporting as operational cues pending internal validation.

4. Threat / Campaign Overview

The selected reporting indicates a defender-relevant pressure point: Open-source reporting links multiple espionage groups to shared Chrome and Windows exploit-kit capability, reinforcing browser hardening and exploit-chain telemetry needs. The likely operational pattern is not a single IOC-only event; it is a class of behavior that combines exposure management, identity control, endpoint visibility, and rapid triage.

Signal	Why It Matters	Collection
BlueMoon exploit kit	Primary analytic pivot for this topic	SIEM/EDR/vulnerability/source logs
CVE-2026-85880	Secondary behavior or exposure clue	Identity, proxy, EDR, cloud logs
browser exploit chain	Triage and watchlist value	Case notes, watchlists, alert enrichment

5. Tactics, Techniques, and Procedures

Tactic	Technique / Behavior	Defensive Note
Initial Access	Phishing, exploit delivery, exposed remote access, or supplier access	Prioritize high-value users/assets and vendor paths
Execution	Scripted execution, payload staging, or malicious automation	Monitor parent/child process chains and command-line anomalies
Credential Access	Token, password, or session theft where relevant	Review impossible travel, risky sign-ins, OAuth app grants
Command and Control	Reused infrastructure, cloud services, or remote-management tooling	Enrich DNS/proxy/EDR network events and block known-bad only after validation

6. Infrastructure, Indicators, and Observables

Observable	Type	Action
BlueMoon exploit kit	Observable / analytic pivot	Validate in SIEM, EDR, vulnerability, and ticketing systems
CVE-2026-85880	Observable / analytic pivot	Validate in SIEM, EDR, vulnerability, and ticketing systems
browser exploit chain	Observable / analytic pivot	Validate in SIEM, EDR, vulnerability, and ticketing systems

No hard atomic IOCs are asserted unless present in the cited public sources. Treat these entries as observables and hunting pivots.

7. Detection Engineering

```
DeviceProcessEvents
| where Timestamp > ago(7d)
| where ProcessCommandLine has_any ("powershell", "rundll32", "mshta", "regsvr32", "curl", "bitsadmin", "rmm", "screenconnect", "anydesk")
```

```

| summarize Events=count(), Hosts=dcount(DeviceName), Samples=make_set(ProcessCommandLine, 10) by
FileName, InitiatingProcessFileName
| order by Events desc

SigninLogs
| where TimeGenerated > ago(7d)
| where ResultType != 0 or RiskLevelDuringSignIn in ("medium", "high")
| summarize Failures=count(), Users=dcount(UserPrincipalName), IPs=make_set(IPAddress, 20) by
AppDisplayName, ConditionalAccessStatus
| order by Failures desc

title: Daily Threat Review Suspicious Remote Tool Or Script Chain
status: experimental
logsource:
  product: windows
  category: process_creation
detection:
  selection_tools:
    CommandLine|contains:
      - 'screenconnect'
      - 'anydesk'
      - 'teamviewer'
      - 'powershell -enc'
      - 'rundll32'
  condition: selection_tools
fields:
  - UtcTime
  - Image
  - ParentImage
  - CommandLine
  - User
level: medium

```

8. Threat Hunting

```

DeviceNetworkEvents
| where Timestamp > ago(14d)
| where RemoteUrl has_any ("pastebin", "githubusercontent", "workers.dev", "ngrok", "trycloudflare",
"duckdns")
| summarize Events=count(), Hosts=dcount(DeviceName), Urls=make_set(RemoteUrl, 25) by
InitiatingProcessFileName
| order by Events desc

index=endpoint earliest=-14d
(process_name IN ("powershell.exe", "rundll32.exe", "mshta.exe", "regsvr32.exe") OR
command_line="*screenconnect*" OR command_line="*anydesk*")
| stats count dc(host) as hosts values(command_line) as sample_commands by parent_process_name
process_name user
| sort - count

```

Hunt intent: identify behavior classes related to this daily item, then pivot through affected business units and source-specific observables.

9. Risk Assessment

Risk	Rating	Rationale
Operational disruption	Medium-High	Dependent services, identity, or endpoints can affect business continuity
Data exposure	Medium	Credential/session compromise and supplier paths can expose sensitive data
Detection gap	Medium	Many signals require cross-domain telemetry correlation

10. Recommended Actions

Priority	Action	Owner
P1	Run the included hunts against the last 7-14 days	SOC / Detection Engineering
P2	Validate control exceptions and internet/vendor exposure	Vulnerability / IT Ops
P3	Add this topic to daily watchlists and case-triage notes	CTI / SOC Lead

11. References

- [1] BleepingComputer BlueMoon exploit-kit coverage: <https://www.bleepingcomputer.com/news/security/new-blumoon-kit-exploited-windows-and-chrome-zero-day-flaws/>
- [2] The Hacker News exploit-kit coverage: <https://thehackernews.com/2026/09/four-spy-groups-used-same-chrome-and.html>
- [3] Google Chrome releases blog: <https://chromereleases.googleblog.com/>
- [4] Microsoft Security Update Guide: <https://msrc.microsoft.com/update-guide>