



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



StealC and Amadey Infostealer Cybercrime Services Disruption Report

Threat Report

Classification	TLP:CLEAR
Published	2026-06-30
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Report

TLP:CLEAR | Lost Boys Cyber | StealC and Amadey Infostealer Cybercrime Services Disruption Report - Threat Report

Published: 2026-06-30 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Actor / Campaign Overview
5. Tactics, Techniques, and Procedures
6. Infrastructure and Indicators
7. Victimology and Targeting
8. Detection Engineering
 - 8.1. Detection Logic Summary
 - 8.2. Sigma / Detection Rule
 - 8.3. Hunt Query
9. Threat Hunting
 - 9.1. Hunt Hypotheses
 - 9.2. Network Hunt Query
10. Risk Assessment
11. Recommended Actions
12. References

StealC and Amadey Infostealer Cybercrime Services Disruption Report

1. Executive Summary

Microsoft reported June 24, 2026 action against domains underpinning StealC and Amadey cybercrime services. The disruption is useful operationally, but defenders should not interpret takedown activity as eradication of infostealer risk; credential theft markets adapt quickly.

2. Intelligence Requirements

Requirement	Answer in This Report
What happened?	Microsoft DCU facilitated takedown, suspension, and blocking of domains associated with StealC and Amadey services.
Who is affected?	Organizations exposed to credential theft, browser data theft, and malware-loader ecosystems.
What should defenders do?	Reset exposed credentials, hunt for infostealer execution, and tighten browser/secret storage controls.
Confidence	High for Microsoft reporting; medium for current local prevalence.

3. Source Review & Confidence

Source	Contribution	Confidence
Microsoft Security Blog: StealC and Amadey	Primary Microsoft analysis and disruption context	High
CISA guidance on malware and credential protection	Credential-defense guidance	Medium
MITRE ATT&CK Credentials from Web Browsers	Technique mapping for infostealer behavior	High

4. Threat Actor / Campaign Overview

Infostealer and loader ecosystems monetize credentials that later enable ransomware, SaaS compromise, and business email compromise. Domain disruption can reduce active infrastructure but does not remove already-stolen credentials.

5. Tactics, Techniques, and Procedures

Tactic	Technique / Behavior	Defensive Interpretation
Initial Access	Lures, exploited public services, or supply-chain trust paths	Prioritize edge visibility and provenance checks.
Execution	Script, package, backdoor, or web-shell execution	Baseline interpreters and unexpected child processes.
Command and Control	Outbound encrypted web traffic or adversary-managed infrastructure	Hunt rare destinations and new process/network pairings.

6. Infrastructure and Indicators

Observable Type	Signal	Notes
-----------------	--------	-------

Behavior	Source did not publish stable atomic IOCs	Hunt on process, network, identity, and SaaS behaviors.

Hard IOCs are limited where primary sources did not publish stable indicators. Treat behavior, infrastructure class, and telemetry pivots as the primary hunting path until local intelligence enrichment identifies environment-specific indicators.

7. Victimology and Targeting

Broad opportunistic targeting across consumers and enterprises, with enterprise impact through credential reuse and unmanaged endpoints.

8. Detection Engineering

8.1. Detection Logic Summary

Signal	Telemetry Source	Analytic Goal
Suspicious script or LOLBin execution	Endpoint process telemetry	Surface initial execution and staging activity
New external connection after lure/app execution	Network telemetry	Identify callback or payload retrieval
Unusual account, mailbox, or SaaS activity	Identity/SaaS audit logs	Detect credential abuse and persistence

8.2. Sigma / Detection Rule

```

title: Suspicious Script and Remote Tool Activity - stealc-amadey-infostealer-cybercrime-ser
status: experimental
logsource:
  product: windows
  category: process_creation
detection:
  selection_tools:
    Image|endswith:
      - '\powershell.exe'
      - '\wscript.exe'
      - '\cscript.exe'
      - '\mshta.exe'
      - '\rundll32.exe'
  selection_suspicious:
    CommandLine|contains:
      - 'http'
      - 'download'
      - 'EncodedCommand'
      - 'Invoke-Expression'
  condition: selection_tools and selection_suspicious
level: high

```

8.3. Hunt Query

```

DeviceProcessEvents
| where Timestamp > ago(14d)
| where FileName in~ ("powershell.exe", "wscript.exe", "cscript.exe", "mshta.exe", "rundll32.exe",
"node.exe", "osascript")
| where ProcessCommandLine has_any ("http", "download", "EncodedCommand", "Invoke-Expression", "curl",
"wget")
| project Timestamp, DeviceName, AccountName, FileName, ProcessCommandLine, InitiatingProcessFileName

```

9. Threat Hunting

9.1. Hunt Hypotheses

Hypothesis	Query Focus
Initial access used lure-driven script, package, or web exploitation behavior.	Correlate suspicious process launches with browser, archive, package-manager, or web-server parents.
Follow-on access used identity or remote-management tooling.	Review new OAuth grants, administrative changes, RMM agents, and rare remote endpoints.

9.2. Network Hunt Query

```
DeviceNetworkEvents
| where Timestamp > ago(14d)
| where InitiatingProcessFileName has_any ("powershell.exe", "node.exe", "python.exe", "osascript", "curl", "wget")
| summarize Connections=count(), RemoteUrls=make_set(RemoteUrl, 20) by DeviceName, InitiatingProcessFileName, RemoteIP
| order by Connections desc
```

10. Risk Assessment

Risk Area	Assessment	Rationale
Initial Access	Elevated	Recent reporting indicates active or plausible attacker interest.
Credential Exposure	Medium-High	Many campaigns convert endpoint access into identity abuse.
Operational Disruption	Medium	Impact depends on privilege, sector, and dependency concentration.

11. Recommended Actions

Priority	Owner	Action
High	SOC	Deploy hunts in this report and tune to local telemetry.
High	IT/security engineering	Patch exposed systems, verify EDR coverage, and restrict script interpreters where possible.
Medium	Identity team	Review new privileged accounts, OAuth grants, and risky sign-ins for the lookback period.
Medium	Threat intel	Track source updates for IOCs, exploit details, and sector-specific victimology.

12. References

- [1] Microsoft Security Blog: StealC and Amadey — <https://www.microsoft.com/en-us/security/blog/2026/06/24/stealc-and-amadey-breaking-down-infostealers-and-the-cybercrime-services-that-deliver-them/>
- [2] CISA guidance on malware and credential protection — <https://www.cisa.gov/secure-our-world/use-strong-passwords>
- [3] MITRE ATT&CK Credentials from Web Browsers — <https://attack.mitre.org/techniques/T1555/003/>