



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



RansomHouse Data-Extortion Activity: Daily Defender Review

Threat Report

Classification	TLP:CLEAR
Published	2026-09-12
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Report

TLP:CLEAR | Lost Boys Cyber | RansomHouse Data-Extortion Activity: Daily Defender Review - Threat Report

Published: 2026-09-12 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Activity Overview
5. Affected Sectors and Exposure
6. Tactics, Techniques, and Procedures
7. Infrastructure and Indicators
8. Detection Engineering
 - 8.1. Detection Summary
 - 8.2. Sigma / Detection Content
 - 8.3. Hunt Query
9. Threat Hunting
 - 9.1. Hunt Hypotheses
10. Risk Assessment
11. Recommended Actions
12. References

RansomHouse Data-Extortion Activity: Daily Defender Review

1. Executive Summary

CYFIRMA weekly reporting highlighted RansomHouse ransomware/data-extortion activity, describing exfiltration of sensitive data and threats to publish stolen information. The reported victim geography includes the United States, Brazil, China, Japan, and Thailand, making the activity broadly relevant to multinational defenders.

This automated daily report favors practical defender action over speculative attribution. It uses public sources available during the 2026-09-12 UTC run and clearly scopes older sector-relevant sources where current reporting was limited.

2. Intelligence Requirements

Question	Current Answer	Confidence
What changed or remains operationally relevant today?	The immediate defender value is in detecting exfiltration staging and identity compromise before encryption or publication pressure begins. Organizations should focus on abnormal archive creation, mass file reads, cloud-storage uploads, and suspicious remote-administration sessions.	Medium
Which environments should prioritize review?	Enterprises with sensitive file shares, regulated data, weak egress monitoring, or incident-response gaps around extortion-only events.	Medium
Are hard IOCs available from public sources?	No unique IOCs were safely extracted in this run; use behavior-based hunts and source follow-up.	Medium

3. Source Review & Confidence

Source	Contribution	Confidence
CYFIRMA Weekly Intelligence Report - 11 Sep 2026	Reported RansomHouse victimology and extortion behavior.	High
CISA StopRansomware guidance	Government ransomware preparation and response guidance.	Medium
MITRE ATT&CK Exfiltration Over Web Service	Technique reference for exfiltration via cloud/web services.	Medium

4. Threat Activity Overview

The immediate defender value is in detecting exfiltration staging and identity compromise before encryption or publication pressure begins. Organizations should focus on abnormal archive creation, mass file reads, cloud-storage uploads, and suspicious remote-administration sessions.

5. Affected Sectors and Exposure

Enterprises with sensitive file shares, regulated data, weak egress monitoring, or incident-response gaps around extortion-only events.

Exposure Pattern	Operational Concern
------------------	---------------------

Identity compromise	Enables remote access, SaaS abuse, mailbox/data theft, or supplier impersonation.
Exposed internet-facing platforms	Increases scan/exploit likelihood and shortens defender response window.
Third-party or supply-chain dependency	One provider incident can create multi-organization impact.
Weak egress/data monitoring	Reduces ability to detect staging, exfiltration, or C2.

6. Tactics, Techniques, and Procedures

Tactic / Phase	Observed or Plausible Technique	Evidence
Initial Access	T1566 Phishing or T1190 Exploit Public-Facing Application	Source-dependent: document lures, external services, or exposed platforms are the common entry themes.
Execution	T1059 Command and Scripting Interpreter	Hunt logic focuses on script/command execution after suspicious access.
Collection / Exfiltration	T1560 Archive Collected Data; T1567 Exfiltration Over Web Service	Relevant to extortion, espionage, and cloud-enabled operations.
Impact	T1486 Data Encrypted for Impact / service disruption	Applies where ransomware or platform disruption is the reported risk.

7. Infrastructure and Indicators

Indicator / Infrastructure	Type	Operational Use
No durable atomic IOCs extracted	Source limitation	Do not block on invented IOCs; hunt for behaviors and affected technologies.
Named technologies/sectors in this report	Asset/sector pivot	Use CMDB, EDR tags, external attack-surface management, and supplier inventories to scope exposure.

8. Detection Engineering

8.1. Detection Summary

Signal	Telemetry Source	Analytic Goal
New inbound or management-plane access to priority exposed system	Firewall, VPN, WAF, reverse proxy, cloud flow logs	Identify opportunistic exploitation or reconnaissance against the named technology/theme
Suspicious child process, script execution, or anomalous service-account action near affected asset	EDR, server process logs, audit logs	Find post-exploitation activity after initial access
Archive creation, bulk reads, token changes, or unusual outbound transfer	EDR, DLP, proxy, cloud audit logs	Detect staging and exfiltration attempts tied to the reported activity

8.2. Sigma / Detection Content

```

title: LBC Daily Priority Suspicious Server Post Exploitation - ransomhouse-data-extortion-daily-review
id: lbc-ransomhouse-data-extortion-daily-review
status: experimental
description: Flags suspicious command execution and staging behavior on servers or edge systems
associated with this daily priority. Tune asset filters before production use.
logsource:
  category: process_creation
  product: windows
detection:
  selection_img:
    Image|endswith:
      - '\\cmd.exe'
      - '\\powershell.exe'
      - '\\pwsh.exe'
      - '\\wscript.exe'
      - '\\cscript.exe'
  selection_cmd:
    CommandLine|contains:
      - 'curl '
      - 'wget '
      - 'Invoke-WebRequest'
      - 'certutil -urlcache'
      - 'tar '
      - '7z '
      - 'rclone'
  condition: selection_img and selection_cmd
falsepositives:
  - Administrative maintenance scripts on managed servers
level: high

```

8.3. Hunt Query

```

DeviceProcessEvents
| where Timestamp > ago(14d)
| where FileName in~ ("cmd.exe", "powershell.exe", "pwsh.exe", "wscript.exe", "cscript.exe")
| where ProcessCommandLine has_any ("curl ", "wget ", "Invoke-WebRequest", "certutil -urlcache",
"rclone", "7z", "tar ")
| summarize FirstSeen=min(Timestamp), LastSeen=max(Timestamp), Count=count(),
Commands=make_set(ProcessCommandLine, 5) by DeviceName, InitiatingProcessAccountName, FileName
| order by LastSeen desc

```

9. Threat Hunting

9.1. Hunt Hypotheses

Hypothesis	Data Required	Expected Finding
Exposed or high-value systems tied to this report show exploitation or reconnaissance within the last 14 days.	Firewall, WAF, reverse proxy, VPN, cloud flow logs	Spikes in requests, failed authentication, rare user agents, or unexpected source geographies
A compromised server or workstation staged data or tooling after initial access.	EDR process/file/network events	Archive tools, scripted downloads, web shells, unusual outbound transfer, or rare parent/child process chains

```

DeviceNetworkEvents
| where Timestamp > ago(14d)
| where RemoteUrl has_any ("pastebin", "githubusercontent", "workers.dev", "pages.dev", "ngrok",
"trycloudflare") or RemotePort in (4444, 8080, 8443, 9001)
| summarize Connections=count(), FirstSeen=min(Timestamp), LastSeen=max(Timestamp),
Urls=make_set(RemoteUrl, 10) by DeviceName, InitiatingProcessFileName, RemoteIP, RemotePort
| order by LastSeen desc

```

10. Risk Assessment

Dimension	Assessment
Likelihood	High for organizations matching the exposure profile; lower for segmented/non-exposed environments.
Impact	Potential credential theft, data exfiltration, service disruption, or follow-on intrusion depending on theme.
Confidence	Medium based on source specificity and recency.

11. Recommended Actions

Priority	Owner	Action
Critical	SOC lead	Run the hunt queries against in-scope assets and review hits with source context.
High	Platform / identity teams	Validate MFA, patch state, service-account governance, and logging for exposed systems.
High	Incident response	Prepare containment playbooks for the named sector/technology scenario.
Medium	Vendor management	Request supplier status for relevant platforms and critical service dependencies.

12. References

- [1] CYFIRMA Weekly Intelligence Report - 11 Sep 2026: <https://www.cyfirma.com/news/weekly-intelligence-report-11-sep-2026/> — Reported RansomHouse victimology and extortion behavior.
- [2] CISA StopRansomware guidance: <https://www.cisa.gov/stopransomware> — Government ransomware preparation and response guidance.
- [3] MITRE ATT&CK Exfiltration Over Web Service: <https://attack.mitre.org/techniques/T1567/> — Technique reference for exfiltration via cloud/web services.