



# LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



## Daily 2026-10-05 Meari IoT Cloud Platform OpenAPI Service Exposure

Threat Intelligence Report

|                       |                            |
|-----------------------|----------------------------|
| <b>Classification</b> | TLP:CLEAR                  |
| <b>Published</b>      | 2026-10-05                 |
| <b>Version</b>        | 1.0                        |
| <b>Author</b>         | Lost Boys Cyber            |
| <b>Report Type</b>    | Threat Intelligence Report |

TLP:CLEAR | Lost Boys Cyber | Daily 2026-10-05 Meari IoT Cloud Platform OpenAPI Service Exposure - Threat Intelligence Report

Published: 2026-10-05 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

## Table of Contents

1. Executive Summary
2. Intelligence Metadata
3. Source Review and Confidence
4. Threat / Campaign Details
5. Attack Scenarios
6. Affected Sectors and Exposure
7. Detection Engineering
  - 7.1. Detection Logic Summary
8. Threat Hunting
  - 8.1. Microsoft Defender / KQL Hunt
9. MITRE ATT&CK Mapping
10. Incident Response and Containment
11. Recommendations
12. References

## Daily 2026-10-05 Meari IoT Cloud Platform OpenAPI Service Exposure

> Daily production note (2026-10-05 UTC): This report was selected for the daily coverage set from current public reporting and current defender relevance. Where same-day primary reporting was limited, the source window was expanded to the last 7 days and clearly constrained to defensible claims.

### 1. Executive Summary

CISA published ICSA-26-274-06 for Meari IoT Cloud Platform OpenAPI Service. The advisory is relevant beyond a single product because cloud-managed IoT services create identity, API, and downstream physical-environment exposure.

Lost Boys Cyber selected this item because it has current operational relevance, credible public sourcing, and actionable implications for vulnerability management, detection engineering, threat hunting, incident response, or sector risk reduction.

### 2. Intelligence Metadata

| Field             | Value                                                                  |
|-------------------|------------------------------------------------------------------------|
| Daily rank        | General threat report 5                                                |
| Primary theme     | IoT cloud platform advisory                                            |
| Sector / audience | IoT operators, smart-device fleets, cloud API owners, facilities teams |
| Published         | 2026-10-05                                                             |
| Confidence        | Medium                                                                 |

### 3. Source Review and Confidence

| Source                                       | URL                                                                                                                                                                                       | Contribution                  |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| CISA ICSA-26-274-06 Meari IoT Cloud Platform | <a href="https://www.cisa.gov/news-events/ics-advisories/icsa-26-274-06">https://www.cisa.gov/news-events/ics-advisories/icsa-26-274-06</a>                                               | Primary current ICS advisory. |
| CISA ICS advisories                          | <a href="https://www.cisa.gov/news-events/cybersecurity-advisories?f%5B0%5D=advisory_type%3A96">https://www.cisa.gov/news-events/cybersecurity-advisories?f%5B0%5D=advisory_type%3A96</a> | ICS advisory source context.  |
| CISA CPGs                                    | <a href="https://www.cisa.gov/cross-sector-cybersecurity-performance-goals">https://www.cisa.gov/cross-sector-cybersecurity-performance-goals</a>                                         | Control baseline.             |

Confidence is **\*\*medium\*\*** unless a cited primary source states confirmed exploitation or victim impact. This report avoids inventing IOCs, victim counts, attribution, or exploit mechanics that are not present in the public sources.

### 4. Threat / Campaign Details

The reporting is relevant because defenders are managing a compressed decision window: public advisories, ransomware operations, social engineering, AI-enabled abuse, and supplier dependencies can become operational incidents quickly. The appropriate response is to translate the reporting into exposure review, detections, hunts, and prioritized owner actions.

### 5. Attack Scenarios

| Scenario                               | Description                                                                  | Defensive Priority                   |
|----------------------------------------|------------------------------------------------------------------------------|--------------------------------------|
| Opportunistic exploitation or phishing | Adversaries use current lures, exposed services, or known weaknesses to gain | Patch, harden identity, and validate |

|                           |                                                                                                            |                                                             |
|---------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
|                           | access.                                                                                                    | email/web controls.                                         |
| Targeted access           | A focused actor targets high-value users, suppliers, or operators with tailored tradecraft.                | Prioritize VIP/admin monitoring and supplier access review. |
| Post-compromise expansion | Initial access is followed by credential theft, lateral movement, tool staging, or ransomware preparation. | Hunt process, identity, network, and data-staging signals.  |

## 6. Affected Sectors and Exposure

| Exposure Pattern                   | Why It Matters                                                      | Immediate Check                                                                  |
|------------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------------------|
| Public-facing systems              | High discovery rate and common initial access path.                 | Confirm patch and internet exposure status.                                      |
| Identity and remote access         | Enables stealthy follow-on access after initial compromise.         | Review MFA, new devices, risky sign-ins, token creation, and privileged changes. |
| Supplier connectivity              | Third parties can become trusted paths into sensitive environments. | Validate access scope, logging, and incident notification.                       |
| Endpoint scripting and admin tools | Common in hands-on-keyboard activity.                               | Alert on abnormal shell, PowerShell, RMM, and archive-tool use.                  |

## 7. Detection Engineering

### 7.1. Detection Logic Summary

| Signal                                                     | Telemetry Source                          | Analytic Goal                                                             |
|------------------------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------|
| Server or browser process spawning script/transfer tooling | EDR process telemetry                     | Detect follow-on activity after exploitation or lure execution.           |
| New outbound connections from unusual hosts                | Network/EDR telemetry                     | Identify payload retrieval, C2, or data staging.                          |
| Abnormal identity activity                                 | Entra ID/Okta/VPN logs                    | Catch token theft, MFA changes, impossible travel, or admin role changes. |
| New persistence or remote access tooling                   | EDR, Windows events, package manager logs | Identify durable footholds.                                               |

```

title: LBC Daily Threat Suspicious Follow-On Activity - daily-2026-10-05-meari-iot-cloud-platfor
status: experimental
logsource:
  product: windows
  category: process_creation
detection:
  suspicious_parent:
    ParentImage|contains:
      - "\w3wp.exe"
      - "\httpd.exe"
      - "\nginx.exe"
      - "\chrome.exe"
      - "\msedge.exe"
      - "\outlook.exe"
  suspicious_child:
    Image|endswith:

```

```

- "\cmd.exe"
- "\powershell.exe"
- "\pwsh.exe"
- "\rundll32.exe"
- "\certutil.exe"
- "\curl.exe"
- "\wget.exe"
- "\7z.exe"

condition: suspicious_parent and suspicious_child
fields:
- UtcTime
- Computer
- ParentImage
- Image
- CommandLine
level: high

```

## 8. Threat Hunting

### 8.1. Microsoft Defender / KQL Hunt

```

DeviceProcessEvents
| where Timestamp > ago(14d)
| where InitiatingProcessFileName in~ ("w3wp.exe", "httpd.exe", "nginx.exe", "chrome.exe",
"msedge.exe", "outlook.exe")
| where FileName in~ ("cmd.exe", "powershell.exe", "pwsh.exe", "rundll32.exe", "certutil.exe",
"curl.exe", "wget.exe", "7z.exe")
| project Timestamp, DeviceName, InitiatingProcessFileName, FileName, ProcessCommandLine, AccountName

SigninLogs
| where TimeGenerated > ago(14d)
| where ResultType == 0
| summarize Countries=make_set(Location, 10), Apps=make_set(AppDisplayName, 20), count() by
UserPrincipalName, bin(TimeGenerated, 1d)
| where array_length(Countries) > 2 or count_ > 20

```

## 9. MITRE ATT&CK Mapping

| Technique | Name                              | Evidence / Rationale                                          |
|-----------|-----------------------------------|---------------------------------------------------------------|
| T1566     | Phishing                          | Relevant for lure-driven initial access and credential theft. |
| T1190     | Exploit Public-Facing Application | Relevant where exposed services or advisories drive risk.     |
| T1078     | Valid Accounts                    | Supplier and identity abuse are recurring follow-on paths.    |
| T1059     | Command and Scripting Interpreter | Common execution behavior after compromise.                   |
| T1105     | Ingress Tool Transfer             | Payload/tool retrieval and staging.                           |

## 10. Incident Response and Containment

| Phase       | Action                                                                                   |
|-------------|------------------------------------------------------------------------------------------|
| Triage      | Identify exposed assets, affected users, supplier links, and relevant telemetry windows. |
| Containment | Disable suspicious sessions, isolate affected hosts, apply patches,                      |

|             |                                                                                  |
|-------------|----------------------------------------------------------------------------------|
|             | and restrict risky access paths.                                                 |
| Eradication | Remove unauthorized tooling, rotate secrets, and validate persistence locations. |
| Recovery    | Confirm business process resilience, backups, and monitored restoration.         |

## 11. Recommendations

| Priority    | Owner                    | Action                                                                              |
|-------------|--------------------------|-------------------------------------------------------------------------------------|
| Today       | SOC                      | Run the included hunts across 14 days of endpoint, identity, and network telemetry. |
| Today       | IT / platform            | Confirm patching and exposure for systems implicated by the reporting.              |
| 24-72 hours | IAM                      | Review privileged accounts, MFA changes, new devices, and risky sign-ins.           |
| 7 days      | Risk / vendor management | Request supplier attestations for relevant exposure and incident notification.      |

## 12. References

- [1] CISA ICSA-26-274-06 Meari IoT Cloud Platform: <https://www.cisa.gov/news-events/ics-advisories/icsa-26-274-06>
- [2] CISA ICS advisories: [https://www.cisa.gov/news-events/cybersecurity-advisories?f%5B0%5D=advisory\\_type%3A96](https://www.cisa.gov/news-events/cybersecurity-advisories?f%5B0%5D=advisory_type%3A96)
- [3] CISA CPGs: <https://www.cisa.gov/cross-sector-cybersecurity-performance-goals>
- [4] CISA Known Exploited Vulnerabilities Catalog: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
- [5] CISA Cross-Sector Cybersecurity Performance Goals: <https://www.cisa.gov/cross-sector-cybersecurity-performance-goals>
- [6] MITRE ATT&CK Enterprise Matrix: <https://attack.mitre.org/>