



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



Redo malware analysis sample 3 - 42ed646eed4f

Malware Analysis Report

Classification	TLP:CLEAR
Published	2026-06-17
Version	1.0
Author	Lost Boys Cyber
Report Type	Malware Analysis Report

TLP:CLEAR | Lost Boys Cyber | Redo malware analysis sample 3 - 42ed646eed4f - Malware Analysis Report

Published: 2026-06-17 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Sample Metadata
3. Static Analysis

Local Sandbox Malware Analysis Draft - 42ed646eed4f

- Timestamp: 2026-06-17T20:04:45.528735+00:00
- VM: `win-malware-lab`
- Snapshot restored after run: `clean-guestadditions-sysmon`
- Interface: `vboxnet0`
- Host-only gateway/DNS: `192.168.56.1`
- Analysis VM: `remnux`
- Analysis interface: `enp0s3`
- Guest IP: `192.168.56.20`
- Sample SHA256: `42ed646eed4f949c456c637a222e7d94dd8ac67ed5ebda5e63c7b7979076d9cf`
- Sample file: `42ed646eed4f949c456c637a222e7d94dd8ac67ed5ebda5e63c7b7979076d9cf.sample`
- PCAP: `capture.pcapng`

1. Executive Summary

This TRASHcan run produced an evidence-backed malware-analysis draft for `42ed646eed4f949c456c637a222e7d94dd8ac67ed5ebda5e63c7b7979076d9cf.sample` using local sandbox telemetry, static triage, GhidraMCP/Ghidra-ready reverse-engineering evidence capture, bundled YARA family matching, generated detection content, deterministic scoring, and a private-client artifact bundle. Treat this output as source material for a final Lost Boys Cyber report rather than a finished client deliverable.

- Deterministic verdict: `malicious`
- Evidence score: `85`
- Confidence: `0.85`
- Scoring reasons: `packer/obfuscation indicators, suspicious static strings or commands, dynamic behavioral findings, ATT&CK techniques mapped`

2. Sample Metadata

Field	Value
Sample SHA256	`42ed646eed4f949c456c637a222e7d94dd8ac67ed5ebda5e63c7b7979076d9cf`
Sample SHA1	`245961ca2c0646b2e0926e5281bc3398aceac7be`
Sample MD5	`cb14d849149831145963a44950a12851`
Approximate Size	`766464` bytes
File Type	`/media/sf_remnux_transfer/analysis-runs/2026-06-17_201027_42ed646eed4f/42ed646eed4f949c456c637a222e7d94dd8ac67ed5ebda5e63c7b7979076d9cf.sample: PE32 executable (console) Intel 80386 Mono/.Net assembly, for MS Windows,...`
Execution VM	`win-malware-lab`
Analysis Path	`remnux`

3.1 File and Build Characteristics

- `file` classification: `/media/sf\_remnux\_transfer/analysis-runs/2026-06-17\_201027\_42ed646eed4f/42ed646eed4f949c456c637a222e7d94dd8ac67ed5ebda5e63c7b7979076d9cf.sample: PE32 executable (console) Intel 80386 Mono/.Net assembly, for MS Windows,...`

- Static strings output: `strings.txt`
- Full static triage JSON: `static\_triage.json`

3.2 rabin2 Metadata

```

arch      x86
baddr     0x400000
binsz     766464
bintype   pe
bits      32
canary    true
injprot   false
retguard  false
class     PE32
cmp.csum  0x000c8cfc
compiled  Tue Jul  9 22:55:04 2041
crypto    false
dbg_file  C:\work\wiper\Wiper\obj\Release\Wiper.pdb
endian    little
havecode  true
hdr.csum  0x00000000
guid      EC47E290B492466583635C6B72298BF51
laddr     0x0
lang      cil
linenum   false
lsyms     false
machine   i386
nx        true
os        windows
overlay   false
cc        cdecl
pic       true
relocs    false
signed    false
sanitize  false
static    false
stripped  false
subsys    Windows CUI
va        true

```

3.3 Section Layout

[Sections]

nth	paddr	size	vaddr	vsize	perm	type	name
0	0x00000200	0xba800	0x00402000	0xbc000	-r-x	----	.text
1	0x000baa00	0x600	0x004be000	0x2000	-r--	----	.rsrc
2	0x000bb000	0x200	0x004c0000	0x2000	-r--	----	.reloc

- 4. Code Analysis and Embedded Artefacts

4.1 Imports and Logic Clues

[Imports]

nth	vaddr	bind	type	lib	name
1	0x00402000	NONE	FUNC	mscoree.dll	_CorExeMain

4.2 Bundled YARA Triage Hits

- None observed

4.2 GhidraMCP / Ghidra Reverse-Engineering Follow-up

- Use GhidraMCP for sample-backed code-level validation whenever Ghidra is available.

- Preserve the Ghidra project path, imported program name, decompiled snippets, renamed functions/symbols, comments, xrefs, offsets, recovered config values, and any MCP transcript/summary notes under the final analyst-kit `notes/` or `evidence/` bundle.
- If GhidraMCP is unavailable, document the blocker and use radare2/headless Ghidra output as the fallback evidence path.
- 5. Dynamic Analysis

5.1 Behavioral Findings

- `persistence` Autorun registry value points to a user-writable path severity `high`

5.2 Dropped / Recently Modified Files

- None observed

5.3 Autoruns and Persistence-Relevant Registry Data

- `HKEY\_CURRENT\_USER\Software\Microsoft\Windows\CurrentVersion\Run\OneDrive` -> `""C:\Users\analyst\AppData\Local\Microsoft\OneDrive\OneDrive.exe" /background`
- `HKEY\_LOCAL\_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run\SecurityHealth` -> `hex(2):25,00,77,00,69,00,6e,00,64,00,69,00,72,00,25,00,5c,00,`
- `HKEY\_LOCAL\_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run\VBoxTray` -> `hex(2):25,00,53,00,79,00,73,00,74,00,65,00,6d,00,52,00,6f,00,6f,00,`
- 6. Process Tree and Execution Chain

The curated process-tree summary was written to `process\_tree\_summary.md`.

- No guest process tree was collected
- 7. Network and Infrastructure Analysis

7.1 Suspicious Domains

- None observed

7.2 DNS Queries

- `1.56.168.192.in-addr.arpa`
- `2.0.0.0.1.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.2.0.f.f.ip6.arpa`
- `250.255.255.239.in-addr.arpa`
- `251.0.0.224.in-addr.arpa`
- `252.0.0.224.in-addr.arpa`
- `255.56.168.192.in-addr.arpa`
- `3.0.0.0.1.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.2.0.f.f.ip6.arpa`
- `\_googlecast.\_tcp.local`
- `arc.msn.com`
- `b.f.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.2.0.f.f.ip6.arpa`
- `checkappexec.microsoft.com`
- `config.edge.skype.com`
- `ctldl.windowsupdate.com`
- `eccxfwsvchawvw`
- `eccxfwsvchawvw.local`
- `edge.microsoft.com`
- `fs.microsoft.com`
- `g.live.com`
- `go.microsoft.com`
- `msedge.api.cdp.microsoft.com`
- `nav.smartscreen.microsoft.com`
- `ntp.msn.com`
- `savgqvcqghgbot`
- `savgqvcqghgbot.local`

- `settings-win.data.microsoft.com`
- `slscr.update.microsoft.com`
- `v20.events.data.microsoft.com`
- `win-malware-lab`
- `win-malware-lab.local`
- `www.bing.com`
- `www.msftconnecttest.com`
- `zemfknv`
- `zemfknv.local`

7.3 TLS SNI

- `arc.msn.com`
- `checkappexec.microsoft.com`
- `config.edge.skype.com`
- `edge.microsoft.com`
- `fs.microsoft.com`
- `g.live.com`
- `go.microsoft.com`
- `msedge.api.cdp.microsoft.com`
- `nav.smartscreen.microsoft.com`
- `ntp.msn.com`
- `settings-win.data.microsoft.com`
- `slscr.update.microsoft.com`
- `v20.events.data.microsoft.com`
- `www.bing.com`

7.4 HTTP Requests

- None observed

Full HTTP request count: `112`

7.5 Fake HTTP/HTTPS Hits

- None observed

Full fake-service hit count: `0`

7.6 Suricata Alerts

- None observed

7.7 C2 Candidate Scoring

- None observed

7.8 Memory Analysis

- Memory dump present: `False`
- Volatility 3 available: `False`
- Memory analysis JSON: `memory\_analysis.json`

7.9 MITRE ATT&CK Mapping

- `T1059.001` PowerShell: encoded/base64 PowerShell-like strings
- `T1105` Ingress Tool Transfer: download or LOLBIN command strings
- `T1060` persistence: Autorun registry value points to a user-writable path
- `T1071` Application Layer Protocol: network communication observed
- 8. Full IOC Summary
- Total normalized IOC rows written to `iocs\_full.csv`: `186`

- Full machine-readable IOC coverage is stored in CSV form for downstream enrichment or upload.

8.1 Static IOC JSON Excerpt

```
{
  "domain": [
    "Config.Msi",
    "MyApplication.app",
    "Recycle.Bin",
    "System.Collections",
    "System.Collections.Generic",
    "System.ComponentModel",
    "System.Diagnostics",
    "System.DirectoryServices",
    "System.IO.Compression",
    "System.Management",
    "System.Reflection",
    "System.Runtime.CompilerServices",
    "System.Runtime.InteropServices",
    "System.Runtime.Versioning",
    "System.ServiceProcess",
    "System.Text",
    "System.Threading",
    "System.Timers",
    "Wiper.exe",
    "Wiper.pdb",
    "cmd.exe",
    "meciwipe.ini",
    "preg.exe",
    "wevtutil.exe"
  ],
  "ipv4": [
    "1.0.0.0",
    "1.0.0.1"
  ],
  "registry_key": [],
  "url": [],
  "windows_path": [
    "C:\\$Recycle.Bin",
    "C:\\$WinREAgent",
    "C:\\Config.Msi",
    "C:\\Program Files (x86)\\Kaspersky",
    "C:\\Program Files (x86)\\Microsoft",
    "C:\\Program Files (x86)\\Symantec",
    "C:\\Program Files (x86)\\Windows",
    "C:\\Program Files\\IBM\\",
    "C:\\Program Files\\Kaspersky",
    "C:\\Program Files\\Microsoft",
    "C:\\Program Files\\Symantec",
    "C:\\Program Files\\Windows",
    "C:\\Recovery",
    "C:\\System Volume Information",
    "C:\\Windows",
    "C:\\work\\wiper\\Wiper\\obj\\Release\\Wiper.pdb",
    "c:\\windows\\system32\\cmd.exe"
  ]
}
```

- 9. Detection Engineering

TRASHcan generated the following detection artefacts automatically:

- `rule.yar`
- `yara\_triage\_summary.json`
- `yara\_triage\_hits.txt`
- `process\_tree\_summary.md`

- `iocs\_full.csv`
- `sigma\_behavior.yml`

9.1 Detection Content

sigma_behavior.yml

```
title: Sandbox Observed Autorun Persistence To User Writable Path 42ed646eed4f
id: b902ae10-5cce-5d2d-8e87-f8b46689be0d
status: experimental
description: Detects Run or RunOnce persistence pointing at Temp, AppData, ProgramData, or Startup
paths.
references:
  - local-sandbox-run:42ed646eed4f949c456c637a222e7d94dd8ac67ed5ebda5e63c7b7979076d9cf
author: RAICcoon local sandbox
date: 2026-06-17
tags:
  - attack.persistence
  - attack.t1547.001
logsource:
  product: windows
  service: sysmon
detection:
  selection_event:
    EventID:
      - 12
      - 13
      - 14
    TargetObject|contains:
      - '\Run'
      - '\RunOnce'
      - '\StartupApproved'
  selection_path:
    Details|contains:
      - '\Temp\'
      - '\AppData\'
      - '\ProgramData\'
      - '\Startup\'
  condition: selection_event and selection_path
falsepositives:
  - Legitimate software updaters using per-user autoruns
level: high
```

rule.yar

```
rule RAICcoon_42ed646eed4f_Triage
{
  meta:
    description = "Auto-generated triage rule for local sandbox run"
    sha256 = "42ed646eed4f949c456c637a222e7d94dd8ac67ed5ebda5e63c7b7979076d9cf"
    author = "RAICcoon local sandbox"
  strings:
    $mz = { 4D 5A }
  condition:
    uint16(0) == 0x5a4d
}
```

- 10. Threat Hunting
- Hunt for the bundled YARA family themes in endpoint telemetry using `kql\_triage\_hunts.kql`.
- Pivot from suspicious domains, direct-IP connections, dropped files, autoruns, and process-tree anomalies captured in this run.
- If the sample behaved like a loader or access implant, scope adjacent hosts for similar parent-child chains and follow-on persistence.
- 11. Guest Artifact Inventory
- `application.evtx`

- `collection\_time.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_ConnectedDevicesPlatform\_CDPGlobalSettings.cdp`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_ConnectedDevicesPlatform\_L.analyst.cdp`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_ConnectedDevicesPlatform\_L.analyst.cdresource`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_ConnectedDevicesPlatform\_L.analyst\_ActivitiesCache.db-shm`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_BrowserMetrics-spare.pma`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_BrowserMetrics\_BrowserMetrics-6A32FF72-F5C.pma`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_CrashpadMetrics-active.pma`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Crashpad\_settings.dat`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_AutofillStrikeDatabase\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_AutofillStrikeDatabase\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_BudgetDatabase\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_BudgetDatabase\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Cache\_data\_0`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Cache\_data\_1`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Code Cache\_js\_index-dir\_the-real-index`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Download Service\_EntryDB\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Download Service\_EntryDB\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_EdgePushStorageWithConnectTokenAndKey\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_EdgePushStorageWithWinRt\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_EdgePushStorageWithWinRt\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Extension State\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Favicons`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Favicons-journal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Feature Engagement Tracker\_AvailabilityDB\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Feature Engagement Tracker\_AvailabilityDB\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Feature Engagement Tracker\_EventDB\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Feature Engagement Tracker\_EventDB\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_History`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_History-journal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Local Storage\_leveldb\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Preferences`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_PreferedApps`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Session Storage\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Site Characteristics Database\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_Sync Data\_LevelDB\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_WebAssistDatabase`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_WebAssistDatabase-journal`

- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_data\_reduction\_proxy\_leveldb\_000005.log`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_data\_reduction\_proxy\_leveldb\_CURRENT`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_data\_reduction\_proxy\_leveldb\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_data\_reduction\_proxy\_leveldb\_MANIFEST-000004`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_load\_statistics.db-shm`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_load\_statistics.db-wal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_optimization\_guide\_hint\_cache\_store\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_optimization\_guide\_hint\_cache\_store\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_optimization\_guide\_model\_and\_features\_store\_LOCK`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_optimization\_guide\_model\_and\_features\_store\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_shared\_proto\_db\_000003.log`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_shared\_proto\_db\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_shared\_proto\_db\_metadata\_000003.log`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Default\_shared\_proto\_db\_metadata\_LOG`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Functional Data-wal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Functional SAN Data-wal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Last Browser`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Last Version`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_Local State`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Edge\_User Data\_lockfile`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_OneDrive\_logs\_Personal\_SyncEngine-2026-06-17.2011.6888.1.aodl`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_OneDrive\_logs\_Personal\_TraceCurrent.0304.0013.etl`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_OneDrive\_logs\_Personal\_telemetryCache.etc.session`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_OneDrive\_setup\_logs\_Update\_2026-06-17\_201143\_1ae8-1b2c.log`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_TokenBroker\_Cache\_9cd93bc6dcf544bae69531052e64647ec02f2bb4.tbres`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Vault\_UserProfileRoaming\_Latest.dat`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Windows\_Caches\_{3DA71D5A-20CC-432F-A115-DFE92379E91F}.3.ver0x000000000000000f.db`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Windows\_Notifications\_wpndatabase.db`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Windows\_Notifications\_wpndatabase.db-shm`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Windows\_Notifications\_wpndatabase.db-wal`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Microsoft\_Windows\_PowerShell\_ModuleAnalysisCache`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.AAD.BrokerPlugin\_cw5n1h2txyewy\_Settings\_settings.dat`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_AC\_Microsoft\_CryptnetUrlCache\_Content\_57C8EDB95DF3F0AD4EE2DC2B8CFD4157`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_AC\_Microsoft\_CryptnetUrlCache\_Content\_77EC63BDA74BD0D0E0426DC8F8008506`

- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_AC\_Microsoft\_CryptnetUrlCache\_MetaData\_57C8EDB95DF3F0AD4EE2DC2B8CFD4157`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_AC\_Microsoft\_CryptnetUrlCache\_MetaData\_77EC63BDA74BD0D0E0426DC8F8008506`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_AC\_TokenBroker\_Cache\_fbaf94e759052658216786bfbabdcdd1b67a5c2.tbres`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{44101d76-49cd-4237-90fd-2945c059deb2}\_0.0.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{44101d76-49cd-4237-90fd-2945c059deb2}\_0.1.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{44101d76-49cd-4237-90fd-2945c059deb2}\_0.2.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{44101d76-49cd-4237-90fd-2945c059deb2}\_Apps.ft`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{44101d76-49cd-4237-90fd-2945c059deb2}\_Apps.index`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{e53c5e54-6206-4f34-9936-888d669e89d5}\_0.0.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{e53c5e54-6206-4f34-9936-888d669e89d5}\_0.1.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{e53c5e54-6206-4f34-9936-888d669e89d5}\_0.2.filtertrie.intermediate.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{e53c5e54-6206-4f34-9936-888d669e89d5}\_Apps.ft`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_ConstraintIndex\_Apps\_{e53c5e54-6206-4f34-9936-888d669e89d5}\_Apps.index`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_DeviceSearchCache\_AppCache134262006862510002.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.Search\_cw5n1h2txyewy\_LocalState\_DeviceSearchCache\_AppCache134262006930842098.txt`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Packages\_Microsoft.Windows.StartMenuExperienceHost\_cw5n1h2txyewy\_TempState\_StartUnifiedTileModelCache.dat`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Temp\_.ses`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Temp\_4b057977-ca78-4f43-934a-1601fc5ab577.tmp`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Temp\_ad2500e3-dc5f-4024-a8fd-c5f1ff29c135.tmp`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Local\_Temp\_aria-debug-6888.log`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Roaming\_Microsoft\_Windows\_Recent\_AutomaticDestinations\_ccba5a5986c77e43.automaticDestinations-ms`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Roaming\_Microsoft\_Windows\_Recent\_The Internet.lnk`
- `dropped\_files\C\_\_Users\_analyst\_AppData\_Roaming\_Microsoft\_Windows\_Recent\_http--www.msftconnecttest.com-redirect.lnk`
- `hkcu\_run.reg`
- `hklm\_run.reg`
- `hklm\_runonce.reg`
- 12. Guest Telemetry Setup
- `guest\_setup.ps1` prepares Sysmon/Defender settings inside the clean Windows snapshot.
- `guest\_collect.ps1` exports EVTX/process/network/registry artifacts once Guest Control is available or when run manually in the guest.
- `behavior\_summary.json` contains parsed guest-side persistence, dropped-file, and Sysmon summaries when artifacts are available.
- 13. Private Client Bundle and Guardrails

- Canonical report bundle root: `reports/`, `static/`, `dynamic/`, `network/`, `memory/`, `detections/`, and `evidence/` under this run directory.
- Public sample/artifact enrichment is disabled by default in `run\_manifest.json`.
- Default handling is private single-client / `TLP:AMBER`; do not upload live samples or artifacts to public services without explicit authorization.
- 14. Recommendations
- Keep source artifacts and intermediate analysis output in the run/analyst-kit area; copy only final client-ready reports into `RAIccoon\_Reports`.
- Treat public enrichment, public uploads, and third-party sharing as opt-in only after explicit client authorization.
- Use `report\_preflight.json`, `workflow\_status.json`, and chain-of-custody artifacts as QA evidence before delivery.
- 15. Analyst Notes and Next Steps
- DNS is wildcarded to `192.168.56.254` by `dnsmasq`.
- HTTP ports 80/8080 and HTTPS port 443 are simulated locally when available.
- Guest Control is used when available; mounted ISO and keyboard injection remain as fallback.
- Use this draft as source material for a final Lost Boys Cyber malware report with deeper narrative interpretation, ATT&CK mapping, and client-specific validation.