



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



Trusted-Relationship Abuse and Adversarial AI Threat-Hunting Review

Threat Report

Classification	TLP:CLEAR
Published	2026-08-05
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Report

TLP:CLEAR | Lost Boys Cyber | Trusted-Relationship Abuse and Adversarial AI Threat-Hunting Review - Threat Report

Published: 2026-08-05 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Activity Overview
5. Affected Sectors and Exposure
6. Tactics, Techniques, and Procedures
7. Infrastructure and Indicators
8. Detection Engineering
 - 8.1. Detection Summary
9. Threat Hunting
 - 9.1. Hunt Hypothesis
10. Risk Assessment
11. Recommended Actions
12. References

Trusted-Relationship Abuse and Adversarial AI Threat-Hunting Review

1. Executive Summary

CrowdStrike published its 2026 threat-hunting report emphasizing attacks on trusted relationships and increasing adversarial AI use. Defenders should focus on identity trust edges, vendor access, anomalous help-desk workflows, and unusual automation-assisted tradecraft. This daily Lost Boys Cyber report is intended to convert current-source coverage into immediate analyst action: validate exposure, collect the right telemetry, and run focused hunts before the activity becomes a stale backlog item.

The assessment is TLP:CLEAR and based only on public reporting available for the run date. Claims that are not directly stated by public sources are framed as defender implications rather than confirmed victimology or attribution.

2. Intelligence Requirements

Question	Current Answer	Confidence
Why should defenders review this today?	It reflects a current or recently updated threat pattern with practical exposure in enterprise environments.	Medium
Which teams should act?	SOC, vulnerability management, identity, endpoint, cloud/SaaS, and affected business-system owners.	Medium
What evidence should be collected first?	Endpoint process/network telemetry, identity sign-ins, admin audit logs, proxy/DNS logs, and third-party access logs.	High

3. Source Review & Confidence

#	Source	URL	Contribution
1	CrowdStrike 2026 Threat Hunting Report blog	https://www.crowdstrike.com/en-us/blog/crowdstrike-2026-threat-hunting-report/	Primary current threat-hunting report summary.
2	Google Threat Intelligence AI and initial access report	https://cloud.google.com/blog/topics/threat-intelligence/ai-vulnerability-exploitation-initial-access	Supporting adversarial AI context.
3	CISA Secure by Design guidance	https://www.cisa.gov/securebydesign	Defender governance context for trust relationships.

4. Threat Activity Overview

CrowdStrike published its 2026 threat-hunting report emphasizing attacks on trusted relationships and increasing adversarial AI use. Defenders should focus on identity trust edges, vendor access, anomalous help-desk workflows, and unusual automation-assisted tradecraft.

Activity Element	Analyst Assessment	Collection Priority
Initial access	Likely to involve exposed services, identity abuse, social engineering, or trusted supplier compromise depending on	High

	environment.	
Execution / foothold	Look for script execution, unusual child processes, package install hooks, RMM/tooling abuse, or browser-mediated staging.	High
Command and control	Monitor direct-to-IP, unusual TLS destinations, and abnormal SaaS/API usage.	Medium
Impact	Data theft, ransomware, service disruption, or supply-chain propagation are plausible business impacts.	Medium

5. Affected Sectors and Exposure

Sector / Environment	Relevance	Priority Checks
Enterprise IT	Identity, endpoints, SaaS, and perimeter services are common attack surfaces.	MFA posture, EDR coverage, admin audit logs
Managed service / supply chain	Trusted relationships amplify blast radius.	Vendor access inventory, RMM restrictions, package provenance
Critical operations	Outages may become operational disruptions even when OT is segmented.	Business continuity playbooks, segmentation, monitoring

6. Tactics, Techniques, and Procedures

Tactic / Phase	Observed or Plausible Technique	Evidence / Rationale
Initial Access	T1190 Exploit Public-Facing Application / T1566 Phishing / T1195 Supply Chain Compromise	Current public reporting emphasizes exploitation, social engineering, or package/supplier paths.
Execution	T1059 Command and Scripting Interpreter	Post-compromise actions often require scripts, installers, or living-off-the-land execution.
Persistence	T1098 Account Manipulation	Account/token changes are common in identity-heavy intrusions.
Command and Control	T1105 Ingress Tool Transfer / T1090 Proxy	Payload retrieval or proxying may follow initial foothold.
Impact	T1486 Data Encrypted for Impact / T1041 Exfiltration Over C2 Channel	Ransomware/extortion and data theft remain common outcomes.

7. Infrastructure and Indicators

Hard IOCs were not consistently available across all public sources reviewed for this daily item. The practical observable set is behavioral.

Observable	Type	Operational Use
Unexpected package install or post-install	Behavioral	Supply-chain compromise triage

script		
Unusual direct-to-IP outbound traffic	Network behavior	Malware C2 hunting
New admin session from abnormal device/ASN	Identity behavior	Account takeover triage
RMM/tooling execution outside maintenance window	Endpoint behavior	Intrusion/ransomware precursor

8. Detection Engineering

8.1. Detection Summary

Signal	Telemetry Source	Analytic Goal
Suspicious tool/package execution	DeviceProcessEvents / Sysmon	Find initial execution and staging
Direct-to-IP or rare outbound connections	DeviceNetworkEvents / firewall	Find C2 or staging without DNS
Identity and SaaS access anomalies	SigninLogs / audit logs	Find trusted-relationship abuse
title: Trusted Relationship Abuse and Adversarial AI Threat Hunting Review Daily Priority Signals id: trusted-relationship-abuse-and-adversarial-ai-threat-hunting-review-daily-20260805 status: experimental description: Flags endpoint or server-side activity aligned with Trusted Relationship Abuse and Adversarial AI Threat Hunting Review. Tune to environment before alerting. logsource: product: windows category: process_creation detection: selection_terms: CommandLine contains: 'ai' CommandLine contains: 'oauth' CommandLine contains: 'token' CommandLine contains: 'vendor' condition: selection_terms fields: - Image - CommandLine - ParentImage - User level: medium		

9. Threat Hunting

9.1. Hunt Hypothesis

If this activity is present, analysts should find one or more of: suspicious execution tied to the topic keywords, outbound communications to rare infrastructure, or identity events inconsistent with the user's normal administrative pattern.

```
// Daily hunt: Trusted-Relationship Abuse and Adversarial AI Threat-Hunting Review
let lookback = 14d;
DeviceProcessEvents
| where Timestamp > ago(lookback)
| where tolower(ProcessCommandLine) has "ai" or tolower(RemoteUrl) has "ai" or
tolower(ProcessCommandLine) has "oauth" or tolower(RemoteUrl) has "oauth" or
tolower(ProcessCommandLine) has "token" or tolower(RemoteUrl) has "token" or
tolower(ProcessCommandLine) has "vendor" or tolower(RemoteUrl) has "vendor" or
tolower(ProcessCommandLine) has "helpdesk" or tolower(RemoteUrl) has "helpdesk"
| project Timestamp, DeviceName, AccountName, FileName, ProcessCommandLine, InitiatingProcessFileName
| union (DeviceNetworkEvents
| where Timestamp > ago(lookback))
```

```

| where tolower(RemoteUrl) has "ai" or tolower(RemoteUrl) has "oauth" or tolower(RemoteUrl) has
"token" or tolower(RemoteUrl) has "vendor" or tolower(RemoteUrl) has "helpdesk"
| project Timestamp, DeviceName, AccountName=InitiatingProcessAccountName,
FileName=InitiatingProcessFileName, ProcessCommandLine=strcat(RemoteUrl, ':', RemotePort),
InitiatingProcessFileName)
// SaaS and identity anomaly hunt for current daily threat review
SigninLogs
| where TimeGenerated > ago(14d)
| where ResultType == 0
| summarize Apps=dcount(AppDisplayName), IPs=dcount(IPAddress), Locations=dcount(Location) by
UserPrincipalName, bin(TimeGenerated, 1d)
| where Apps > 8 or IPs > 5 or Locations > 3
| order by TimeGenerated desc

```

10. Risk Assessment

Dimension	Rating	Rationale
Likelihood	Medium	Public reporting indicates an active or recently emphasized pattern.
Impact	High	Trusted access, ransomware, or supply-chain paths can create enterprise-wide exposure.
Detection Confidence	Medium	Behavioral detections are feasible but require tuning and baseline context.
Response Urgency	High	Same-day review prevents high-value signals from aging out of hot telemetry windows.

11. Recommended Actions

Priority	Owner	Action
Critical	SOC	Run the included hunts and preserve positive-result telemetry.
High	Identity / SaaS	Review privileged access, recent token/session anomalies, and third-party accounts.
High	Endpoint / Platform	Confirm EDR coverage and script/package execution logging on exposed systems.
Medium	Governance	Add this item to the daily intel review queue and brief affected system owners.

12. References

- [1] CrowdStrike 2026 Threat Hunting Report blog: <https://www.crowdstrike.com/en-us/blog/crowdstrike-2026-threat-hunting-report/>
- [2] Google Threat Intelligence AI and initial access report: <https://cloud.google.com/blog/topics/threat-intelligence/ai-vulnerability-exploitation-initial-access>
- [3] CISA Secure by Design guidance: <https://www.cisa.gov/securebydesign>