



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



CVE-2026-35429 Microsoft Edge for Android UI spoofing risk

CVE / Vulnerability Threat Intelligence Report

Classification	TLP:CLEAR
Published	2026-05-12
Version	1.1
Author	Lost Boys Cyber
Report Type	CVE / Vulnerability Threat Intelligence Report

TLP:CLEAR | Lost Boys Cyber | CVE-2026-35429 Microsoft Edge for Android UI spoofing risk - CVE / Vulnerability Threat Intelligence Report

Published: 2026-05-12 | TLP:CLEAR | Version: 1.1 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Vulnerability Metadata
3. Source Review & Confidence
4. Vulnerability Details
5. Attack Scenarios
6. Threat Landscape & Exploitation Status
7. Affected Products and Exposure
8. Mitigation and Workarounds
9. Detection Engineering
10. Threat Hunting
11. MITRE ATT&CK Mapping
12. Validation / Lab Testing
13. Recommended Actions Summary
14. References

CVE-2026-35429 Microsoft Edge for Android UI spoofing risk

1. Executive Summary

CVE-2026-35429 is a medium-severity spoofing vulnerability in Microsoft Edge for Android. Microsoft describes the issue as user interface misrepresentation of critical information, meaning a remote attacker can craft content that causes Edge to present deceptive UI elements or security-relevant information to the user.

The practical risk is social-engineering enablement rather than code execution. Public vendor, CVE, and NVD records show that exploitation requires user interaction: an attacker must convince a user to open attacker-controlled web content, typically via a link or lure delivered through email, messaging, or another communication channel. Edge for Android versions before `148.0.3967.55` are affected.

2. Vulnerability Metadata

Field	Value
CVE	`CVE-2026-35429`
Product / component	`Microsoft Edge for Android`
Vulnerability class	`Spoofing`
Weakness classification	`CWE-451: User Interface (UI) Misrepresentation of Critical Information`
CVSS v3.1	`4.3 / MEDIUM`
CVSS vector	`CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:L/I:N/A:N`
Affected versions	Microsoft Edge for Android before `148.0.3967.55`
Fixed version	`148.0.3967.55`
Fixed-version release date in Microsoft material	`2026-05-11`
Underlying Chromium version listed by Microsoft for that release	`148.0.7778.97`
Original publication date in the CNA record	`2026-05-12`
CNA update date visible in the CVE record	`2026-06-05`
Acknowledged researchers listed in MSRC CVRF	Alfaz Hossain (POTDF), Riski Muhammad Ivan, Jody Ritonga, and Rifat Abdul Manaf

3. Source Review & Confidence

Source	Contribution	Confidence
Reviewed source	MSRC lists `CVE-2026-35429` as a Microsoft Edge for Android spoofing vulnerability and the intake item that triggered th	Useful as the originating advisory and update reference, but the richer technical context came from
Reviewed source	The May 2026 MSRC CVRF document describes the issue as UI misrepresentation of critical information in Microsoft Edge fo	Primary vendor technical source for attack preconditions, fix version, acknowledgement details, and

Reviewed source	The Microsoft CNA CVE 5.2 record describes unauthorized network spoofing via UI misrepresentation, assigns `CWE-451`, re	Primary authoritative vulnerability record for affected-version, CWE, and CVSS data.
Reviewed source	NVD mirrors the Microsoft description, CVSS v3.1 vector `AV:N/AC:L/PR:N/UI:R/S:U/C:L/I:N/A:N`, and version-end-excluding	Strong corroborating source for severity and affected-product metadata.
Reviewed source	Microsoft release-history text states that Microsoft Edge for Android and iOS version `148.0.3967.55` shipped on `2026-0	Useful corroborating source for patch timing, even though the public release-history page does not e
Reviewed source	ZDI's May 2026 Patch Tuesday review lists `CVE-2026-35429` as a Microsoft Edge (Chromium-based) for Android spoofing vul	Good third-party corroboration for exploitation-status framing during disclosure week.

Confidence is high on the core facts of this issue because the reviewed primary sources align closely: Confidence is lower on exploitation prevalence because the reviewed sources do not show confirmed in-the-wild exploitation, CISA KEV inclusion, or a public proof of concept. The 2026-06-08 intake item appears to have been triggered by an acknowledgement update, not by a new technical change to the vulnerability itself.

4. Vulnerability Details

Microsoft describes this issue as user interface misrepresentation of critical information in Microsoft Edge for Android. In practical terms, that means an attacker can design web content that causes the browser to display misleading or deceptive information to the victim, increasing the likelihood that the user trusts content they should treat as suspicious.

The MSRC FAQ text is especially useful for analyst framing:

- The attacker-facing path is network-based because the victim reaches attacker-controlled content through the browser.
- The attacker cannot force exploitation by itself; the victim must be persuaded to visit the crafted site or open attacker-controlled content.
- Microsoft states the impact is limited to some confidentiality loss rather than integrity or availability loss, which fits a scenario where the user is deceived into disclosing information or trusting a false presentation.

Reviewed public material does not support claims of sandbox escape, arbitrary code execution, or device compromise from this CVE alone.

5. Attack Scenarios

1. A threat actor sends a phishing message to Android users with a link to a malicious site tailored to Edge for Android. When the victim opens it, deceptive browser content misrepresents security-relevant UI and increases the chance the user enters credentials or trusts a false prompt.
2. A compromised legitimate site serves crafted content to mobile visitors. Users who browse to the site with vulnerable Edge for Android builds could be shown spoofed indicators, dialogs, or other trust cues designed to capture sensitive information.
3. A targeted social-engineering campaign pairs this browser UI issue with branded cloud or enterprise login lures. The vulnerability does not by itself steal credentials, but it can improve the believability of a credential-harvesting workflow.
4. Internal environments that allow unmanaged or lagging Android browsers for business applications may see elevated phishing risk if users access sensitive portals from unpatched Edge mobile builds.

6. Threat Landscape & Exploitation Status

- The Microsoft CVRF document labels the issue `Moderate` and records exploit status as `Publicly Disclosed: No; Exploited: No; Latest Software Release: Exploitation Unlikely`.
- The CISA ADP SSVCC content embedded in the CNA CVE record reports `Exploitation: none`, `Automatable: no`, and `Technical Impact: partial`.
- ZDI's May 2026 Patch Tuesday review also lists `No` for both public disclosure and exploitation.
- User interaction is required, which lowers attacker reliability compared with silently exploitable browser vulnerabilities.
- The business risk is still meaningful because UI-spoofing flaws can materially improve phishing effectiveness, especially on mobile devices where browser chrome and origin cues are already constrained.

7. Affected Products and Exposure

The clearest supported exposure statement is that Microsoft Edge for Android versions earlier than `148.0.3967.55` are affected.

Higher-risk exposure patterns:

- Organizations that permit Edge for Android for access to SaaS, SSO, email, or other sensitive workflows.
- BYOD or lightly managed Android fleets where browser versions may lag security updates.
- User populations frequently targeted with mobile phishing, business-email compromise lures, or cloud-login impersonation campaigns.
- Executive, finance, or help-desk users who routinely act on links delivered over chat, SMS, or mobile email.

Lower-risk exposure patterns:

- Android devices managed through MDM or enterprise app controls that already enforce recent Edge versions.
- User groups that do not use Edge on Android for sensitive workflows.
- Environments where phishing-resistant authentication limits the value of a successful spoofing lure.

8. Mitigation and Workarounds

Priority actions:

5. Update Microsoft Edge for Android to `148.0.3967.55` or later across managed and BYOD-supported devices.
6. Verify mobile-browser version compliance in MDM, EMM, or app-inventory tooling rather than assuming app-store auto-update coverage.
7. Reinforce mobile phishing awareness, especially for users who access corporate identity providers or cloud apps from Android devices.
8. Prefer phishing-resistant MFA methods where possible so credential capture from deceptive browser content has reduced downstream value.
9. Review conditional-access or mobile-application-management policies if vulnerable browser builds are still permitted to access sensitive applications.
10. Treat the 2026-06-08 MSRC acknowledgement update as a documentation refresh, not as evidence that patch urgency has decreased.

9. Detection Engineering

There is no strong public exploit-signature set for this CVE. Detection should focus on exposure reduction, version inventory, and post-click telemetry:

Signal	Telemetry Source	Analytic Goal
Inventory Android devices running Microsoft Edge versions earlier than `148.0.3967.55`.	Asset inventory, SBOM, package management, CI/CD telemetry	Find vulnerable builds or packages
Correlate mobile phishing alerts, suspicious-login telemetry, and browser-	Asset inventory, SBOM, package	Find vulnerable builds or packages

version data to identify users who may have encountered spoofing lures while still vulnerable.	management, CI/CD telemetry	
Review MDM or endpoint-management logs for devices that failed, delayed, or bypassed Edge mobile updates.	Asset inventory / service / security telemetry	Identify vulnerable systems, exposure, or suspicious follow-on activity
Monitor identity telemetry for unusual sign-in prompts, impossible-travel follow-ons, MFA fatigue patterns, or suspicious OAuth consent activity after mobile-link clicks.	Asset inventory / service / security telemetry	Identify vulnerable systems, exposure, or suspicious follow-on activity
Where mobile web telemetry is available, prioritize suspicious domains and redirect chains visited by vulnerable Edge Android clients.	Asset inventory / service / security telemetry	Identify vulnerable systems, exposure, or suspicious follow-on activity

9.1 Detection Query

```
// Browser and mobile asset-version pivots for CVE-2026-35429 Microsoft Edge for Android UI spoofing risk
DeviceProcessEvents
| where Timestamp > ago(30d)
| where ProcessCommandLine has_any ("edge", "msedge", "android", "adb shell dumpsys package", "winget list")
| project Timestamp, DeviceName, FileName, ProcessCommandLine
| order by Timestamp desc
```

9.2 Exposure / Triage Query

```
// Service or exposure triage pivots related to CVE-2026-35429 Microsoft Edge for Android UI spoofing risk
DeviceNetworkEvents
| where Timestamp > ago(30d)
| where RemotePort in (80, 443, 8080, 8443, 9443)
| summarize ConnectionCount=count() by DeviceName, InitiatingProcessFileName, RemoteIP, RemoteUrl, bin(Timestamp, 1h)
| where ConnectionCount > 20
| order by ConnectionCount desc
```

10. Threat Hunting

Suggested hunt questions:

- Which managed or enrolled Android devices still report Microsoft Edge versions earlier than `148.0.3967.55`?
- Which users accessed corporate SSO, email, or financial workflows from those devices after `2026-05-11`?
- Are there recent phishing reports, mobile-browser redirects, or suspicious credential events involving users of vulnerable Edge Android builds?
- Do identity or proxy logs show clusters of mobile-origin link clicks followed by suspicious authentication activity?
- Are there business units or third parties using unmanaged Android devices where Edge version visibility is poor?

10.1 Hunt Query

```
// Service or exposure triage pivots related to CVE-2026-35429 Microsoft Edge for Android UI spoofing risk
DeviceNetworkEvents
| where Timestamp > ago(30d)
| where RemotePort in (80, 443, 8080, 8443, 9443)
| summarize ConnectionCount=count() by DeviceName, InitiatingProcessFileName, RemoteIP, RemoteUrl,
```

```
bin(Timestamp, 1h)
| where ConnectionCount > 20
| order by ConnectionCount desc
```

11. MITRE ATT&CK Mapping

No ATT&CK technique is assigned with high confidence for this intake review. The reviewed public sources describe a browser UI spoofing condition that can support phishing or impersonation outcomes, but they do not document a concrete adversary procedure chain specific enough to justify a precise ATT&CK mapping without over-claiming.

12. Validation / Lab Testing

This intake review validated the report against published advisory, API, and release-history sources rather than reproducing the browser behavior locally. Analyst validation steps completed:

- Reviewed the MSRC Update Guide listing that triggered the intake.
- Parsed the Microsoft May 2026 CVRF document for description, exploitability, FAQ text, fix version, release date, and acknowledgements.
- Queried the published Microsoft CNA CVE 5.2 record for the authoritative description, affected-version range, `CWE-451`, and CVSS data.
- Queried the NVD JSON 2.0 API for corroborating severity, vector, and affected-product metadata.
- Reviewed Microsoft Edge security release history for the `148.0.3967.55` Android release date.
- Reviewed ZDI's May 2026 Patch Tuesday summary for third-party corroboration of severity and exploitation status.

No Lost Boys Cyber proof-of-concept execution was performed as part of this draft review.

13. Recommended Actions Summary

Priority	Owner	Action
Critical	Platform / Application Owners	Patch Microsoft Edge for Android to `148.0.3967.55` or later.
High	Security / Platform Owners	Use MDM or app-inventory controls to confirm real browser-version compliance across Android devices.
High	Security / Platform Owners	Prioritize mobile-phishing-resistant controls for users who access corporate identity or cloud platforms from Android devices.
High	SOC / Detection Engineering	Hunt for suspicious authentication activity tied to users who may have clicked mobile lures while running vulnerable Edge versions.
High	Security / Platform Owners	Treat this issue as a phishing-risk multiplier rather than a direct device-compromise vulnerability.

14. References

11. Microsoft Security Response Center, `CVE-2026-35429`
12. Microsoft MSRC May 2026 CVRF document
13. CVE 5.2 record for `CVE-2026-35429` (Microsoft CNA)

14. NVD JSON 2.0 API for `CVE-2026-35429`
15. Microsoft Edge security release history
16. Zero Day Initiative, `The May 2026 Security Update Review`