



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



Aerospace Phishing and Remote Tool Abuse Daily Review 2026-09-16

Threat Intelligence Report

Classification	TLP:CLEAR
Published	2026-09-16
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Intelligence Report

TLP:CLEAR | Lost Boys Cyber | Aerospace Phishing and Remote Tool Abuse Daily Review 2026-09-16 - Threat Intelligence Report

Published: 2026-09-16 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review and Confidence
4. Threat / Campaign Overview
5. Tactics, Techniques, and Procedures
6. Infrastructure, Indicators, and Observables
7. Aviation and Aerospace Sector Impact
8. Detection Engineering
9. Threat Hunting
10. Risk Assessment
11. Recommended Actions
12. References

Aerospace Phishing and Remote Tool Abuse Daily Review 2026-09-16

1. Executive Summary

BLUF: Recent sector reporting and historical patterns show aviation-themed phishing remains a durable path to commodity RAT, AnyDesk, and scheduled-task persistence against aerospace targets. This report is a finished Lost Boys Cyber daily intelligence product for 2026-09-16. Source recency was prioritized for the last 24-72 hours and expanded to 7 days or standing sector references where necessary for corroboration.

Field	Value
Daily Section	Top 5 aviation/aerospace threats
Severity	Medium-High
Confidence	Medium
Primary Exposure	Aerospace manufacturers, defense suppliers, aviation research institutes, and MRO organizations.
Analyst Decision	Review controls, hunt telemetry, and update watchlists/playbooks

2. Intelligence Requirements

Requirement	Answer
What changed?	Recent sector reporting and historical patterns show aviation-themed phishing remains a durable path to commodity RAT, AnyDesk, and scheduled-task persistence against aerospace targets.
Who should care?	Aerospace manufacturers, defense suppliers, aviation research institutes, and MRO organizations.
What should analysts do today?	Validate exposure, run hunts, and review third-party/control exceptions

3. Source Review and Confidence

#	Source	URL	Role
1	ThreatCluster aerospace phishing AnyDesk cluster	https://threatcluster.io/cluster/anydesk-phishing-attack-uses-scheduled-task-persistence-and--2b6cbe9b	Sector-specific reporting
2	Cisco Talos TA2541 aviation-themed phishing research	https://blog.talosintelligence.com/ta2541/	Historical primary research
3	CISA phishing guidance	https://www.cisa.gov/resources-tools/resources/avoiding-social-engineering-and-phishing-attacks	Control guidance
4	MITRE ATT&CK Remote	https://attack.mitre.org/	Technique reference

	Access Software	techniques/T1219/	
--	-----------------	-------------------	--

Confidence is Medium. This product avoids unverified attribution and treats vendor/news reporting as operational cues pending internal validation.

4. Threat / Campaign Overview

The selected reporting indicates a defender-relevant pressure point: Recent sector reporting and historical patterns show aviation-themed phishing remains a durable path to commodity RAT, AnyDesk, and scheduled-task persistence against aerospace targets. The likely operational pattern is not a single IOC-only event; it is a class of behavior that combines exposure management, identity control, endpoint visibility, and rapid triage.

Signal	Why It Matters	Collection
aviation-themed phishing	Primary analytic pivot for this topic	SIEM/EDR/vulnerability/source logs
AnyDesk abuse	Secondary behavior or exposure clue	Identity, proxy, EDR, cloud logs
scheduled task persistence	Triage and watchlist value	Case notes, watchlists, alert enrichment

5. Tactics, Techniques, and Procedures

Tactic	Technique / Behavior	Defensive Note
Initial Access	Phishing, exploit delivery, exposed remote access, or supplier access	Prioritize high-value users/assets and vendor paths
Execution	Scripted execution, payload staging, or malicious automation	Monitor parent/child process chains and command-line anomalies
Credential Access	Token, password, or session theft where relevant	Review impossible travel, risky sign-ins, OAuth app grants
Command and Control	Reused infrastructure, cloud services, or remote-management tooling	Enrich DNS/proxy/EDR network events and block known-bad only after validation

6. Infrastructure, Indicators, and Observables

Observable	Type	Action
aviation-themed phishing	Observable / analytic pivot	Validate in SIEM, EDR, vulnerability, and ticketing systems
AnyDesk abuse	Observable / analytic pivot	Validate in SIEM, EDR, vulnerability, and ticketing systems
scheduled task persistence	Observable / analytic pivot	Validate in SIEM, EDR, vulnerability, and ticketing systems

No hard atomic IOCs are asserted unless present in the cited public sources. Treat these entries as observables and hunting pivots.

7. Aviation and Aerospace Sector Impact

Segment	Operational Relevance	Likely Exposure Path	Defender Action
Airlines / operators	Disruption to passenger, crew, dispatch, or safety-adjacent	Identity, SaaS, endpoint, and	Validate MFA, conditional access, and offline continuity

	support workflows	third-party access	playbooks
Airports / ground services	Shared IT and vendor concentration can cascade across tenants	Managed service provider, network segmentation, remote access	Review vendor access and tabletop outage procedures
Aerospace / MRO / space	Engineering data, maintenance records, telemetry pipelines, and supplier portals are high-value	Cloud repositories, remote administration, supplier portals	Enforce least privilege, backup restore tests, and supplier assurance
Avionics / OT-adjacent environments	Lab, test, and maintenance systems can bridge IT and operational functions	Vendor laptops, remote support, engineering workstations	Segment tooling, audit remote access, and test restore procedures

8. Detection Engineering

```
DeviceProcessEvents
| where Timestamp > ago(7d)
| where ProcessCommandLine has_any ("powershell", "rundll32", "mshta", "regsvr32", "curl",
"bitsadmin", "rmm", "screenconnect", "anydesk")
| summarize Events=count(), Hosts=dcount(DeviceName), Samples=make_set(ProcessCommandLine, 10) by
FileName, InitiatingProcessFileName
| order by Events desc
```

```
SigninLogs
| where TimeGenerated > ago(7d)
| where ResultType != 0 or RiskLevelDuringSignIn in ("medium", "high")
| summarize Failures=count(), Users=dcount(UserPrincipalName), IPs=make_set(IPAddress, 20) by
AppDisplayName, ConditionalAccessStatus
| order by Failures desc
```

```
title: Daily Threat Review Suspicious Remote Tool Or Script Chain
status: experimental
logsource:
  product: windows
  category: process_creation
detection:
  selection_tools:
    CommandLine|contains:
      - 'screenconnect'
      - 'anydesk'
      - 'teamviewer'
      - 'powershell -enc'
      - 'rundll32'
  condition: selection_tools
fields:
  - UtcTime
  - Image
  - ParentImage
  - CommandLine
  - User
level: medium
```

9. Threat Hunting

```
DeviceNetworkEvents
| where Timestamp > ago(14d)
| where RemoteUrl has_any ("pastebin", "githubusercontent", "workers.dev", "ngrok",
"trycloudflare", "duckdns", "filen", "mega")
| summarize Events=count(), Hosts=dcount(DeviceName), Urls=make_set(RemoteUrl, 25) by
InitiatingProcessFileName
| order by Events desc
```

```
index=endpoint earliest=-14d
(process_name IN ("powershell.exe", "rundll32.exe", "mshta.exe", "regsvr32.exe") OR
```

```
command_line="*screenconnect*" OR command_line="*anydesk*")
  | stats count dc(host) as hosts values(command_line) as sample_commands by parent_process_name
process_name user
  | sort - count
```

Hunt intent: identify behavior classes related to this daily item, then pivot through affected business units and source-specific observables.

10. Risk Assessment

Risk	Rating	Rationale
Operational disruption	Medium-High	Dependent services, identity, or endpoints can affect business continuity
Data exposure	Medium	Credential/session compromise and supplier paths can expose sensitive data
Detection gap	Medium	Many signals require cross-domain telemetry correlation

11. Recommended Actions

Priority	Action	Owner
P1	Run the included hunts against the last 7-14 days	SOC / Detection Engineering
P2	Validate control exceptions and internet/vendor exposure	Vulnerability / IT Ops
P3	Add this topic to daily watchlists and case-triage notes	CTI / SOC Lead

12. References

- [1] ThreatCluster aerospace phishing AnyDesk cluster: <https://threatcluster.io/cluster/anydesk-phishing-attack-uses-scheduled-task-persistence-and--2b6cbe9b>
- [2] Cisco Talos TA2541 aviation-themed phishing research: <https://blog.talosintelligence.com/ta2541/>
- [3] CISA phishing guidance: <https://www.cisa.gov/resources-tools/resources/avoiding-social-engineering-and-phishing-attacks>
- [4] MITRE ATT&CK Remote Access Software: <https://attack.mitre.org/techniques/T1219/>