



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



Microsoft AI-Themed Phishing and Malware Lure Campaigns Daily Update

Threat Report

Classification	TLP:CLEAR
Published	2026-09-19
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Report

TLP:CLEAR | Lost Boys Cyber | Microsoft AI-Themed Phishing and Malware Lure Campaigns Daily Update - Threat Report

Published: 2026-09-19 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Activity Overview
5. Affected Sectors and Exposure
6. Tactics, Techniques, and Procedures
7. Infrastructure and Indicators
8. Detection Engineering
 - 8.1. Detection Summary
 - 8.2. Sigma / Detection Content
 - 8.3. Hunt Query
9. Threat Hunting
 - 9.1. Hunt Hypothesis
 - 9.2. Hunt Query
 - 9.3. Cloud/API Hunt Query
10. Risk Assessment
11. Recommended Actions
12. References

Microsoft AI-Themed Phishing and Malware Lure Campaigns Daily Update

1. Executive Summary

Microsoft highlighted campaigns impersonating popular AI platforms and tools to drive credential theft, malware installation, and search-driven compromise. Organizations rapidly adopting Copilot, ChatGPT, Claude, DeepSeek, and related tooling should hunt for fake installers, lookalike domains, suspicious OAuth prompts, and browser-download execution chains.

This report is a 2026-09-19 daily update built for current analyst review. It preserves source limitations: it does not invent IOCs or attribution beyond the cited reporting, and it uses detection logic to operationalize behaviors defenders can validate in their own telemetry.

2. Intelligence Requirements

Question	Current Answer	Confidence
What should defenders prioritize today?	Validate exposure, harden identity/API paths, and hunt for behavior-level signals tied to the reporting.	High
Are hard IOCs available?	Not consistently across all public sources; this report emphasizes telemetry and behavior hunts.	Medium
Which teams should act?	SOC, IAM, vulnerability management, cloud/security engineering, and sector system owners.	Medium

3. Source Review & Confidence

Source	Contribution	Confidence
Microsoft Defender AI-themed attack guidance	https://www.microsoft.com/en-us/security/blog/2026/09/10/detect-and-disrupt-ai-themed-attacks-with-microsoft-defender/	Medium/High
Microsoft passkey social engineering report	https://www.microsoft.com/en-us/security/blog/2026/09/09/passkey-themed-social-engineering-leads-identity-cloud-compromise/	Medium/High
Google GTIG AI threat tracker	https://cloud.google.com/blog/topics/threat-intelligence/from-prompting-to-autonomy-the-evolution-of-adversarial-ai/	Medium/High

4. Threat Activity Overview

Microsoft highlighted campaigns impersonating popular AI platforms and tools to drive credential theft, malware installation, and search-driven compromise. Organizations rapidly adopting Copilot, ChatGPT, Claude, DeepSeek, and related tooling should hunt for fake installers, lookalike domains, suspicious OAuth prompts, and browser-download execution chains.

5. Affected Sectors and Exposure

Sector / Environment	Exposure Relevance
----------------------	--------------------

Enterprise identity and cloud tenants	Credential, OAuth, API, and administrative telemetry are often where activity first appears.
Endpoint and browser fleets	User-executed lures, fake installers, scripts, and remote tools require endpoint visibility.
Third-party service providers	Shared administrative paths can multiply impact across clients and operational environments.

6. Tactics, Techniques, and Procedures

Tactic / Phase	Observed Technique	Evidence
T1189	Drive-by Compromise	Used as defensive mapping for the reported behavior.
T1204	User Execution	Used as defensive mapping for the reported behavior.
T1566	Phishing	Used as defensive mapping for the reported behavior.
T1105	Ingress Tool Transfer	Used as defensive mapping for the reported behavior.

7. Infrastructure and Indicators

Indicator / Infrastructure	Type	Operational Use
No durable public IOC set validated in this automated run	Source limitation	Use behavior-based hunts and add IOCs only after analyst validation.
Lookalike domains, newly seen OAuth apps, unusual API clients	Observable class	Common places to find related activity without overfitting to stale IOCs.

8. Detection Engineering

8.1. Detection Summary

Signal	Telemetry Source	Analytic Goal
New OAuth consent, MFA method, or passkey changes near risky sign-in	Entra ID / identity logs	Detect account takeover and persistence.
Browser download or script execution from AI-themed/search-result lures	EDR / proxy / DNS	Detect social-engineering execution chains.
Unusual API-token use or high-volume AI/API access	Cloud/API gateway logs	Detect credential theft or model/API abuse.

8.2. Sigma / Detection Content

```

title: Suspicious Identity Persistence or AI-Themed Lure Activity
status: experimental
description: Behavior-level rule for daily CTI operationalization; tune field names to local SIEM

```

```

schema.
logsource:
  product: azure
  service: signinlogs
detection:
  selection:
    Operation|contains:
      - 'Add authentication method'
      - 'Consent to application'
      - 'Update application'
  timeframe: 1h
  condition: selection
level: high

```

8.3. Hunt Query

```

DeviceProcessEvents
| where Timestamp > ago(14d)
| where ProcessCommandLine has_any
('copilot', 'chatgpt', 'claude', 'deepseek', 'passkey', 'mfa', 'oauth', 'token')
or FileName in~ ('powershell.exe', 'wscript.exe', 'cscript.exe', 'mshta.exe', 'rundll32.exe')
| summarize Events=count(), Devices=dcount(DeviceName), Users=dcount(InitiatingProcessAccountName) by
FileName, ProcessCommandLine
| order by Events desc

```

9. Threat Hunting

9.1. Hunt Hypothesis

Threat activity related to this item is more likely to surface as identity, endpoint, browser, cloud, or API anomalies than as a stable IOC list.

9.2. Hunt Query

```

SigninLogs
| where TimeGenerated > ago(14d)
| where ResultType == 0
| where AppDisplayName has_any ('Graph', 'Office 365', 'Azure', 'Copilot') or UserAgent has_any
('python', 'curl', 'node', 'go-http')
| summarize Signins=count(), IPs=make_set(IPAddress, 20), Apps=make_set(AppDisplayName, 20) by
UserPrincipalName
| where Signins > 10 or array_length(IPs) > 5

```

9.3. Cloud/API Hunt Query

```

CloudAppEvents
| where Timestamp > ago(14d)
| where ActionType has_any ('Consent to application', 'Add service principal', 'Add owner to
application', 'Create API key', 'Update application')
| project Timestamp, AccountDisplayName, ActionType, Application, IPAddress, RawEventData

```

10. Risk Assessment

Dimension	Assessment
Likelihood	High for exposed organizations matching the described behaviors.
Impact	Credential theft, persistence, data access, operational disruption, or intellectual-property loss depending on environment.
Confidence	High; source limitations are recorded above.

11. Recommended Actions

Priority	Owner	Action
----------	-------	--------

Critical	SOC	Run the included hunts and tune to known admin/tooling baselines.
High	IAM	Enforce phishing-resistant MFA, review new MFA/passkey methods, and restrict OAuth consent.
High	Cloud/API owners	Inventory API keys, service principals, AI-service access, and abnormal usage spikes.
Medium	Vendor management	Confirm third-party access controls and incident notification paths.

12. References

- [1] Microsoft Defender AI-themed attack guidance: <https://www.microsoft.com/en-us/security/blog/2026/09/10/detect-and-disrupt-ai-themed-attacks-with-microsoft-defender/>
- [2] Microsoft passkey social engineering report: <https://www.microsoft.com/en-us/security/blog/2026/09/09/passkey-themed-social-engineering-leads-identity-cloud-compromise/>
- [3] Google GTIG AI threat tracker: <https://cloud.google.com/blog/topics/threat-intelligence/from-prompting-to-autonomy-the-evolution-of-adversarial-ai/>