LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING

Ivanti Connect Secure CVE-2026-111357 and CVE-2026-118527 Daily Exposure Revalidation

CVE / Vulnerability Threat Intelligence Report

Classification	TLP:CLEAR
Published	2026-11-08
Version	1.0
Author	Lost Boys Cyber
Report Type	CVE / Vulnerability Threat Intelligence Report

Published: 2026-11-08 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Vulnerability Metadata
3. Source Review and Confidence
4. Vulnerability Details
5. Attack Scenarios
6. Affected Products and Exposure
7. Mitigation and Workarounds
8. Detection Engineering
9. Threat Hunting
    9.1. Hunt Hypothesis
10. MITRE ATT&CK Mapping
11. Validation / Lab Testing
12. Recommended Actions Summary
13. References

Ivanti Connect Secure CVE-2026-111357 and CVE-2026-118527 Daily Exposure Revalidation

1. Executive Summary

Ivanti Connect Secure remains a high-priority perimeter exposure on 2026-11-08. CISA, Ivanti reporting summarized by Rapid7, and supporting coverage describe exploitation involving CVE-2026-104935 with the later CVE-2026-111357 and CVE-2026-118527 flaws. This is a daily revalidation, not a claim of a new disclosure today: the operational condition that makes these issues urgent is continued exposure of identity-bearing remote-access infrastructure.

Defenders should confirm the appliance build against the current vendor advisory, remove unneeded public administration paths, review logs for exploitation and persistence, rotate secrets if compromise is suspected, and validate every internet-facing instance has a named owner. Do not assume patching alone proves an appliance was not previously accessed.

2. Vulnerability Metadata

Field	Value
CVEs	CVE-2026-104935, CVE-2026-111357, CVE-2026-118527
Product	Ivanti Connect Secure
Exploitation status	Public sources describe the flaws as exploited and chained in attacks
CVE-2026-111357	Privilege-escalation-to-root context reported by supporting research
CVE-2026-118527	File-write context reported by supporting research
Priority	High: remote-access appliance and identity/control-plane exposure
Daily freshness note	No new primary disclosure located during the 2026-11-08 review; dated revalidation retained due exploitation risk.

3. Source Review and Confidence

Source	Contribution	Confidence
CISA alert	Government urgency and affected-technology context	High
Rapid7 research	Technical and remediation context for later Ivanti flaws	High
BleepingComputer	Supporting chain/exploitation reporting	Medium
The Hacker News / Volexity reporting	Supporting attack-chain context	Medium

4. Vulnerability Details

Public reporting describes an attack chain in which an authentication bypass can be combined with later flaws to obtain high-privilege appliance access. The precise sequence, affected release train, and mitigation requirements must be checked against Ivanti's live advisory during change execution. This report does not assert an unauthenticated root outcome for any specific customer environment without appliance evidence.

5. Attack Scenarios

1. An exposed appliance is targeted through the reported chained vulnerability path.
2. An attacker obtains appliance-level access, modifies configuration or authentication material, then pivots to protected identity and application services.
3. A device is patched after prior access, while persistence, stolen credentials, or modified configuration remains undetected.

6. Affected Products and Exposure

Exposure Pattern	Why It Matters	Action
Internet-facing Connect Secure	Direct targetable perimeter service	Patch, restrict access, and retain logs
Shared admin accounts	Enables persistence and weak attribution	Rotate and individualize administration
VPN connected to privileged networks	Increases post-compromise blast radius	Segment and inspect authentication paths
Appliance without complete logs	Limits compromise assessment	Export available telemetry before changes

7. Mitigation and Workarounds

Priority	Owner	Action
Critical	Remote Access Team	Apply current Ivanti fixes and confirm actual installed build.
Critical	SOC / IR	Review authentication, admin, configuration, and web access telemetry before and after patching.
High	IAM	Rotate appliance service credentials, admin passwords, API tokens, and sessions where compromise indicators exist.
High	Network	Limit management interfaces to approved networks and MFA-protected administration.

8. Detection Engineering

Signal	Telemetry	Goal
Rare external requests to appliance paths	Reverse-proxy / appliance HTTP logs	Identify probing and exploitation attempts
New or changed admin/configuration objects	Appliance audit logs	Find persistence or post-access manipulation
VPN login from rare geography/device	IdP and VPN logs	Identify use of stolen access
Appliance outbound traffic to rare destinations	Firewall / NetFlow	Identify C2 or staging

```
title: Ivanti Connect Secure Administrative Change Review
status: experimental
logsource:
  category: application
  product: ivanti
```

```
detection:
  selection:
    message|contains:
      - 'administrator'
      - 'configuration'
      - 'role change'
      - 'authentication realm'
  condition: selection
level: high
```

```
// Hunt unusual post-authentication activity associated with VPN access.
SigninLogs
| where TimeGenerated > ago(30d)
| where AppDisplayName has_any ("Ivanti", "Connect Secure", "VPN")
| summarize Countries=make_set(LocationDetails.countryOrRegion, 10), IPs=make_set(IPAddress, 20),
Events=count() by UserPrincipalName
| where array_length(Countries) > 2 or Events > 50
```

9. Threat Hunting

9.1. Hunt Hypothesis

A previously accessed appliance may leave evidence in configuration/audit logs or be followed by anomalous remote-access authentication, privileged changes, and unexpected outbound connectivity.

```
CommonSecurityLog
| where TimeGenerated > ago(30d)
| where DeviceProduct has_any ("Ivanti", "Connect Secure")
| where Message has_any ("admin", "config", "realm", "role", "upload", "error")
| project TimeGenerated, SourceIP, DestinationIP, Message
| order by TimeGenerated desc
```

10. MITRE ATT&CK Mapping

Technique	Name	Evidence / Rationale
T1190	Exploit Public-Facing Application	Relevant to reported perimeter-appliance exploitation.
T1078	Valid Accounts	Relevant to reviewing potentially stolen VPN or administrator credentials.
T1098	Account Manipulation	Relevant hunt hypothesis for unauthorized admin/configuration changes.

11. Validation / Lab Testing

No exploit was executed. The daily update validated source consistency, report preflight, rendering, and analyst-facing rule/query presence. Appliance log schemas differ by release and integration; tune field names locally.

12. Recommended Actions Summary

Priority	Owner	Action
Critical	Infrastructure	Account for every Connect Secure appliance and patch state today.
Critical	SOC	Perform documented compromise assessment for all exposed instances.
High	IAM	Rotate exposed control-plane credentials where evidence or uncertainty warrants it.

13. References

- CISA, Ivanti Connect Secure advisory: https://www.cisa.gov/news-events/alerts/2026/10/13/cisa-urges-patching-newly-exploited-vulnerabilities-ivanti-connect-secure
- Rapid7, additional Ivanti zero-days: https://www.rapid7.com/blog/post/etr-additional-ivanti-connect-secure-zero-days-exploited-in-the-wild-cve-2026-111357-cve-2026-118527/
- BleepingComputer, Ivanti chain reporting: https://www.bleepingcomputer.com/news/security/ivanti-patches-two-more-connect-secure-zero-days-chained-in-attacks/
- The Hacker News, reported chain context: https://thehackernews.com/2026/10/attackers-chain-three-ivanti-connect.html