



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



GoSerpent Backdoor Reporting Requires Southeast Asia Government and Data-Theft Hunt Review

Threat Report

Classification	TLP:CLEAR
Published	2026-07-22
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Report

TLP:CLEAR | Lost Boys Cyber | GoSerpent Backdoor Reporting Requires Southeast Asia Government and Data-Theft Hunt Review - Threat Report

Published: 2026-07-22 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Activity Overview
5. Affected Sectors and Exposure
6. Tactics, Techniques, and Procedures
7. Infrastructure and Indicators
8. Detection Engineering
 - 8.1. Detection Summary
 - 8.2. Hunt Query
9. Threat Hunting
 - 9.1. Hunt Hypothesis
10. Risk Assessment
11. Recommended Actions
12. References

GoSerpent Backdoor Reporting Requires Southeast Asia Government and Data-Theft Hunt Review

1. Executive Summary

Securelist reporting describes GoSerpent backdoor activity and associated tools used in two-phase attacks against government entities in Southeast Asia. Defenders should use the reporting to validate remote-access, staging, and exfiltration detections.

This daily report prioritizes defender action over attribution certainty. Claims are bounded to public reporting and cited operational guidance.

2. Intelligence Requirements

Question	Current Answer	Confidence
What changed for defenders?	A current or recently surfaced source set highlights a threat pattern requiring near-term control validation.	Medium
Who should care first?	Government networks, regional suppliers, and organizations with diplomatic or public-sector exposure in Southeast Asia.	Medium
What should be hunted?	Abnormal identity, process, SaaS, supplier, edge-device, or exfiltration behavior aligned to the report.	Medium

3. Source Review & Confidence

Source	URL	Contribution	Confidence
Securelist GoSerpent backdoor attacks in Southeast Asia	https://securelist.com/goserpent-backdoor-in-southeast-asia/120687/	Supports scope, exposure, or defender action for this report.	Medium/High
MITRE ATT&CK: Remote Access Software	https://attack.mitre.org/techniques/T1219/	Supports scope, exposure, or defender action for this report.	Medium/High
CISA cyber hygiene services and guidance	https://www.cisa.gov/cyber-hygiene-services	Supports scope, exposure, or defender action for this report.	Medium/High

The source set is adequate for a daily defender-priority report. It does not support uncited victimology, exploit code, or attribution expansion.

4. Threat Activity Overview

Securelist reporting describes GoSerpent backdoor activity and associated tools used in two-phase attacks against government entities in Southeast Asia. Defenders should use the reporting to validate remote-access, staging, and exfiltration detections. The operational significance is that the activity maps to repeatable enterprise exposure paths rather than one-off artifacts.

5. Affected Sectors and Exposure

Government networks, regional suppliers, and organizations with diplomatic or public-sector exposure in Southeast Asia.

6. Tactics, Techniques, and Procedures

Tactic / Phase	Observed or Plausible Technique	Evidence Boundary
----------------	---------------------------------	-------------------

Initial Access	T1190 Exploit Public-Facing Application / T1566 Phishing / T1204 User Execution	Validate against cited source and local telemetry.
Execution	T1059 Command and Scripting Interpreter	Common for loader, tool, or operator-driven activity.
Defense Evasion	T1036 Masquerading / T1070 Indicator Removal	Relevant where malware, trusted-channel, or supplier abuse is reported.
Collection / Exfiltration	T1005 Data from Local System / T1567 Exfiltration Over Web Service	Relevant where reporting concerns data collection or cloud/SaaS abuse.

7. Infrastructure and Indicators

Indicator / Infrastructure	Type	Operational Use
No normalized hard IOC list in this automated source review	Source limitation	Use behavior-first detections and consult primary source for late-added IOCs.
Trusted SaaS, updater, edge-device, supplier, or repository path	Exposure pattern	Prioritize anomaly detection around privileged and trusted channels.

8. Detection Engineering

8.1. Detection Summary

Signal	Telemetry Source	Analytic Goal
Rare child process from browser, updater, repository tooling, VPN, or service process	EDR process telemetry	Detect trusted-channel abuse or lure-driven execution.
Abnormal SaaS, DNS, HTTP, or egress behavior	DNS, proxy, firewall, SaaS audit	Surface C2, Graph/SaaS abuse, or exfiltration.
Credential-store access or archive staging	EDR file/process events	Identify collection before exfiltration.

```

title: Daily Threat Report Suspicious Trusted Channel Execution
status: experimental
description: Behavior-focused detection for trusted-channel, repository, SaaS, edge-device, or credential-theft activity.
logsource:
  product: windows
  category: process_creation
detection:
  parent_trusted_channel:
    ParentImage|contains:
      - '\git'
      - '\browser'
      - '\updater'
      - '\vpn'
      - '\remote'
      - '\office'
  suspicious_child:
    Image|endswith:
      - '\powershell.exe'
      - '\cmd.exe'
      - '\wscript.exe'
      - '\rundll32.exe'
      - '\7z.exe'
      - '\curl.exe'
condition: parent_trusted_channel and suspicious_child

```

level: high

8.2. Hunt Query

```
DeviceProcessEvents
| where Timestamp > ago(14d)
| where InitiatingProcessFileName has_any
('git.exe', 'chrome.exe', 'msedge.exe', 'updater.exe', 'vpn.exe', 'remote.exe', 'office.exe', 'teams.exe')
| where FileName in~
('powershell.exe', 'cmd.exe', 'wscript.exe', 'rundll32.exe', '7z.exe', 'curl.exe', 'wget.exe', 'python.exe')
| project Timestamp, DeviceName, InitiatingProcessFileName, FileName, ProcessCommandLine, AccountName
```

9. Threat Hunting

9.1. Hunt Hypothesis

If this activity pattern is present, telemetry will show abnormal parent-child execution, cloud/SaaS audit anomalies, suspicious archive/credential access, or supplier/edge remote-access anomalies before confirmed impact.

```
DeviceNetworkEvents
| where Timestamp > ago(14d)
| where InitiatingProcessFileName has_any
('powershell.exe', 'curl.exe', 'wget.exe', 'python.exe', 'git.exe', 'updater.exe', 'vpn.exe')
| summarize conn=count(), first_seen=min(Timestamp), last_seen=max(Timestamp), urls=make_set(RemoteUrl,
10) by DeviceName, InitiatingProcessFileName, RemoteIP, RemotePort
| where conn > 20 or array_length(urls) > 5

DeviceEvents
| where Timestamp > ago(14d)
| where ActionType has_any
('OAuthAppConsentGranted', 'UserAccountAddedToLocalGroup', 'AntivirusSignatureUpdateFailed', 'TamperingAttempt')
| project Timestamp, DeviceName, ActionType, AccountName, AdditionalFields
```

10. Risk Assessment

Risk Driver	Assessment
Likelihood	Medium; public reporting shows attacker economics or operational opportunity.
Impact	Medium to High where the affected path touches identity, shared IT, OT/ICS, aviation operations, or sensitive data.
Confidence	Medium; source-backed trend report without environment-specific telemetry confirmation.

11. Recommended Actions

Priority	Owner	Action
Critical	Security operations	Convert the source-specific behavior into watchlists and review recent alerts.
High	IT / platform owners	Validate MFA, remote access restrictions, patch state, and privileged account monitoring.
Medium	Detection engineering	Tune the included Sigma/KQL against local baselines and suppress known-good automation.

12. References

- [1] Securelist GoSerpent backdoor attacks in Southeast Asia: <https://securelist.com/goserpent-backdoor-in-southeast-asia/120687/>
- [2] MITRE ATT&CK: Remote Access Software: <https://attack.mitre.org/techniques/T1219/>
- [3] CISA cyber hygiene services and guidance: <https://www.cisa.gov/cyber-hygiene-services>