



# LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



## UAT-7810 ORB Network Expansion Using Router Exploitation and New Malware

Threat Report

|                       |                 |
|-----------------------|-----------------|
| <b>Classification</b> | TLP:CLEAR       |
| <b>Published</b>      | 2026-07-18      |
| <b>Version</b>        | 1.0             |
| <b>Author</b>         | Lost Boys Cyber |
| <b>Report Type</b>    | Threat Report   |

TLP:CLEAR | Lost Boys Cyber | UAT-7810 ORB Network Expansion Using Router Exploitation and New Malware - Threat Report

Published: 2026-07-18 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

## Table of Contents

1. Executive Summary
2. Source Review & Confidence
3. Key Findings
4. Threat / Vulnerability Details
5. Exposure and Operational Impact
6. MITRE ATT&CK Mapping
7. Detection Engineering
8. Threat Hunting
9. Recommended Actions
10. References

# UAT-7810 ORB Network Expansion Using Router Exploitation and New Malware

## 1. Executive Summary

Cisco Talos reporting describes continued operational relay box network development using router exploitation and malware. Defenders should treat edge/SOHO devices as both initial-access and anonymization infrastructure.

Lost Boys Cyber selected this item for the 2026-07-18 UTC daily intelligence production run because it presents near-term defender actionability, credible public-source support, and material exposure for enterprise or sector operators. This report is source-backed and intentionally avoids unverified victim, actor, CVE, or IOC claims.

| Field                     | Assessment                                                            |
|---------------------------|-----------------------------------------------------------------------|
| Report family             | Threat Report                                                         |
| Severity                  | High                                                                  |
| Confidence                | Medium, based on public reporting and advisory availability           |
| Published / processed     | 2026-07-18 UTC                                                        |
| CVEs                      | None confirmed in reviewed public sources                             |
| Primary defender question | What must be validated, hunted, or mitigated in the next 24-72 hours? |

## 2. Source Review & Confidence

| Source                                                     | URL                                                                                                                                                                                                     | Analyst Use                                                  |
|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| Cisco Talos UAT-7810 research                              | <a href="https://blog.talosintelligence.com/uat-7810/">https://blog.talosintelligence.com/uat-7810/</a>                                                                                                 | Primary research on ORB network building and infrastructure. |
| Cisco Talos blog                                           | <a href="https://blog.talosintelligence.com/">https://blog.talosintelligence.com/</a>                                                                                                                   | Supporting Talos threat research index.                      |
| CISA guidance on securing small office/home office routers | <a href="https://www.cisa.gov/resources-tools/resources/securing-small-officehome-office-soho-routers">https://www.cisa.gov/resources-tools/resources/securing-small-officehome-office-soho-routers</a> | Defensive baseline for router exposure.                      |

Where the source set includes broad vendor landing pages or framework guidance, those sources are used for defensive validation rather than as proof of exploitation. Source selection preferred items published or materially updated in the last 24-72 hours; when sector-specific aviation/aerospace depth was limited, the lookback expanded to seven days or established government/vendor guidance and this is noted in `sources.md`.

## 3. Key Findings

| Finding                                                                    | Defender Significance                                                                         | Confidence |
|----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|------------|
| Public reporting is sufficient for immediate triage.                       | Teams can begin exposure review and logging checks without waiting for proprietary telemetry. | Medium     |
| Identity, edge exposure, and third-party trust are recurring risk drivers. | Prioritize systems that bridge external access to internal privileges.                        | High       |
| Hard IOCs are limited or context-                                          | Behavioral detections and scoped hunts are                                                    | Medium     |

|                                                                          |                                                         |      |
|--------------------------------------------------------------------------|---------------------------------------------------------|------|
| dependent.                                                               | more reliable than brittle blocklists.                  |      |
| Reporting should be revisited as vendor or government advisories change. | Track corrections, patches, and exploit-status changes. | High |

#### 4. Threat / Vulnerability Details

Cisco Talos reporting describes continued operational relay box network development using router exploitation and malware. Defenders should treat edge/SOHO devices as both initial-access and anonymization infrastructure.

Analyst interpretation: the practical risk is not limited to the named report title. It includes the surrounding exposure pattern: weak identity controls, unmanaged internet-facing systems, insufficient supplier oversight, limited endpoint visibility, and delayed patch or configuration validation.

#### 5. Exposure and Operational Impact

| Exposure Area                                 | Why It Matters                                                                    | Immediate Check                                                                        |
|-----------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Internet-facing systems and SaaS entry points | They compress attacker path-to-access and often have inconsistent ownership.      | Enumerate externally reachable services and confirm patch/configuration state.         |
| Privileged identity and token flows           | Post-compromise actions often move through valid accounts or OAuth/device tokens. | Review MFA coverage, new app consents, privileged role changes, and impossible travel. |
| Endpoint execution and scripting telemetry    | Follow-on actions often use native tooling before bespoke malware appears.        | Confirm command-line, PowerShell, script, and EDR telemetry retention.                 |
| Third-party integrations                      | Suppliers and shared platforms can expand blast radius.                           | Review support accounts, API keys, and vendor escalation paths.                        |

#### 6. MITRE ATT&CK Mapping

| Phase                   | Technique                                                                                | Relevance                                                                  |
|-------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| Initial Access          | T1190 Exploit Public-Facing Application / T1566 Phishing / T1195 Supply Chain Compromise | Plausible routes depending on local exposure and source-specific activity. |
| Execution               | T1059 Command and Scripting Interpreter                                                  | Common first-stage and post-compromise behavior.                           |
| Persistence / Privilege | T1098 Account Manipulation / T1547 Boot or Logon Autostart Execution                     | Relevant when adversaries convert initial access into durable access.      |
| Credential Access       | T1555 Credentials from Password Stores / T1528 Steal Application Access Token            | Important for cloud, developer, and SaaS workflows.                        |
| Exfiltration / Impact   | T1041 Exfiltration Over C2 Channel / T1486 Data Encrypted for Impact                     | Relevant for extortion and business-disruption scenarios.                  |

#### 7. Detection Engineering

| Signal | Telemetry Source | Analytic Goal |
|--------|------------------|---------------|
|--------|------------------|---------------|

|                                                                                        |                           |                                                                                      |
|----------------------------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------|
| Keyword or named-report pivots: network, expansion, using, router, exploitation        | SIEM, EDR, SOAR cases     | Identify internal alerts, tickets, command lines, or notes referencing the activity. |
| Scripting tools launched from unusual parent processes                                 | EDR process telemetry     | Surface hands-on-keyboard or automation behavior.                                    |
| New OAuth consent, privileged role, or token activity followed by endpoint anomalies   | IAM, SaaS, EDR            | Detect identity-to-endpoint intrusion chaining.                                      |
| Archive creation, staging directories, or outbound transfer after suspicious execution | EDR, proxy, DNS, firewall | Detect extortion staging or collection.                                              |

title: Lost Boys Cyber - UAT-7810 ORB Network Expansion Using Router Exploitation and New Malware  
id: lbc-uat-7810-orb-network-expansion-using-router-exploitation-and

status: experimental

description: Behavioral detection scaffold for the daily intelligence item UAT-7810 ORB Network Expansion Using Router Exploitation and New Malware.

logsource:

product: windows

category: process\_creation

detection:

selection\_keywords:

CommandLine|contains:

- 'network'
- 'expansion'
- 'using'
- 'router'
- 'exploitation'

selection\_tools:

Image|endswith:

- '\powershell.exe'
- '\cmd.exe'
- '\wscript.exe'
- '\cscript.exe'
- '\python.exe'
- '\node.exe'

condition: selection\_keywords or selection\_tools

fields:

- UtcTime
- Image
- ParentImage
- CommandLine
- User

falsepositives:

- Security testing, administrator scripts, or benign research notes

level: medium

## 8. Threat Hunting

The following hypotheses are intentionally behavior-first. Tune allowlists for administration hosts, security tooling, and known deployment systems before alerting.

DeviceProcessEvents

```
| where Timestamp > ago(14d)
| where ProcessCommandLine has_any ("network", "expansion", "using", "router", "exploitation")
  or FileName in~ ("powershell.exe", "cmd.exe", "wscript.exe", "cscript.exe", "python.exe",
"node.exe", "rclone.exe", "winscp.exe")
| summarize FirstSeen=min(Timestamp), LastSeen=max(Timestamp), Commands=make_set(ProcessCommandLine,
20) by DeviceName, AccountName, FileName
| order by LastSeen desc
```

DeviceNetworkEvents

```
| where Timestamp > ago(14d)
```

```

| where InitiatingProcessFileName in~ ("powershell.exe", "python.exe", "node.exe", "rclone.exe",
"winscp.exe", "curl.exe")
| summarize Connections=count(), RemoteIPs=dcount(RemoteIP), Samples=make_set(RemoteUrl, 10) by
DeviceName, InitiatingProcessAccountName, InitiatingProcessFileName
| where Connections > 10 or RemoteIPs > 5
index=* (process_name=powershell.exe OR process_name=python.exe OR process_name=node.exe OR
process_name=rclone.exe)
| stats count min(_time) as first_seen max(_time) as last_seen values(command_line) as commands by host
user process_name
| where count > 3

```

## 9. Recommended Actions

| Priority    | Action                                                                                            | Owner                            |
|-------------|---------------------------------------------------------------------------------------------------|----------------------------------|
| 0-24 hours  | Validate whether named products, services, suppliers, or exposure paths exist in the environment. | Asset / Vulnerability Management |
| 0-24 hours  | Confirm logging for identity, endpoint, network, and SaaS control planes.                         | SOC Engineering                  |
| 24-72 hours | Run the included hunts and preserve notable findings with source references.                      | Detection / Threat Hunting       |
| 24-72 hours | Patch, isolate, or apply compensating controls for confirmed exposure.                            | IT / Platform Owners             |
| This week   | Update incident playbooks and supplier escalation contacts for this scenario.                     | IR / Risk                        |

## 10. References

- [1] Cisco Talos UAT-7810 research: <https://blog.talosintelligence.com/uat-7810/>
- [2] Cisco Talos blog: <https://blog.talosintelligence.com/>
- [3] CISA guidance on securing small office/home office routers: <https://www.cisa.gov/resources-tools/resources/securing-small-officehome-office-soho-routers>