



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



ClickFix Campaigns Expand Malware Loader Delivery

Threat Report

Classification	TLP:CLEAR
Published	2026-07-01
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Report

TLP:CLEAR | Lost Boys Cyber | ClickFix Campaigns Expand Malware Loader Delivery - Threat Report

Published: 2026-07-01 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Activity Overview
5. Affected Sectors and Exposure
6. Tactics, Techniques, and Procedures
7. Infrastructure and Indicators
8. Detection Engineering
 - 8.1. Detection Summary
 - 8.2. Sigma / Detection Content
 - 8.3. Hunt Query
9. Threat Hunting
 - 9.1. Hunt Hypothesis
 - 9.2. Hunt Query
10. Risk Assessment
11. Recommended Actions
12. References

ClickFix Campaigns Expand Malware Loader Delivery

1. Executive Summary

Multiple reports summarized by The Hacker News described ClickFix campaigns using fake update and social-engineering lures to deliver loaders including BabaDeda Loader, Lorem Ipsum Loader, and Potemkin. The tactic remains high-value because it bypasses attachment-centric controls by making users run commands.

This daily report prioritizes analyst action over exhaustive attribution. Source depth was sufficient to produce a defender-facing report, but some items rely on vendor/security-news summaries because primary telemetry is not always fully public. Claims below are limited to the cited source descriptions and conservative operational inference.

2. Intelligence Requirements

Question	Current Answer	Confidence
What activity should defenders review today?	ClickFix Campaigns Expand Malware Loader Delivery	Medium
Who is most exposed?	enterprise endpoints, help desks, browsers	Medium
What action matters first?	Confirm exposure, collect telemetry, and hunt identity/process/network signals tied to the reported technique.	High

3. Source Review & Confidence

Source	Contribution	Confidence
The Hacker News ClickFix coverage	Summarizes independent reporting from Morphisec, BlueVoyant, and Huntress about new ClickFix loader campaigns.	Medium
Huntress research portal	Huntress is cited in coverage as one of the independent sources for Potemkin/ClickFix observations.	Medium
Morphisec threat research	Morphisec is cited in coverage for BabaDeda Loader observations.	Medium

4. Threat Activity Overview

The activity described in public reporting indicates a current operational risk involving social engineering, supply-chain compromise, identity abuse, malware delivery, or sector-specific targeting. Lost Boys Cyber selected it because it is recent, actionable, and maps to control areas most defenders can validate with existing logs.

5. Affected Sectors and Exposure

Sector / Environment	Exposure Driver	Defensive Focus
enterprise endpoints	Direct alignment with source-reported targeting or operational dependency.	Asset inventory, identity telemetry, and incident-response readiness.
help desks	Shared tooling, supplier access, or cloud/SaaS dependencies.	Conditional access, third-party review, and endpoint visibility.
browsers	Trust relationships and delegated	Least privilege, logging, and vendor

	administration.	notification paths.
--	-----------------	---------------------

6. Tactics, Techniques, and Procedures

Tactic / Phase	Observed Technique	Evidence
Initial Access	Phishing, vulnerable edge, supply-chain package, or trusted-tool abuse	Source reporting identifies lures, compromised packages, identity abuse, or exposed services depending on item.
Execution	Script, Node.js, package lifecycle, browser/user-invoked command, or service execution	Activity commonly requires process or workflow execution after initial interaction.
Credential Access	Infostealer, OAuth/session/token abuse, or account takeover	Several selected items emphasize identity, token, or credential risk.
Impact	Data theft, extortion, persistence, fraud, or service disruption	Public reporting highlights data theft, malware persistence, scams, ransomware, or operational disruption risk.

7. Infrastructure and Indicators

Indicator / Infrastructure	Type	Operational Use
Source-reported domains/hashes	IOC	Not all public summaries include durable IOCs; enrich from original vendor posts before blocklisting.
New package versions, fake app stores, or suspicious archives	Artifact	Validate against repositories, email gateways, and endpoint telemetry.
Unusual SaaS/OAuth sessions or admin changes	Behavioral observable	Useful for identity-centric hunts when static IOCs are unavailable.

8. Detection Engineering

8.1. Detection Summary

Signal	Telemetry Source	Analytic Goal
User-driven command execution after browser/email interaction	EDR process telemetry	Detect ClickFix-style or archive/social-engineering execution.
Suspicious package lifecycle or Node.js execution	Developer endpoint / CI logs	Detect npm/package compromise and JavaScript implants.
Unusual SaaS OAuth or admin access	Identity provider / SaaS audit logs	Detect token or account abuse.
Outbound staging to rare domains	Proxy/DNS/EDR network telemetry	Detect malware callback or fraud infrastructure.

8.2. Sigma / Detection Content

title: Suspicious Activity Related to ClickFix Campaigns Expand Malware Loader Delivery id: clickfix-campaigns-expand-malware-loader-daily status: experimental description: Detects suspicious process, script, or web activity for analyst triage related to the

reported item. Tune product-specific fields before production use.

```
logsource:
  product: windows
  category: process_creation
detection:
  selection_terms:
    CommandLine|contains:
      - 'ClickFix'
      - 'curl'
      - 'wget'
      - 'powershell'
      - 'node'
  condition: selection_terms
fields:
  - Image
  - CommandLine
  - ParentImage
  - User
falsepositives:
  - Administrative testing and vulnerability validation
level: medium
```

8.3. Hunt Query

```
DeviceNetworkEvents
| where Timestamp > ago(14d)
| where RemoteUrl has_any ("oracle", "payments", "unifi", "eds", "npm", "stealc", "clickfix", "satcom",
"reservation")
| summarize count(), hosts=dcount(DeviceName) by RemoteUrl, InitiatingProcessFileName
| order by count_desc
```

9. Threat Hunting

9.1. Hunt Hypothesis

If this activity is present, defenders should find recent anomalies in identity, process, web, package-management, or outbound-network telemetry that cluster around the affected business unit or exposed technology.

9.2. Hunt Query

```
DeviceProcessEvents
| where Timestamp > ago(14d)
| where FileName in~ ("node.exe", "npm.cmd", "powershell.exe", "cmd.exe", "wscript.exe", "mshta.exe",
"curl.exe")
  or ProcessCommandLine has_any ("npm install", "postinstall", "Invoke-WebRequest", "DownloadString",
"OAuth", "photo", "zip")
| project Timestamp, DeviceName, AccountName, FileName, ProcessCommandLine, InitiatingProcessFileName
| order by Timestamp desc
```

10. Risk Assessment

Dimension	Assessment	Rationale
Likelihood	Medium	Activity is recent and maps to common attacker tradecraft, but environment-specific exposure must be confirmed.
Impact	Medium to High	Identity abuse, supply-chain compromise, or sector disruption can create broad downstream effects.
Confidence	Medium	Selection is based on multiple public sources, with conservative treatment of unverified attribution or victimology.

11. Recommended Actions

Priority	Owner	Action
High	SOC	Run hunts against endpoint, identity, proxy, DNS, and SaaS logs for the last 14-30 days.
High	IT / Cloud	Confirm exposed services, high-risk OAuth grants, package integrity, and admin changes.
Medium	Awareness / Help Desk	Brief high-risk users on lure patterns and strengthen identity-verification scripts.
Medium	Third-Party Risk	Ask critical suppliers for relevant exposure and incident indicators.

12. References

- [1] The Hacker News ClickFix coverage: <https://thehackernews.com/2026/06/clickfix-campaigns-expand-malware.html>
- [2] Huntress research portal: <https://www.huntress.com/blog>
- [3] Morphisec threat research: <https://www.morphisec.com/blog/>