



# LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



## Trojanized Tetris Malware Campaign Requires Consumer-App and Endpoint Hunt Review

Threat Report

|                       |                 |
|-----------------------|-----------------|
| <b>Classification</b> | TLP:CLEAR       |
| <b>Published</b>      | 2026-07-29      |
| <b>Version</b>        | 1.0             |
| <b>Author</b>         | Lost Boys Cyber |
| <b>Report Type</b>    | Threat Report   |

TLP:CLEAR | Lost Boys Cyber | Trojanized Tetris Malware Campaign Requires Consumer-App and Endpoint Hunt Review - Threat Report

Published: 2026-07-29 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

## Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Activity Overview
5. Affected Sectors and Exposure
6. Tactics, Techniques, and Procedures
7. Infrastructure and Indicators
8. Detection Engineering
9. Threat Hunting
10. Risk Assessment
11. Recommended Actions
12. References

# Trojanized Tetris Malware Campaign Requires Consumer-App and Endpoint Hunt Review

## 1. Executive Summary

Public reporting on 2026-07-29 described an active malware campaign using a trojanized Tetris-themed game lure. The actor attribution and full victim scope were not settled in available reporting, so this report emphasizes endpoint triage, download-source validation, and behavioral hunting rather than attribution.

This 2026-07-29 daily report turns the source coverage into an operator-ready defensive brief with sector relevance, exposure paths, detection signals, and hunt queries.

## 2. Intelligence Requirements

| Question                        | Current Answer                                                                                       | Confidence |
|---------------------------------|------------------------------------------------------------------------------------------------------|------------|
| What happened?                  | A trojanized application lure is being reported as active.                                           | Medium     |
| Who should care?                | Endpoint users, help desks, SOC teams, and organizations exposed to consumer software download risk. | Medium     |
| What should defenders do first? | Block untrusted game/application downloads and hunt for suspicious execution/download chains.        | High       |

## 3. Source Review & Confidence

| Source                                              | Contribution                                                                                 | Confidence |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------|------------|
| CIO.inc Trojanized Tetris malware campaign report   | Current reporting that a trojanized Tetris game is being used in an active malware campaign. | Medium     |
| ZDNet-referenced malware-campaign context           | Referenced by current public reporting as additional context; validate before using IOCs.    | Medium     |
| Malware Patrol late July 2026 threat report roundup | Daily/late-July source-discovery context for malware reporting.                              | Medium     |

## 4. Threat Activity Overview

The campaign appears to rely on social engineering and trojanized software execution rather than exploiting a named enterprise vulnerability. Defenders should treat it as a malware-delivery and user-execution problem until stronger actor/infrastructure details are published.

## 5. Affected Sectors and Exposure

| Exposure Area                 | Operational Relevance                                                 |
|-------------------------------|-----------------------------------------------------------------------|
| Identity and remote access    | Review MFA, session theft, VPN, SSO, and privileged-account controls. |
| Endpoint and server telemetry | Hunt for suspicious child processes, script interpreters, archive     |

|                                    |                                                                                                  |
|------------------------------------|--------------------------------------------------------------------------------------------------|
|                                    | staging, and unusual egress.                                                                     |
| Third-party and supply-chain paths | Validate vendor access, software dependencies, and shared service-provider incident assumptions. |

## 6. Tactics, Techniques, and Procedures

| Tactic / Phase      | Observed or Plausible Technique                                  | Evidence / Rationale                                                                                       |
|---------------------|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| Initial Access      | Phishing, exposed services, supply-chain trust, or vendor access | Source coverage emphasizes enterprise entry points and shared dependencies.                                |
| Execution           | Script or payload execution                                      | Defenders should look for command interpreters, suspicious child processes, and package/runtime execution. |
| Collection / Impact | Data theft, credential abuse, extortion, or disruption           | The covered activity creates confidentiality, integrity, and availability risk.                            |

## 7. Infrastructure and Indicators

| Indicator / Observable                               | Type              | Operational Use                                                                                     |
|------------------------------------------------------|-------------------|-----------------------------------------------------------------------------------------------------|
| Source-reported infrastructure/IOCs                  | Reference         | No hard IOCs were copied unless explicitly available; review cited primary sources before blocking. |
| Topic keywords: tetris, trojanized, game, malware    | Hunt pivot        | Use in proxy, EDR, ticketing, and vulnerability-management searches.                                |
| Unusual admin/tool execution after relevant exposure | Behavioral signal | Prioritize for triage and scoping.                                                                  |

## 8. Detection Engineering

| Signal                                                                                                                                                                                                                                                                                     | Telemetry Source                         | Analytic Goal                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------------------------------------------------|
| Suspicious process execution following exposure to this activity.                                                                                                                                                                                                                          | EDR / audit logs                         | Identify follow-on execution or hands-on-keyboard activity. |
| Unusual outbound connections from affected assets.                                                                                                                                                                                                                                         | DNS, proxy, firewall, EDR network events | Surface callback, exfiltration, or staging behavior.        |
| Account changes or new tokens near incident window.                                                                                                                                                                                                                                        | IAM, SSO, SaaS audit logs                | Detect persistence and privilege abuse.                     |
| <pre> title: Daily Threat Priority Suspicious Script Follow-On Activity status: experimental logsource:   product: windows detection:   selection:     Image endswith:       - '\powershell.exe'       - '\cmd.exe'       - '\wscript.exe'       - '\curl.exe' condition: selection </pre> |                                          |                                                             |

level: medium

## 9. Threat Hunting

Hypothesis: assets exposed to this threat theme should show a time-correlated pattern of suspicious command execution, network egress, or account-control changes.

```
DeviceProcessEvents
| where Timestamp > ago(14d)
| where ProcessCommandLine has_any ("tetris", "trojanized", "game", "malware") or
InitiatingProcessCommandLine has_any ("tetris", "trojanized", "game", "malware")
| project Timestamp, DeviceName, AccountName, FileName, ProcessCommandLine, InitiatingProcessFileName
| order by Timestamp desc

DeviceNetworkEvents
| where Timestamp > ago(14d)
| where InitiatingProcessCommandLine has_any ("tetris", "trojanized", "game", "malware") or RemoteUrl
has_any ("tetris", "trojanized", "game", "malware")
| summarize Connections=count(), FirstSeen=min(Timestamp), LastSeen=max(Timestamp) by DeviceName,
RemoteUrl, RemoteIP, InitiatingProcessFileName
| order by Connections desc
```

## 10. Risk Assessment

| Dimension  | Assessment                                                                                                                                          |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Likelihood | Medium: source coverage indicates relevant activity or exposure, but local exposure depends on asset inventory.                                     |
| Impact     | Medium to High: identity, supply-chain, aviation operations, or edge-service compromise can have outsized operational effects.                      |
| Confidence | Medium: source set includes current public reporting plus supporting context; defenders should validate against primary advisories where available. |

## 11. Recommended Actions

| Priority | Owner                 | Action                                                                                                  |
|----------|-----------------------|---------------------------------------------------------------------------------------------------------|
| Critical | Asset / service owner | Confirm whether the covered product, supplier, platform, or sector exposure exists in your environment. |
| High     | SOC                   | Run included KQL hunts and pivot on source-specific keywords.                                           |
| High     | Third-party risk      | Validate vendor controls and shared-service dependencies when relevant.                                 |
| Medium   | Detection engineering | Convert the behavioral signals into environment-specific analytics with tested telemetry fields.        |

## 12. References

- [1] CIO.inc Trojanized Tetris malware campaign report — <https://www.cio.inc/new-malware-campaign-uses-trojanized-tetris-game-report-a-13465>
- [2] ZDNet-referenced malware-campaign context — <https://www.zdnet.com/>

- [3] Malware Patrol late July 2026 threat report roundup — <https://www.malwarepatrol.net/late-july-2026-cyber-threat-reports/>