



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



Oracle July 2026 Critical Patch Update Enterprise Exposure Prioritization

CVE / Vulnerability Threat Intelligence Report

Classification	TLP:CLEAR
Published	2026-07-24
Version	1.0
Author	Lost Boys Cyber
Report Type	CVE / Vulnerability Threat Intelligence Report

TLP:CLEAR | Lost Boys Cyber | Oracle July 2026 Critical Patch Update Enterprise Exposure Prioritization - CVE / Vulnerability Threat Intelligence Report

Published: 2026-07-24 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Vulnerability Metadata
3. Source Review & Confidence
4. Vulnerability Details
 - 4.1. Product-family patch concentration
 - 4.2. CVSS 10.0 issues called out from Oracle risk matrices
 - 4.3. WebLogic-focused risk slice
5. Attack Scenarios
6. Threat Landscape & Exploitation Status
7. Affected Products and Exposure
8. Mitigation and Workarounds
9. Detection Engineering
 - 9.1. Detection Logic Summary
10. Threat Hunting
 - 10.1. Hunt Hypotheses
11. MITRE ATT&CK Mapping
12. Validation / Lab Testing
13. Recommended Actions Summary
14. References

Oracle July 2026 Critical Patch Update Enterprise Exposure

Prioritization

1. Executive Summary

Oracle's July 2026 Critical Patch Update is an enterprise-scale patch event, not a routine quarterly maintenance cycle. Oracle states that the advisory contains 1,449 new security patches across product families, and the largest concentration is in Oracle E-Business Suite, Oracle Fusion Middleware, Oracle Communications, PeopleSoft, MySQL, Siebel CRM, Commerce, and Supply Chain. Public analysis from CSO Online and UpGuard independently characterizes the release as materially larger than recent Oracle CPUs, with CSO quoting 1,449 patches compared with 481 in April 2026 and 309 a year earlier.

The highest-risk cluster is not just the count. Oracle's own risk matrices include multiple CVSS 10.0 Fusion Middleware issues and a broad set of CVSS 9.8-9.9 network-reachable weaknesses. CyCognito's July 2026 WebLogic analysis highlights several WebLogic Core vulnerabilities reachable over T3/IIOP, HTTP, SOAP, and SAML, including unauthenticated remote takeover scenarios and one low-privilege scope-changing SAML issue. For most enterprises, the fastest path to risk reduction is to prioritize internet-facing and partner/VPN-reachable Oracle middleware, E-Business Suite, identity, commerce, and management components before treating the advisory as a flat list of CVEs.

Lost Boys Cyber assesses this as critical operational risk for Oracle-heavy environments. The recommended action is a two-lane response: emergency exposure reduction for externally reachable middleware/EBS/WebLogic/identity assets, and a structured 7- to 14-day owner-driven patch campaign for the remaining Oracle estate.

2. Vulnerability Metadata

Field	Value
Advisory	Oracle Critical Patch Update Advisory - July 2026
Vendor-published date	2026-07-21
Headline patch volume	1,449 new security patches across Oracle product families
Highest CVSS observed	10.0 in multiple Oracle Fusion Middleware products/components
Priority products	E-Business Suite, Fusion Middleware/WebLogic, Communications, PeopleSoft, MySQL, Siebel, Commerce, Supply Chain
Exploitation status	This report did not confirm active exploitation of the July CPU CVEs; prioritization is based on exploitability, exposure, and affected product criticality
Recommended SLA	Emergency controls for exposed middleware/EBS/WebLogic; patch critical/high reachable assets inside normal emergency windows

3. Source Review & Confidence

Source	Contribution	Confidence
Oracle Critical Patch Update Advisory - July 2026	Primary source for patch counts, affected products, CVSS, protocol, remote unauthenticated status, and affected versions.	High
CSO Online, Oracle issues critical patches	Secondary synthesis on record patch	Medium/High

for Database Server, Fusion Middleware	volume, Fusion Middleware concentration, and expert prioritization notes.	
UpGuard, Oracle Just Shipped 1,449 Security Patches in One Quarter	Quantifies scale against prior CPUs and discusses Oracle-CNA concentration and estate risk.	Medium/High
CyCognito, Oracle WebLogic Server Multiple Critical RCE Vulnerabilities	Focused defender context for WebLogic July 2026 CPU exposure and reachable protocol surfaces.	Medium/High
SecurityWeek search result/context	Corroborates public reporting that the July 2026 CPU exceeds 1,400 Oracle vulnerability fixes.	Medium

This report is source-bounded. It does not claim exploit proof-of-concept availability, victimology, or actor attribution for the July CPU CVEs unless separately validated by a primary source.

4. Vulnerability Details

Oracle CPUs aggregate weaknesses across first-party Oracle code and third-party components bundled in Oracle products. July 2026 is unusual because patch volume and severity converge: the release contains a very large number of fixes and includes multiple network-reachable critical issues in products that frequently sit near authentication, business workflow, middleware, database, and partner-integration boundaries.

4.1. Product-family patch concentration

Product family	Oracle July 2026 CPU count	Defender priority note
Oracle E-Business Suite	410 new security patches, plus additional third party patches noted below,	Primary backlog driver
Oracle Fusion Middleware	355 new security patches, plus additional third party patches noted below,	Primary backlog driver
Oracle Communications	168 new security patches, plus additional third party patches noted below,	Large estate / internet-adjacent review
Oracle PeopleSoft	84 new security patches	Large estate / internet-adjacent review
Oracle MySQL	54 new security patches	Large estate / internet-adjacent review
Oracle Siebel CRM	45 new security patches	Targeted owner validation
Oracle Commerce	39 new security patches	Targeted owner validation
Oracle Supply Chain	39 new security patches	Targeted owner validation
Oracle Financial Services Applications	31 new security patches	Targeted owner validation
Oracle GoldenGate	27 new security patches, plus additional third party patches noted below,	Targeted owner validation
Oracle Enterprise Manager	27 new security patches	Targeted owner validation
Oracle Retail Applications	22 new security patches	Targeted owner validation
Oracle JD Edwards	20 new security patches	Targeted owner validation

Oracle Java SE	19 new security patches, plus additional third party patches noted below,	Targeted owner validation
Oracle Virtualization	16 new security patches	Targeted owner validation

4.2. CVSS 10.0 issues called out from Oracle risk matrices

CVE	Product	Component	Protocol	Remote unauthenticated?	Affected versions
CVE-2026-60358	Oracle Access Manager	Authentication Engine	HTTP	Yes	12.2.1.4.0, 14.1.2.1.0
CVE-2026-60217	Oracle Coherence	Core	TCP	Yes	12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0, 15.1.1.0.0
CVE-2026-47056	Oracle Data Integrator	Rest Service	HTTP	Yes	12.2.1.4.0, 14.1.2.0.0
CVE-2026-60365	Oracle HTTP Server	Oracle Weblogic Server Proxy Plug-in for Oracle HTTP Server	HTTP	Yes	12.2.1.4.0, 14.1.2.0.0
CVE-2026-60366	Oracle Platform Security for Java	Centralized Thirdparty Jars	HTTP	Yes	12.2.1.4.0, 14.1.2.0.0
CVE-2026-60360	Oracle Unified Directory	OUD Core	LDAP	Yes	12.2.1.4.0, 14.1.2.1.0
CVE-2026-60644	Oracle WebCenter Content	Web Content Management	HTTP	Yes	12.2.1.4.0, 14.1.2.0.0
CVE-2026-60365	Oracle Weblogic Server Proxy Plug-in	WebLogic Server Proxy Plug-In for Third-Party Web Servers	HTTP	Yes	15.1.1.0.0
CVE-2026-60379	Service Delivery Platform	Messaging Enabler	SOAP	Yes	12.2.1.4.0, 14.1.2.0.0
CVE-2026-60389	Service Delivery Platform	Messaging Enabler	HTTP	Yes	12.2.1.4.0, 14.1.2.0.0

4.3. WebLogic-focused risk slice

CVE	Protocol	CVSS	Remote unauthenticated?	Affected versions
CVE-2026-60365	HTTP	10.0	Yes	15.1.1.0.0
CVE-2026-60206	SAML	9.9	No	12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0, 15.1.1.0.0
CVE-2026-60198	T3, IIOP	9.8	Yes	12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0, 15.1.1.0.0

CVE-2026-60199	HTTP	9.8	Yes	12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0, 15.1.1.0.0
CVE-2026-60200	SOAP	9.8	Yes	12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0, 15.1.1.0.0
CVE-2026-60202	T3, IIOP	9.8	Yes	12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0, 15.1.1.0.0
CVE-2026-60204	T3, IIOP	9.8	Yes	12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0, 15.1.1.0.0
CVE-2026-60205	TCP	9.8	Yes	12.2.1.4.0, 14.1.2.0.0
CVE-2026-60291	HTTP	9.8	Yes	12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0, 15.1.1.0.0
CVE-2026-60292	HTTP	9.8	Yes	12.2.1.4.0, 14.1.1.0.0
CVE-2026-60294	SOAP	9.8	Yes	12.2.1.4.0, 14.1.1.0.0, 14.1.2.0.0, 15.1.1.0.0

5. Attack Scenarios

Scenario	Preconditions	Likely Impact	Defensive Priority
Internet-exposed middleware compromise	Oracle Fusion Middleware/WebLogic/OHS/id entity components reachable from untrusted networks	Remote code execution, authentication bypass, or control-plane compromise depending on component	Emergency isolate, patch, and review access logs
E-Business Suite application compromise	EBS web tier reachable by users, suppliers, or partners	Business workflow manipulation, data exposure, privileged app access	Patch critical EBS nodes; review app/audit and identity logs
WebLogic protocol exposure	T3/T3S/IIOP/IIOPS/HTTP/ SOAP/SAML listeners reachable beyond tightly controlled networks	Server takeover, lateral movement staging, application data access	Restrict protocol listeners and patch affected versions
Identity or directory service compromise	Oracle Access Manager, Unified Directory, Platform Security components exposed internally or externally	Credential, session, authorization, or directory-integrity compromise	Prioritize IAM owners and preserve auth telemetry
Third-party component exposure inside Oracle products	Bundled vulnerable components such as Perl, Lodash, Jetty, OpenSSL, Apache components	Exploit path inherited through Oracle product packaging	Patch via Oracle-supported updates; do not remediate only upstream library names

6. Threat Landscape & Exploitation Status

Oracle's advisory format includes CVSS, protocol, and remote unauthenticated flags, but it does not by itself prove exploitation in the wild. Public reporting this week emphasizes the operational burden: 1,449 patches in a quarter, large concentrations in E-Business Suite and Fusion Middleware, and numerous severe network-reachable vulnerabilities. That combination increases the probability of scanning, weaponization, and opportunistic exploitation against exposed Oracle surfaces after patch release.

Defenders should assume attackers will triage the same dimensions defenders use: unauthenticated network reachability, common deployment footprints, patch-diff feasibility, and externally discoverable services. WebLogic remains a particularly attractive target class because old listener protocols and Java middleware are often retained for business compatibility and may be under-inventoried.

7. Affected Products and Exposure

Exposure Tier	Products / Components	Examples of Required Validation
Tier 0 - externally reachable critical services	WebLogic, Oracle HTTP Server, Oracle Access Manager, Unified Directory, E-Business Suite web tiers, Commerce, PeopleSoft portals	Internet and partner exposure, WAF/proxy paths, version/patch state, emergency change window
Tier 1 - privileged internal middleware	Fusion Middleware, Coherence, SOA/BPM, WebCenter, Data Integrator, Managed File Transfer	Segmentation, admin interfaces, T3/IIOP/SOAP exposure, service account privileges
Tier 2 - business application stacks	EBS, Siebel, JD Edwards, PeopleSoft, Retail, Supply Chain, Financial Services	Business owner mapping, dependency testing, compensating access controls
Tier 3 - database/client/ecosystem	Database Server, APEX, GoldenGate, MySQL, Java SE, VirtualBox/Solaris/System components	Patch compatibility, client dependency testing, monitoring and rollback planning

8. Mitigation and Workarounds

Priority	Action	Owner	Evidence of Completion
Critical	Inventory all Oracle products in the advisory, including nested middleware shipped with business applications.	Asset / platform owners	CMDB delta, endpoint/service inventory, Oracle home list
Critical	Block or restrict untrusted access to WebLogic T3/T3S/IIOP/IIOPS, Oracle HTTP Server, OAM, EBS web tiers, and other management/application endpoints until patched.	Network / IAM	Firewall/WAF rule change, approved admin allowlist
Critical	Apply Oracle July 2026 CPU patches for externally reachable and authentication-adjacent systems first.	Oracle platform owners	Patch evidence, version output, change record
High	Stage non-emergency Oracle product patches by product family and business owner rather than CVE count alone.	IT operations	Owner matrix and dated rollout wave plan
High	Increase log retention and alerting on Oracle middleware, IAM, and EBS hosts for 30 days after patch release.	SOC / SIEM	Log-source health and query results
Medium	Require MSSPs, SaaS-adjacent	Vendor risk	Written attestation and

	providers, and third-party operators to attest patch state for Oracle-managed environments.		exception list
--	---	--	----------------

9. Detection Engineering

9.1. Detection Logic Summary

Signal	Telemetry Source	Analytic Goal
Requests to WebLogic/OHS/OAM/EBS endpoints from non-approved sources	WAF, proxy, firewall, application access logs	Surface exposed Oracle middleware being probed after the CPU release
T3/IIOP/SOAP listener access outside admin networks	Firewall, Zeek, NetFlow, load balancer logs	Detect protocol exposure associated with WebLogic critical issues
Java middleware spawning shells or transfer tooling	EDR process telemetry	Identify post-exploitation on Oracle application hosts
Authentication failures/successes against OAM/EBS/PeopleSoft admin accounts	Identity and application logs	Catch credential-adjacent exploitation and brute-force follow-on activity

```

title: Oracle Middleware Post-CPU Suspicious Child Process
status: experimental
description: Detects suspicious child processes from common Oracle middleware Java or web server
parents after the July 2026 CPU.
logsource:
  product: windows
  category: process_creation
detection:
  oracle_parent:
    ParentImage|contains:
      - '\java.exe'
      - '\httpd.exe'
      - '\wlst.cmd'
      - '\startWebLogic.cmd'
      - '\opmn.exe'
  suspicious_child:
    Image|endswith:
      - '\cmd.exe'
      - '\powershell.exe'
      - '\wscript.exe'
      - '\cscript.exe'
      - '\certutil.exe'
      - '\curl.exe'
      - '\wget.exe'
  condition: oracle_parent and suspicious_child
fields:
  - ComputerName
  - User
  - ParentImage
  - Image
  - CommandLine
falsepositives:
  - Approved Oracle administration scripts during maintenance windows
level: high

```

```

DeviceNetworkEvents
| where Timestamp > ago(14d)
| where RemotePort in (7001, 7002, 5556, 8001, 8002, 9001, 9002, 9704, 7777, 1521, 1522)
  or RemoteUrl has_any ("weblogic", "oam", "oa_servlets", "OA_HTML", "console", "em", "ords")
| summarize connections=count(), firstSeen=min(Timestamp), lastSeen=max(Timestamp),
ports=make_set(RemotePort, 20), urls=make_set(RemoteUrl, 20) by DeviceName, RemoteIP,

```



```

InitiatingProcessFileName
| order by connections desc, lastSeen desc
(index=* sourcetype IN (oracle:weblogic:access,oracle:oam:access,oracle:ebs:access,proxy,waf,firewall))
("/console" OR "weblogic" OR "OA_HTML" OR "oa_servlets" OR "oam" OR "ords" OR "T3" OR "IIOP" OR "SOAP")
| stats count min(_time) as firstSeen max(_time) as lastSeen values(action) values(http_status)
values(uri_path) by src_ip dest host user
| where count > 10 OR mvcount(uri_path) > 5

```

10. Threat Hunting

10.1. Hunt Hypotheses

Hypothesis	Query Focus	Triage Notes
Attackers enumerated Oracle middleware after the July CPU	New source IPs touching Oracle paths, T3/IIOP listener flows, WAF signatures	Compare firstSeen against 2026-07-21 and enrich source reputation
Exploitation produced command execution on Java middleware hosts	Java/httpd parent processes spawning shell, script, archive, or transfer tools	Preserve process tree and memory/disk evidence before rebuild
A vulnerable identity or business app service was used for privilege escalation	OAM/EBS/PeopleSoft admin login anomalies, policy changes, new users	Reconcile against approved changes and privileged access tickets
Patch pressure caused incomplete rollout	Mixed versions behind load balancers or clusters	Compare each node, not just service VIPs
<pre> DeviceProcessEvents where Timestamp > datetime(2026-07-21) where InitiatingProcessFileName in~ ("java.exe", "httpd.exe", "opmn.exe", "wlst.cmd", "startWebLogic.cmd") where FileName in~ ("cmd.exe", "powershell.exe", "bash", "sh", "curl.exe", "wget.exe", "certutil.exe", "bitsadmin.exe", "python.exe", "perl.exe", "7z.exe", "rar.exe") project Timestamp, DeviceName, AccountName, InitiatingProcessFileName, InitiatingProcessCommandLine, FileName, ProcessCommandLine, ReportId order by Timestamp desc </pre>		
<pre> DeviceNetworkEvents where Timestamp > datetime(2026-07-21) where LocalPort in (7001, 7002, 5556, 8001, 8002, 9001, 9002, 9704, 7777) or InitiatingProcessCommandLine has_any ("weblogic", "oam", "ebs", "ords", "WebCenter", "Coherence") summarize firstSeen=min(Timestamp), lastSeen=max(Timestamp), count=count(), remoteIPs=make_set(RemoteIP, 50), remoteUrls=make_set(RemoteUrl, 50) by DeviceName, LocalPort, InitiatingProcessFileName order by count desc </pre>		
<pre> index=* (sourcetype=oracle:* OR sourcetype=linux_secure OR sourcetype=wineventlog:security) ("weblogic" OR "oracle" OR "oam" OR "ebs" OR "peopletools" OR "admin" OR "policy") stats count min(_time) as firstSeen max(_time) as lastSeen values(action) values(src_ip) values(dest) by user host where count > 20 OR like(user, "%admin%") </pre>		

11. MITRE ATT&CK Mapping

Technique	Rationale	Evidence Boundary
T1190 Exploit Public-Facing Application	Relevant for exposed Oracle web/middleware endpoints.	Use only when logs confirm reachable service probing or exploitation.
T1210 Exploitation of Remote Services	Applies to reachable protocol listeners such as WebLogic T3/IIOP where exploitation crosses service boundaries.	Confirm protocol/service exposure and affected version.
T1059 Command and Scripting Interpreter	Post-exploitation on Java middleware often	Confirm process lineage from Oracle

	spawns shell or script interpreters.	service accounts.
T1078 Valid Accounts	Identity/business app compromise may blend with legitimate administrator accounts.	Validate with IAM, MFA, VPN, and application audit logs.
T1098 Account Manipulation	OAM/EBS/PeopleSoft compromise can produce account, role, or policy manipulation.	Confirm with application audit/change records.
T1105 Ingress Tool Transfer	Middleware hosts may be used to stage tools or exfiltration utilities after compromise.	Confirm with EDR/file/network telemetry.

12. Validation / Lab Testing

Lost Boys Cyber did not reproduce exploitation for this report. Validation performed for this deliverable was source and render validation: Oracle advisory parsing, secondary source corroboration, source-backed report generation, and PDF QA. Operators should perform environment-specific validation by confirming each affected Oracle home, application cluster node, listener protocol, and patch level against Oracle support documentation before closing risk.

13. Recommended Actions Summary

Timeframe	Action
0-24 hours	Identify externally reachable Oracle middleware, OAM, WebLogic, OHS, EBS, PeopleSoft, and Commerce surfaces; apply emergency restrictions where patching is not complete.
24-72 hours	Patch or isolate all CVSS 10.0 and 9.8/9.9 network-reachable assets, prioritizing unauthenticated and changed-scope issues.
3-7 days	Complete owner-mapped rollout for E-Business Suite, Fusion Middleware, Communications, PeopleSoft, MySQL, Siebel, Commerce, and Supply Chain.
7-14 days	Validate lower-exposure Oracle families, third-party bundled components, and vendor/MSSP attestation gaps.
Continuous	Hunt for suspicious Oracle middleware child processes, unusual admin authentication, and new listener exposure introduced during patch work.

14. References

- [1] Oracle Critical Patch Update Advisory - July 2026, <https://www.oracle.com/security-alerts/cpujul2026.html>
- [2] CSO Online, Oracle issues critical patches for Database Server, Fusion Middleware, <https://www.csoonline.com/article/4200184/oracles-july-update-fixes-ten-10-0-vulnerabilities-in-fusion-middleware.html>
- [3] UpGuard, Oracle Just Shipped 1,449 Security Patches in One Quarter, <https://www.upguard.com/blog/oracle-just-shipped-1-449-security-patches-in-one-quarter-we-checked-how-much-of-it-is-actually-new>
- [4] CyCognito, Emerging Threat: Oracle WebLogic Server Multiple Critical RCE Vulnerabilities, <https://www.cycognito.com/blog/emerging-threat-oracle-weblogic-server-multiple-critical-rce-vulnerabilities-july-2026-cpu/>
- [5] Oracle Security Alerts landing page, <https://www.oracle.com/security-alerts/>