



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



Aviation and Aerospace Ransomware Pressure Requires Identity and Supplier Control Validation

Threat Report

Classification	TLP:CLEAR
Published	2026-07-22
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Report

TLP:CLEAR | Lost Boys Cyber | Aviation and Aerospace Ransomware Pressure Requires Identity and Supplier Control Validation - Threat Report

Published: 2026-07-22 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Activity Overview
5. Affected Sectors and Exposure
6. Aviation / Aerospace Sector Impact
7. Tactics, Techniques, and Procedures
8. Infrastructure and Indicators
9. Detection Engineering
 - 9.1. Detection Summary
 - 9.2. Hunt Query
10. Threat Hunting
 - 10.1. Hunt Hypothesis
11. Risk Assessment
12. Recommended Actions
13. References

Aviation and Aerospace Ransomware Pressure Requires Identity and Supplier Control Validation

1. Executive Summary

Sector reporting indicates ransomware and data-extortion actors continue to target airlines, airports, aerospace suppliers, and supporting vendors. Aviation operators should prioritize identity, remote access, and third-party connectivity controls that affect operational continuity.

This daily report prioritizes defender action over attribution certainty. Claims are bounded to public reporting and cited operational guidance.

2. Intelligence Requirements

Question	Current Answer	Confidence
What changed for defenders?	A current or recently surfaced source set highlights a threat pattern requiring near-term control validation.	Medium
Who should care first?	Airlines, airports, aerospace suppliers, MRO providers, travel technology vendors, and shared IT service providers.	Medium
What should be hunted?	Abnormal identity, process, SaaS, supplier, edge-device, or exfiltration behavior aligned to the report.	Medium

3. Source Review & Confidence

Source	URL	Contribution	Confidence
PolySwarm aviation and aerospace cyber threats 2026	https://blog.polyswarm.io/turbulence-ahead-cyber-threats-targeting-aviation-and-aerospace-in-2026	Supports scope, exposure, or defender action for this report.	Medium/High
Cybersecurity News aviation ransomware coverage	https://cybersecuritynews.com/ransomware-groups-intensify-targeting-of-aviation/	Supports scope, exposure, or defender action for this report.	Medium/High
CISA Stop Ransomware guidance	https://www.cisa.gov/stopransomware	Supports scope, exposure, or defender action for this report.	Medium/High

The source set is adequate for a daily defender-priority report. It does not support uncited victimology, exploit code, or attribution expansion.

4. Threat Activity Overview

Sector reporting indicates ransomware and data-extortion actors continue to target airlines, airports, aerospace suppliers, and supporting vendors. Aviation operators should prioritize identity, remote access, and third-party connectivity controls that affect operational continuity. The operational significance is that the activity maps to repeatable enterprise exposure paths rather than one-off artifacts.

5. Affected Sectors and Exposure

Airlines, airports, aerospace suppliers, MRO providers, travel technology vendors, and shared IT service providers.

6. Aviation / Aerospace Sector Impact

Segment	Operational Relevance	Exposure Path	Defender Action
Airlines / airports	Disruption can affect passenger processing, operational coordination, and customer trust.	Shared IT, supplier remote access, identity compromise, SaaS integrations.	Validate MFA, vendor access logging, outage fallbacks, and endpoint/network hunts.
Aerospace / MRO / satellite	Supplier compromise can affect engineering, maintenance, ground-segment operations, and regulated data flows.	Software updates, engineering workstations, remote administration, partner portals.	Review third-party assurance, update integrity, segmentation, and incident notification clauses.

7. Tactics, Techniques, and Procedures

Tactic / Phase	Observed or Plausible Technique	Evidence Boundary
Initial Access	T1190 Exploit Public-Facing Application / T1566 Phishing / T1204 User Execution	Validate against cited source and local telemetry.
Execution	T1059 Command and Scripting Interpreter	Common for loader, tool, or operator-driven activity.
Defense Evasion	T1036 Masquerading / T1070 Indicator Removal	Relevant where malware, trusted-channel, or supplier abuse is reported.
Collection / Exfiltration	T1005 Data from Local System / T1567 Exfiltration Over Web Service	Relevant where reporting concerns data collection or cloud/SaaS abuse.

8. Infrastructure and Indicators

Indicator / Infrastructure	Type	Operational Use
No normalized hard IOC list in this automated source review	Source limitation	Use behavior-first detections and consult primary source for late-added IOCs.
Trusted SaaS, updater, edge-device, supplier, or repository path	Exposure pattern	Prioritize anomaly detection around privileged and trusted channels.

9. Detection Engineering

9.1. Detection Summary

Signal	Telemetry Source	Analytic Goal
Rare child process from browser, updater, repository tooling, VPN, or service process	EDR process telemetry	Detect trusted-channel abuse or lure-driven execution.
Abnormal SaaS, DNS, HTTP, or egress behavior	DNS, proxy, firewall, SaaS audit	Surface C2, Graph/SaaS abuse, or exfiltration.
Credential-store access or archive staging	EDR file/process events	Identify collection before exfiltration.

title: Daily Threat Report Suspicious Trusted Channel Execution
 status: experimental
 description: Behavior-focused detection for trusted-channel, repository, SaaS, edge-device, or credential-theft activity.

```

logsource:
  product: windows
  category: process_creation
detection:
  parent_trusted_channel:
    ParentImage|contains:
      - '\git'
      - '\browser'
      - '\updater'
      - '\vpn'
      - '\remote'
      - '\office'
  suspicious_child:
    Image|endswith:
      - '\powershell.exe'
      - '\cmd.exe'
      - '\wscript.exe'
      - '\rundll32.exe'
      - '\7z.exe'
      - '\curl.exe'
  condition: parent_trusted_channel and suspicious_child
level: high

```

9.2. Hunt Query

```

DeviceProcessEvents
| where Timestamp > ago(14d)
| where InitiatingProcessFileName has_any
('git.exe','chrome.exe','msedge.exe','updater.exe','vpn.exe','remote.exe','office.exe','teams.exe')
| where FileName in~
('powershell.exe','cmd.exe','wscript.exe','rundll32.exe','7z.exe','curl.exe','wget.exe','python.exe')
| project Timestamp, DeviceName, InitiatingProcessFileName, FileName, ProcessCommandLine, AccountName

```

10. Threat Hunting

10.1. Hunt Hypothesis

If this activity pattern is present, telemetry will show abnormal parent-child execution, cloud/SaaS audit anomalies, suspicious archive/credential access, or supplier/edge remote-access anomalies before confirmed impact.

```

DeviceNetworkEvents
| where Timestamp > ago(14d)
| where InitiatingProcessFileName has_any
('powershell.exe','curl.exe','wget.exe','python.exe','git.exe','updater.exe','vpn.exe')
| summarize conn=count(), first_seen=min(Timestamp), last_seen=max(Timestamp), urls=make_set(RemoteUrl,
10) by DeviceName, InitiatingProcessFileName, RemoteIP, RemotePort
| where conn > 20 or array_length(urls) > 5

DeviceEvents
| where Timestamp > ago(14d)
| where ActionType has_any
('OAuthAppConsentGranted','UserAccountAddedToLocalGroup','AntivirusSignatureUpdateFailed','TamperingAtt
empt')
| project Timestamp, DeviceName, ActionType, AccountName, AdditionalFields

```

11. Risk Assessment

Risk Driver	Assessment
Likelihood	Medium; public reporting shows attacker economics or operational opportunity.
Impact	Medium to High where the affected path touches identity, shared IT, OT/ICS, aviation operations, or sensitive data.
Confidence	Medium; source-backed trend report without environment-specific

telemetry confirmation.

12. Recommended Actions

Priority	Owner	Action
Critical	Security operations	Convert the source-specific behavior into watchlists and review recent alerts.
High	IT / platform owners	Validate MFA, remote access restrictions, patch state, and privileged account monitoring.
Medium	Detection engineering	Tune the included Sigma/KQL against local baselines and suppress known-good automation.

13. References

- [1] PolySwarm aviation and aerospace cyber threats 2026: <https://blog.polyswarm.io/turbulence-ahead-cyber-threats-targeting-aviation-and-aerospace-in-2026>
- [2] Cybersecurity News aviation ransomware coverage: <https://cybersecuritynews.com/ransomware-groups-intensify-targeting-of-aviation/>
- [3] CISA Stop Ransomware guidance: <https://www.cisa.gov/stopransomware>