



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



BREEZE COMET Custom C2 Operations Against Brazilian Targets

Threat Report

Classification	TLP:CLEAR
Published	2026-09-12
Version	1.0
Author	Lost Boys Cyber
Report Type	Threat Report

TLP:CLEAR | Lost Boys Cyber | BREEZE COMET Custom C2 Operations Against Brazilian Targets - Threat Report

Published: 2026-09-12 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Activity Overview
5. Affected Sectors and Exposure
6. Tactics, Techniques, and Procedures
7. Infrastructure and Indicators
8. Detection Engineering
 - 8.1. Detection Summary
 - 8.2. Sigma / Detection Content
 - 8.3. Hunt Query
9. Threat Hunting
 - 9.1. Hunt Hypotheses
10. Risk Assessment
11. Recommended Actions
12. References

BREEZE COMET Custom C2 Operations Against Brazilian Targets

1. Executive Summary

Google threat intelligence reporting on BREEZE COMET describes a financially motivated actor targeting Brazil and operating across multiple compromised environments with custom command-and-control malware for reconnaissance, lateral movement, persistence, and exfiltration automation.

This automated daily report favors practical defender action over speculative attribution. It uses public sources available during the 2026-09-12 UTC run and clearly scopes older sector-relevant sources where current reporting was limited.

2. Intelligence Requirements

Question	Current Answer	Confidence
What changed or remains operationally relevant today?	The activity is relevant beyond Brazil because it shows financially motivated operators investing in custom tooling and multi-victim operations. Defenders should monitor for new persistence, unexpected C2 beacons, credential reuse, and lateral movement from business-critical systems.	Medium
Which environments should prioritize review?	Brazil-based organizations, multinational entities with Brazilian operations, managed service providers, and environments with high-value financial or customer data.	Medium
Are hard IOCs available from public sources?	No unique IOCs were safely extracted in this run; use behavior-based hunts and source follow-up.	Medium

3. Source Review & Confidence

Source	Contribution	Confidence
Google Threat Intelligence: BREEZE COMET Targets Brazil	Primary report on BREEZE COMET custom C2 operations.	High
MITRE ATT&CK Command and Control	Tactic reference for C2 behavior.	Medium
MITRE ATT&CK Lateral Movement	Tactic reference for lateral movement behaviors.	Medium

4. Threat Activity Overview

The activity is relevant beyond Brazil because it shows financially motivated operators investing in custom tooling and multi-victim operations. Defenders should monitor for new persistence, unexpected C2 beacons, credential reuse, and lateral movement from business-critical systems.

5. Affected Sectors and Exposure

Brazil-based organizations, multinational entities with Brazilian operations, managed service providers, and environments with high-value financial or customer data.

Exposure Pattern	Operational Concern
Identity compromise	Enables remote access, SaaS abuse, mailbox/data theft, or supplier

	impersonation.
Exposed internet-facing platforms	Increases scan/exploit likelihood and shortens defender response window.
Third-party or supply-chain dependency	One provider incident can create multi-organization impact.
Weak egress/data monitoring	Reduces ability to detect staging, exfiltration, or C2.

6. Tactics, Techniques, and Procedures

Tactic / Phase	Observed or Plausible Technique	Evidence
Initial Access	T1566 Phishing or T1190 Exploit Public-Facing Application	Source-dependent: document lures, external services, or exposed platforms are the common entry themes.
Execution	T1059 Command and Scripting Interpreter	Hunt logic focuses on script/command execution after suspicious access.
Collection / Exfiltration	T1560 Archive Collected Data; T1567 Exfiltration Over Web Service	Relevant to extortion, espionage, and cloud-enabled operations.
Impact	T1486 Data Encrypted for Impact / service disruption	Applies where ransomware or platform disruption is the reported risk.

7. Infrastructure and Indicators

Indicator / Infrastructure	Type	Operational Use
No durable atomic IOCs extracted	Source limitation	Do not block on invented IOCs; hunt for behaviors and affected technologies.
Named technologies/sectors in this report	Asset/sector pivot	Use CMDB, EDR tags, external attack-surface management, and supplier inventories to scope exposure.

8. Detection Engineering

8.1. Detection Summary

Signal	Telemetry Source	Analytic Goal
New inbound or management-plane access to priority exposed system	Firewall, VPN, WAF, reverse proxy, cloud flow logs	Identify opportunistic exploitation or reconnaissance against the named technology/theme
Suspicious child process, script execution, or anomalous service-account action near affected asset	EDR, server process logs, audit logs	Find post-exploitation activity after initial access
Archive creation, bulk reads, token changes, or unusual outbound transfer	EDR, DLP, proxy, cloud audit logs	Detect staging and exfiltration attempts tied to the reported activity

8.2. Sigma / Detection Content

title: LBC Daily Priority Suspicious Server Post Exploitation - breeze-comet-custom-c2-brazil id: lbc-breeze-comet-custom-c2-brazil
--

```

status: experimental
description: Flags suspicious command execution and staging behavior on servers or edge systems
associated with this daily priority. Tune asset filters before production use.
logsource:
  category: process_creation
  product: windows
detection:
  selection_img:
    Image|endswith:
      - '\\cmd.exe'
      - '\\powershell.exe'
      - '\\pwsh.exe'
      - '\\wscript.exe'
      - '\\cscript.exe'
  selection_cmd:
    CommandLine|contains:
      - 'curl '
      - 'wget '
      - 'Invoke-WebRequest'
      - 'certutil -urlcache'
      - 'tar '
      - '7z '
      - 'rclone'
  condition: selection_img and selection_cmd
falsepositives:
  - Administrative maintenance scripts on managed servers
level: high

```

8.3. Hunt Query

```

DeviceProcessEvents
| where Timestamp > ago(14d)
| where FileName in~ ("cmd.exe", "powershell.exe", "pwsh.exe", "wscript.exe", "cscript.exe")
| where ProcessCommandLine has_any ("curl ", "wget ", "Invoke-WebRequest", "certutil -urlcache",
"rclone", "7z", "tar ")
| summarize FirstSeen=min(Timestamp), LastSeen=max(Timestamp), Count=count(),
Commands=make_set(ProcessCommandLine, 5) by DeviceName, InitiatingProcessAccountName, FileName
| order by LastSeen desc

```

9. Threat Hunting

9.1. Hunt Hypotheses

Hypothesis	Data Required	Expected Finding
Exposed or high-value systems tied to this report show exploitation or reconnaissance within the last 14 days.	Firewall, WAF, reverse proxy, VPN, cloud flow logs	Spikes in requests, failed authentication, rare user agents, or unexpected source geographies
A compromised server or workstation staged data or tooling after initial access.	EDR process/file/network events	Archive tools, scripted downloads, web shells, unusual outbound transfer, or rare parent/child process chains

```

DeviceNetworkEvents
| where Timestamp > ago(14d)
| where RemoteUrl has_any ("pastebin", "githubusercontent", "workers.dev", "pages.dev", "ngrok",
"trycloudflare") or RemotePort in (4444, 8080, 8443, 9001)
| summarize Connections=count(), FirstSeen=min(Timestamp), LastSeen=max(Timestamp),
Urls=make_set(RemoteUrl, 10) by DeviceName, InitiatingProcessFileName, RemoteIP, RemotePort
| order by LastSeen desc

```

10. Risk Assessment

Dimension	Assessment
-----------	------------

Likelihood	High for organizations matching the exposure profile; lower for segmented/non-exposed environments.
Impact	Potential credential theft, data exfiltration, service disruption, or follow-on intrusion depending on theme.
Confidence	Medium based on source specificity and recency.

11. Recommended Actions

Priority	Owner	Action
Critical	SOC lead	Run the hunt queries against in-scope assets and review hits with source context.
High	Platform / identity teams	Validate MFA, patch state, service-account governance, and logging for exposed systems.
High	Incident response	Prepare containment playbooks for the named sector/technology scenario.
Medium	Vendor management	Request supplier status for relevant platforms and critical service dependencies.

12. References

- [1] Google Threat Intelligence: BREEZE COMET Targets Brazil: <https://cloud.google.com/blog/topics/threat-intelligence/financially-motivated-threat-actor-breeze-comet-targets-brazil/> — Primary report on BREEZE COMET custom C2 operations.
- [2] MITRE ATT&CK Command and Control: <https://attack.mitre.org/tactics/TA0011/> — Tactic reference for C2 behavior.
- [3] MITRE ATT&CK Lateral Movement: <https://attack.mitre.org/tactics/TA0008/> — Tactic reference for lateral movement behaviors.