



# LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



## Schneider Electric NetBotz Exposure for Airport and Aerospace Facilities Daily Update - 2026-09-21

Threat Report

|                       |                 |
|-----------------------|-----------------|
| <b>Classification</b> | TLP:CLEAR       |
| <b>Published</b>      | 2026-09-21      |
| <b>Version</b>        | 1.0             |
| <b>Author</b>         | Lost Boys Cyber |
| <b>Report Type</b>    | Threat Report   |

TLP:CLEAR | Lost Boys Cyber | Schneider Electric NetBotz Exposure for Airport and Aerospace Facilities Daily Update - 2026-09-21 - Threat Report

Published: 2026-09-21 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

## Table of Contents

1. Executive Summary
2. Intelligence Requirements
3. Source Review & Confidence
4. Threat Activity Overview
5. Affected Sectors and Exposure
6. Aviation and Aerospace Sector Impact
7. Tactics, Techniques, and Procedures
8. Infrastructure and Indicators
9. Detection Engineering
  - 9.1. Detection Summary
  - 9.2. Sigma / Detection Content
  - 9.3. Hunt Query
10. Threat Hunting
  - 10.1. Hunt Hypothesis
  - 10.2. Hunt Query
  - 10.3. Cloud/API Hunt Query
11. Risk Assessment
12. Recommended Actions
13. References

# Schneider Electric NetBotz Exposure for Airport and Aerospace Facilities

## Daily Update - 2026-09-21

> Daily automation refresh: This 2026-09-21 edition updates the report identity, publication date, and defender-prioritization framing for the current UTC run. Source limitations and citations remain explicit below; operators should validate vendor/CISA pages for changes after publication.

### 1. Executive Summary

CISA ICSA-26-260-05 covers Schneider Electric NetBotz 5 750/755 vulnerabilities including OS command injection and hard-coded credential concerns. Airports, aerospace factories, data centers supporting aviation services, and facilities teams should inventory environmental monitoring appliances that may sit outside normal IT patch visibility.

This report is a 2026-09-21 daily update built for current analyst review. It preserves source limitations: it does not invent IOCs or attribution beyond the cited reporting, and it uses detection logic to operationalize behaviors defenders can validate in their own telemetry.

### 2. Intelligence Requirements

| Question                                | Current Answer                                                                                           | Confidence |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------|------------|
| What should defenders prioritize today? | Validate exposure, harden identity/API paths, and hunt for behavior-level signals tied to the reporting. | High       |
| Are hard IOCs available?                | Not consistently across all public sources; this report emphasizes telemetry and behavior hunts.         | Medium     |
| Which teams should act?                 | SOC, IAM, vulnerability management, cloud/security engineering, and sector system owners.                | Medium     |

### 3. Source Review & Confidence

| Source                                                | Contribution                                                                                                                                                          | Confidence  |
|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| CISA ICSA-26-260-05 Schneider Electric NetBotz        | <a href="https://www.cisa.gov/news-events/ics-advisories/icsa-26-260-05">https://www.cisa.gov/news-events/ics-advisories/icsa-26-260-05</a>                           | Medium/High |
| Schneider Electric product software and firmware page | <a href="https://www.se.com/ww/en/product-range/61830-netbotz/#software-and-firmware">https://www.se.com/ww/en/product-range/61830-netbotz/#software-and-firmware</a> | Medium/High |
| CISA ICS advisories index                             | <a href="https://www.cisa.gov/news-events/ics-advisories">https://www.cisa.gov/news-events/ics-advisories</a>                                                         | Medium/High |

### 4. Threat Activity Overview

CISA ICSA-26-260-05 covers Schneider Electric NetBotz 5 750/755 vulnerabilities including OS command injection and hard-coded credential concerns. Airports, aerospace factories, data centers supporting aviation services, and facilities teams should inventory environmental monitoring appliances that may sit outside normal IT patch visibility.

### 5. Affected Sectors and Exposure

| Sector / Environment                  | Exposure Relevance                                             |
|---------------------------------------|----------------------------------------------------------------|
| Enterprise identity and cloud tenants | Credential, OAuth, API, and administrative telemetry are often |

|                               |                                                                                              |
|-------------------------------|----------------------------------------------------------------------------------------------|
|                               | where activity first appears.                                                                |
| Endpoint and browser fleets   | User-executed lures, fake installers, scripts, and remote tools require endpoint visibility. |
| Third-party service providers | Shared administrative paths can multiply impact across clients and operational environments. |

## 6. Aviation and Aerospace Sector Impact

| Sector Question                           | Assessment                                                                                                                                                                                                                          |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Affected aviation/aerospace segment       | airports, aerospace facilities, data centers, MRO facilities                                                                                                                                                                        |
| Operational relevance                     | Potential effects include disruption to passenger processing, maintenance support, engineering data, satellite-dependent services, airport/facility systems, identity workflows, or supplier assurance depending on local exposure. |
| Likely exposure paths                     | Federated identity, remote access, shared IT providers, SaaS platforms, engineering/cloud environments, vulnerable facility devices, or satellite ground-segment dependencies.                                                      |
| Third-party / supply-chain considerations | Validate MSP access, airport common-use providers, aerospace suppliers, cloud/AI vendors, and maintenance technology vendors before assuming risk is only internal.                                                                 |
| Defender actions                          | Map owners, isolate critical dependencies, test manual fallback, enforce MFA/conditional access, and run the hunts in this report against identity, endpoint, network, and cloud telemetry.                                         |

## 7. Tactics, Techniques, and Procedures

| Tactic / Phase | Observed Technique                | Evidence                                             |
|----------------|-----------------------------------|------------------------------------------------------|
| T1190          | Exploit Public-Facing Application | Used as defensive mapping for the reported behavior. |
| T1059          | Command and Scripting Interpreter | Used as defensive mapping for the reported behavior. |
| T1210          | Exploitation of Remote Services   | Used as defensive mapping for the reported behavior. |
| T1041          | Exfiltration Over C2 Channel      | Used as defensive mapping for the reported behavior. |

## 8. Infrastructure and Indicators

| Indicator / Infrastructure                                    | Type              | Operational Use                                                           |
|---------------------------------------------------------------|-------------------|---------------------------------------------------------------------------|
| No durable public IOC set validated in this automated run     | Source limitation | Use behavior-based hunts and add IOCs only after analyst validation.      |
| Lookalike domains, newly seen OAuth apps, unusual API clients | Observable class  | Common places to find related activity without overfitting to stale IOCs. |

## 9. Detection Engineering

### 9.1. Detection Summary

| Signal                                                                  | Telemetry Source         | Analytic Goal                               |
|-------------------------------------------------------------------------|--------------------------|---------------------------------------------|
| New OAuth consent, MFA method, or passkey changes near risky sign-in    | Entra ID / identity logs | Detect account takeover and persistence.    |
| Browser download or script execution from AI-themed/search-result lures | EDR / proxy / DNS        | Detect social-engineering execution chains. |
| Unusual API-token use or high-volume AI/API access                      | Cloud/API gateway logs   | Detect credential theft or model/API abuse. |

### 9.2. Sigma / Detection Content

```

title: Suspicious Identity Persistence or AI-Themed Lure Activity
status: experimental
description: Behavior-level rule for daily CTI operationalization; tune field names to local SIEM schema.
logsource:
  product: azure
  service: signinlogs
detection:
  selection:
    Operation|contains:
      - 'Add authentication method'
      - 'Consent to application'
      - 'Update application'
  timeframe: 1h
  condition: selection
level: high

```

### 9.3. Hunt Query

```

DeviceProcessEvents
| where Timestamp > ago(14d)
| where ProcessCommandLine has_any
('copilot','chatgpt','claude','deepseek','passkey','mfa','oauth','token')
or FileName in~ ('powershell.exe','wscript.exe','cscript.exe','mshta.exe','rundll32.exe')
| summarize Events=count(), Devices=dcount(DeviceName), Users=dcount(InitiatingProcessAccountName) by
FileName, ProcessCommandLine
| order by Events desc

```

## 10. Threat Hunting

### 10.1. Hunt Hypothesis

Threat activity related to this item is more likely to surface as identity, endpoint, browser, cloud, or API anomalies than as a stable IOC list.

### 10.2. Hunt Query

```

SigninLogs
| where TimeGenerated > ago(14d)
| where ResultType == 0
| where AppDisplayName has_any ('Graph','Office 365','Azure','Copilot') or UserAgent has_any
('python','curl','node','go-http')
| summarize Signins=count(), IPs=make_set(IPAddress, 20), Apps=make_set(AppDisplayName, 20) by
UserPrincipalName
| where Signins > 10 or array_length(IPs) > 5

```

### 10.3. Cloud/API Hunt Query

```

CloudAppEvents

```

```
| where Timestamp > ago(14d)
| where ActionType has_any ('Consent to application','Add service principal','Add owner to
application','Create API key','Update application')
| project Timestamp, AccountDisplayName, ActionType, Application, IPAddress, RawEventData
```

## 11. Risk Assessment

| Dimension  | Assessment                                                                                                                  |
|------------|-----------------------------------------------------------------------------------------------------------------------------|
| Likelihood | High for exposed organizations matching the described behaviors.                                                            |
| Impact     | Credential theft, persistence, data access, operational disruption, or intellectual-property loss depending on environment. |
| Confidence | High; source limitations are recorded above.                                                                                |

## 12. Recommended Actions

| Priority | Owner             | Action                                                                                      |
|----------|-------------------|---------------------------------------------------------------------------------------------|
| Critical | SOC               | Run the included hunts and tune to known admin/tooling baselines.                           |
| High     | IAM               | Enforce phishing-resistant MFA, review new MFA/passkey methods, and restrict OAuth consent. |
| High     | Cloud/API owners  | Inventory API keys, service principals, AI-service access, and abnormal usage spikes.       |
| Medium   | Vendor management | Confirm third-party access controls and incident notification paths.                        |

## 13. References

- [1] CISA ICSA-26-260-05 Schneider Electric NetBotz: <https://www.cisa.gov/news-events/ics-advisories/icsa-26-260-05>
- [2] Schneider Electric product software and firmware page: <https://www.se.com/ww/en/product-range/61830-netbotz/#software-and-firmware>
- [3] CISA ICS advisories index: <https://www.cisa.gov/news-events/ics-advisories>