



LOST BOYS CYBER

THREAT INTELLIGENCE • MALWARE ANALYSIS • DETECTION ENGINEERING



BlueMoon Chrome and Windows Exploit Chain Vulnerability Daily Update - 2026-09-22

CVE / Vulnerability Threat Intelligence Report

Classification	TLP:CLEAR
Published	2026-09-22
Version	1.0
Author	Lost Boys Cyber
Report Type	CVE / Vulnerability Threat Intelligence Report

TLP:CLEAR | Lost Boys Cyber | BlueMoon Chrome and Windows Exploit Chain Vulnerability Daily Update - 2026-09-22 - CVE / Vulnerability Threat Intelligence Report

Published: 2026-09-22 | TLP:CLEAR | Version: 1.0 | Author: Lost Boys Cyber

AI Generation: This report was generated with AI assistance and is provided for informational purposes only. All findings, IOCs, detection rules, hunting queries, attribution assessments, and recommendations must be independently reviewed and validated by a qualified security professional before operational use.

Table of Contents

1. Executive Summary
2. Vulnerability Metadata
3. Source Review & Confidence
4. Vulnerability Details
5. Attack Scenarios
6. Threat Landscape & Exploitation Status
7. Affected Products and Exposure
8. Mitigation and Workarounds
9. Detection Engineering
 - 9.1. Detection Logic Summary
 - 9.2. Sigma / Detection Rule
10. Threat Hunting
 - 10.1. Hunt Hypothesis
 - 10.2. Microsoft Defender KQL
 - 10.3. Identity Follow-On Hunt
11. MITRE ATT&CK Mapping
12. Validation / Lab Testing
13. Recommended Actions Summary
14. References

BlueMoon Chrome and Windows Exploit Chain Vulnerability Daily Update - 2026-09-22

> Daily automation refresh: This 2026-09-22 edition creates current-day GitHub-visible artifacts for the daily defense-prioritization run. Source claims are constrained to the cited public sources; operators should re-check vendor/CISA pages for changes after publication.

1. Executive Summary

Proofpoint and supporting reporting describe BlueMoon as an exploit kit chaining two Chrome/V8 flaws with a Windows ALPC local privilege escalation. The chain is high priority because it can turn a browser compromise into SYSTEM-level execution on Windows endpoints and was reported in campaigns including U.S. aerospace targeting.

2. Vulnerability Metadata

Field	Value
CVE / Chain	CVE-2026-85046, CVE-2026-87491, CVE-2026-85880
Product / Component	Chromium-based browsers and Microsoft Windows ALPC
Weakness	Browser memory-safety flaws chained with Windows local privilege escalation
Severity	Critical
Exposure	Windows workstations exposed to malicious web content, spearphishing, or watering-hole traffic
Exploitation Status	Reported exploitation by multiple espionage-focused clusters
Primary Defensive Action	Apply Chrome/Edge and Windows September security updates; prioritize high-risk users

3. Source Review & Confidence

Source	Contribution	Confidence
Proofpoint	Primary research on BlueMoon adoption and aerospace targeting	High
SecurityWeek	Corroborates Chrome and Windows zero-day chain and patch timing	Medium
BleepingComputer	Adds defender-facing explanation of CVE chain and impact	Medium
The Hacker News	Summarizes multiple-state-actor adoption and CVE chain	Medium

The source base supports high-confidence defensive prioritization and medium-confidence technical scoping where source detail is still emerging. No exploit reproduction was performed during this automated production run.

4. Vulnerability Details

The exploit chain combines browser initial access with local privilege escalation. Defenders should assume high-value Windows endpoints, especially engineering, executive, aerospace, and government systems, are the priority exposure set until patch coverage is verified.

5. Attack Scenarios

Scenario	Defender Concern	Immediate Control
Internet-reachable management surface	Exploitation can become initial access without user interaction.	Emergency patch, management-plane allowlisting, and exposure scans.
Compromised administrator or VPN path	Attackers may reach otherwise internal management interfaces.	MFA, conditional access, and privileged session review.
Supply-chain or MSP management access	Third-party pathways can expose assets the owner does not directly monitor.	Vendor access review and centralized logging.

6. Threat Landscape & Exploitation Status

The strongest public source is Proofpoint research; SecurityWeek and BleepingComputer provide corroborating patch and CVE context.

7. Affected Products and Exposure

Exposure Pattern	Why It Matters	Validation Step
Edge/network/administrative appliance reachable from untrusted networks	Creates a high-value beachhead for intrusion.	Confirm version, management bind address, and ACL posture.
Backup, identity, print, or endpoint management systems with domain privileges	Post-exploitation impact can exceed the single host.	Review service accounts and privileged API permissions.
Aviation/aerospace operations networks or shared service platforms	Disruption can affect passenger processing, MRO, dispatch, or supplier operations.	Map dependencies and validate compensating segmentation.

8. Mitigation and Workarounds

Priority	Owner	Action
Critical	Vulnerability management	Patch or isolate affected systems within the next maintenance window; prioritize internet-facing and privileged deployments first.
High	Network/security engineering	Restrict management interfaces to trusted admin networks and block direct internet access.
High	SOC / detection engineering	Hunt for pre-patch probing, anomalous authenticated changes, and new outbound sessions from affected hosts.
Medium	Vendor / third-party risk	Confirm MSP and supplier-managed instances are patched and logged.

9. Detection Engineering

9.1. Detection Logic Summary

Signal	Telemetry Source	Analytic Goal
Requests to administrative endpoints followed by server error or unusual success codes	Web/proxy/load-balancer logs	Surface probing and exploitation attempts.
New process/network activity from management appliance or server	EDR/syslog/netflow	Detect command execution or post-exploitation staging.
Privileged changes after anomalous access	Identity/admin audit logs	Identify follow-on account or configuration abuse.

9.2. Sigma / Detection Rule

```

title: Suspicious Administrative Endpoint Activity For Daily KEV Priority
status: experimental
description: Detects suspicious access patterns around recently prioritized exploited vulnerabilities;
tune URI keywords to the exposed product.
logsource:
  category: webserver
detection:
  selection_endpoint:
    cs-uri-stem|contains:
      - '/cgi-bin/'
      - '/admin'
      - '/api'
      - '/printers'
      - '/login'
  selection_status:
    sc-status:
      - 200
      - 401
      - 403
      - 500
  filter_internal_scanner:
    c-useragent|contains: 'approved-scanner'
  condition: selection_endpoint and selection_status and not filter_internal_scanner
level: high

```

10. Threat Hunting

10.1. Hunt Hypothesis

If exploitation occurred, defenders may observe scanning or administrative endpoint access followed by new outbound sessions, process launches, privileged changes, or authentication anomalies from the affected product zone.

10.2. Microsoft Defender KQL

```

DeviceNetworkEvents
| where Timestamp > ago(14d)
| where RemoteUrl has_any ('admin','api','cgi-bin','papercut','zyxel','print','backup') or RemotePort in (80,443,8443,9443)
| summarize Connections=count(), Devices=dcount(DeviceName),
Accounts=make_set(InitiatingProcessAccountName, 20) by RemoteUrl, RemoteIP, InitiatingProcessFileName
| order by Connections desc

```

10.3. Identity Follow-On Hunt

```

SigninLogs
| where TimeGenerated > ago(14d)
| where ResultType == 0

```

```
| summarize FirstSeen=min(TimeGenerated), LastSeen=max(TimeGenerated), Apps=make_set(AppDisplayName,
20), IPs=make_set(IPAddress, 20) by UserPrincipalName
| where array_length(IPs) > 3 or array_length(Apps) > 5
```

11. MITRE ATT&CK Mapping

Technique	Name	Evidence / Rationale
T1190	Exploit Public-Facing Application	Relevant when the vulnerable service is reachable by attackers.
T1059	Command and Scripting Interpreter	Relevant when exploitation enables command execution or script staging.
T1078	Valid Accounts	Follow-on activity often involves privileged accounts or administrative APIs.
T1021	Remote Services	Compromised management systems can be used for lateral movement.

12. Validation / Lab Testing

No exploit reproduction was performed. Validation completed: source review, report rendering, PDF metadata extraction, text extraction, and detection-query preservation checks.

13. Recommended Actions Summary

Priority	Action	Evidence To Retain
1	Patch or isolate affected systems.	Version inventory, change ticket, maintenance record.
2	Confirm exposure and management-plane restrictions.	Firewall, VPN, and asset-discovery evidence.
3	Run hunts for the preceding 14 to 30 days.	Query output, case notes, false-positive decisions.
4	Validate third-party-managed assets.	Vendor attestation and logging confirmation.

14. References

- [1] Proofpoint: <https://www.proofpoint.com/us/blog/threat-insight/once-bluemoon-multiple-state-aligned-threat-actors-rapidly-adopt-novel-exploit>
- [2] SecurityWeek: <https://www.securityweek.com/bluemoon-exploit-kit-chains-recent-chrome-windows-zero-days/>
- [3] BleepingComputer: <https://www.bleepingcomputer.com/news/security/new-bluemoon-kit-exploited-windows-and-chrome-zero-day-flaws/>
- [4] The Hacker News: <https://thehackernews.com/2026/09/four-spy-groups-used-same-chrome-and.html>