



Scales of Infant and
Toddler Development™
Fourth Edition



Record Form

Child's name: _____

Sex: ☐ M ☐ F

Examiner's name: _____

Reason for referral: _____

Calculation of Child's Age

	Year	Month	Day
Test date			
Birth date			
Test age			
Test age in months and days	Years x 12	Months	Total months Days
		+	=

Adjustment for Prematurity

	Year	Month	Day
Test date			
Expected birth date			
Adjusted test age			
Adjusted test age in months and days	Years x 12	Months	Total months Days
		+	=

Start Points

Test age/adjusted test age	Start point
0 months 16 days – 1 month 30 days	A
2 months 0 days – 2 months 30 days	B
3 months 0 days – 3 months 30 days	C
4 months 0 days – 4 months 30 days	D
5 months 0 days – 5 months 30 days	E
6 months 0 days – 6 months 30 days	F
7 months 0 days – 7 months 30 days	G
8 months 0 days – 10 months 30 days	H
11 months 0 days – 13 months 30 days	I
14 months 0 days – 16 months 30 days	J
17 months 0 days – 19 months 30 days	K
20 months 0 days – 22 months 30 days	L
23 months 0 days – 25 months 30 days	M
26 months 0 days – 28 months 30 days	N
29 months 0 days – 32 months 30 days	O
33 months 0 days – 38 months 30 days	P
39 months 0 days – 42 months 30 days	Q

Summary

Total Raw Score to Scaled Score Conversion

Subtest	Raw score	Scaled score (Table A.1)	Age equivalent (Table B.1)	Growth scale value (Table B.2)
Cognitive (CG)		1		
Receptive Communication (RC)				
Expressive Communication (EC)				
Sum of scaled scores	Language (LANG)	2		
Fine Motor (FM)				
Gross Motor (GM)				
Sum of scaled scores	Motor (MOT)	3		

Sum of Scaled Scores to Standard Score Conversion

Scale	Sum of scaled scores	Standard score (Table A.4)	Percentile rank	Confidence interval (_____ %)
COG	1			-
LANG	2			-
MOT	3			-

Social-Emotional and Adaptive Behavior Raw and Scaled Scores

Subtest/subdomain	SE	REC	EXP	PER	IPR	PLA
Raw score						
Scaled score						




Copyright © 2019 NCS Pearson, Inc. All rights reserved.

Subtest/Subdomain Score Profile

	CG	RC	EC	FM	GM	SE	REC	EXP	PER	IPR	PLA	
19	.	.	.	.	.	.	.	.	.	.	.	19
18	.	.	.	.	.	.	.	.	.	.	.	18
17	.	.	.	.	.	.	.	.	.	.	.	17
16	.	.	.	.	.	.	.	.	.	.	.	16
15	.	.	.	.	.	.	.	.	.	.	.	15
14	.	.	.	.	.	.	.	.	.	.	.	14
13	.	.	.	.	.	.	.	.	.	.	.	13
12	.	.	.	.	.	.	.	.	.	.	.	12
11	.	.	.	.	.	.	.	.	.	.	.	11
10	.	.	.	.	.	.	.	.	.	.	.	10
9	.	.	.	.	.	.	.	.	.	.	.	9
8	.	.	.	.	.	.	.	.	.	.	.	8
7	.	.	.	.	.	.	.	.	.	.	.	7
6	.	.	.	.	.	.	.	.	.	.	.	6
5	.	.	.	.	.	.	.	.	.	.	.	5
4	.	.	.	.	.	.	.	.	.	.	.	4
3	.	.	.	.	.	.	.	.	.	.	.	3
2	.	.	.	.	.	.	.	.	.	.	.	2
1	.	.	.	.	.	.	.	.	.	.	.	1

Standard Score Profile



Supplemental Analysis

Discrepancy Comparison

Scaled score	Score 1	Score 2	Difference	Critical value (Table B.3)	Significance level ☐ .05 ☐ .10 Significant?	Base rate (Table B.3)
Receptive Communication – Expressive Communication	RC	EC			Y N	
Fine Motor – Gross Motor	FM	GM			Y N	

Standard score	Score 1	Score 2	Difference	Critical value (Table B.4)	Significance level ☐ .05 ☐ .10 Significant?	Base rate (Table B.4)
Cognitive – Language	COG	LANG			Y N	
Cognitive – Motor	COG	MOT			Y N	
Language – Motor	LANG	MOT			Y N	

Growth Scale Value Analysis

Administration date	Raw score	Scaled score	Growth scale value	Difference	Significant? (Table B.5)
CG 1					
CG 2					Y N
RC 1					
RC 2					Y N
EC 1					
EC 2					Y N
FM 1					
FM 2					Y N
GM 1					
GM 2					Y N



COGNITIVE

Reverse Rule

If the child obtains an imperfect score on any of the first 3 items, find the previous age start point and administer those items in a forward direction.

Discontinue Rule

Discontinue when the child receives scores of 0 for 5 consecutive items.

S = Series Items

R = Related Items



Item	Materials	Scoring criteria	Score
1. Calms When Picked Up	Timer	Consistently calms within 30 seconds when picked up and remains calm. Almost every time	2
		Inconsistently calms within 30 seconds or briefly calms when picked up but does not remain calm. Some of the time	1
		Does not calm when picked up. None of the time	0
		Elapsed time:	
		Comments:	
	Caregiver Question: If [insert child's name] is crying and you pick [him/her] up, does [he/she] calm down and stay calm almost every time [he/she] is picked up, some of the time, or none of the time? ☐		
2. Looks at Object	Ring with string, small ball, spoon, other small object of interest, timer	Looks continuously at object for 7 to 10 seconds.	2
		Looks continuously at object for 3 to 6 seconds or looks intermittently at object during the 3 to 6 seconds.	1
		Looks continuously at object for 0 to 2 seconds or does not look at object.	0
		Elapsed time:	
		Comments:	
3. Habituates to Rattle	Rattle	Habituates (i.e., displays a decrease in orienting response) within the first 3 trials on either side.	2
		Habituates during the fourth or fifth trial on either side.	1
		Does not display orienting response or does not habituate during the fifth trial on either side.	0
		Comments:	
4. Discriminates Between Objects	Bell, timer	Responds to bell by displaying a marked behavioral change that occurs within 5 seconds.	2
		Responds to bell by displaying a marked behavioral change that is brief or does not occur within 5 seconds.	1
		Displays no change.	0
		Elapsed time:	
		Comments:	
5. Recognizes Caregiver	None	Expression immediately changes to indicate caregiver recognition on at least 1 occasion.	2
		Displays a short, brief change of expression or response is not immediate.	1
		Displays no change of expression.	0
		Comments:	

Page 3
Total



Item	Materials	Scoring criteria	Score
6. Reaction to Caregiver	None	Displays a reaction that is clearly anticipatory. Almost every time	2
		Displays a reaction that is not clearly anticipatory. Some of the time	1
		Displays no reaction. None of the time	0
		Comments:	
	Caregiver Question: When you are about to pick up [insert child's name], does [he/she] clearly show that [he/she] is looking forward to being picked up almost every time, some of the time, or none of the time?		☐
7. Reacts to Departure of Caregiver	None	Changes facial expression or displays other evidence of a reaction to the caregiver's departure (e.g., cessation of activity, frown, rudimentary searching).	2
		Ambiguous or brief evidence of a reaction.	1
		Displays no evidence of a reaction.	0
		Comments:	
8. Shifts Attention	Bell, rattle	Eyes move from 1 object to the other for 3 trials.	2
		Eyes move from 1 object to the other for 1 to 2 trials.	1
		Eyes do not move from 1 object to the other for any trial.	0
		Comments:	
9. Shows Visual Preference	Stimulus Book	Looks longer at striped pattern on both trials.	2
		Looks longer at striped pattern on only 1 trial.	1
		Does not look at striped pattern on either trial.	0
		Comments:	
10. Habituates to Balloons	Stimulus Book, timer	Shows interest and habituates within 30 seconds.	2
		Shows interest but does not habituate within 30 seconds.	1
		Does not show interest or only gives fleeting glance.	0
		Elapsed time:	
		Comments:	
11. Prefers Ball	Stimulus Book, timer	Looks longer at ball than balloons for both trials.	2
		Looks longer at ball than balloons for 1 trial.	1
		Does not look longer at ball than balloons for either trial.	0
		Comments:	
12. Responds to Surroundings	None	Quiets, looks around, and displays interest in surroundings.	2
		Brief visual exploration of surroundings.	1
		Shows no interest in surroundings.	0
		Comments:	



Page 4
Total

Item	Materials	Scoring criteria	Score
13. Explores Object	Rattle	Attends to the sight, sound, or feel of rattle by touching, shaking, or engaging in other playful activity.	2
		Attends very briefly to rattle or simply mouths it.	1
		Holds rattle but does not act upon it.	0
		Comments:	
14. Brings to Mouth	Ring with string, other object of interest Note. Ring with string items are also in the Fine Motor subtest.	Consistently carries objects to mouth.	2
		Inconsistently carries objects to mouth.	1
		Does not try to bring objects to mouth.	0
		Comments:	
15. Inspects Own Hands	None	Clear and sustained inspection of hand(s). Often	2
		Ambiguous or brief inspection of hand(s). Not often	1
		Does not inspect hand(s). Not at all	0
		Comments:	
	Caregiver Question: When [insert child's name] is by [himself/herself], does [he/she] clearly look at [his/her] hands often, not often, or not at all? ☐		
16. Interacts With Image	Mirror	Interacts with mirror image by looking at it and smiling or laughing, making noises, reaching for it, patting it, or mouthing it.	2
		Approaches mirror image with head, body, or hand and attends to mirror image for at least 5 seconds but does not interact with mirror image.	1
		Attends to mirror image for less than 5 seconds or shows no response to mirror image.	0
		Comments:	
17. Reaches/ Obtains Objects	Block, other small object of interest	Persistently reaches for and obtains object.	2
		Persistently reaches for or swipes at object but does not obtain it.	1
		Does not reach for object or only initially reaches for object but is not persistent.	0
		Comments:	
18. Plays With Paper	Paper	Scratches, crinkles, or attempts to mouth paper and appears interested in the sound and/or texture.	2
		Only reaches for paper and shows brief interest.	1
		Looks at paper but does not attempt to touch it.	0
		Comments:	
19. Bangs Object	Block, spoon, other suitable hard object	Intentional and frequent banging of object. Often	2
		Only occasional banging of object. Not often	1
		Does not bang object. Not at all	0
		Comments:	
Caregiver Question: When [insert child's name] has something in [his/her] hand, does [he/she] purposely bang it on the furniture often, not often, or not at all? ☐			

Page 5
Total

Item	Materials	Scoring criteria	Score
20. Pats Table	None	Clearly imitates patting with 1 or both hands.	2
		Pats 1 or both hands but may be spontaneous versus direct imitation.	1
		Does not imitate patting.	0
		Comments:	
21. Searches for Object	Squeeze toy	Searches for fallen toy by looking toward floor.	2
		Shows indications of searching but does not look toward floor.	1
		Does not show any indication of searching.	0
		Comments:	
22. Obtains Ring	Ring with string Note. Ring with string items are also in the Fine Motor subtest.	Picks up string, purposely pulls it to secure ring, and then grasps ring.	2
		Picks up string, purposely pulls it to secure ring, but does not grasp ring.	1
		Does not show interest in securing ring or only plays with string.	0
		Comments:	
23. Picks Up and Holds Blocks	2 blocks	Picks up 2 blocks and holds them simultaneously for at least 3 seconds.	2
		Does not pick up 2 blocks but is able to hold them simultaneously for any amount of time.	1
		Holds blocks by resting them on the table or only obtains 1 block.	0
		Comments:	
24. Anticipatory Gaze	Object to hide entire head (e.g., clipboard)	Shows anticipatory gaze for both trials.	2
		Shows anticipatory gaze for either trial, even briefly.	1
		Does not show anticipatory gaze for either trial.	0
		Comments:	
25. Rings Bell	Bell	Holds bell by the handle and purposely rings bell.	2
		Holds bell and explores it visually or with hands (e.g., manipulates clapper, watches clapper).	1
		Shows minimal interest in bell.	0
		Comments:	
26. Looks at Pictures	Storybook	Regards at least 1 picture with interest or recognition even if interest is of short duration. Almost every time	2
		Displays fleeting interest in looking at pictures. Some of the time	1
		Touches or mouths book but shows no interest in specific pictures. None of the time	0
		Comments:	
Caregiver Question: When you show [insert child's name] a book, does [he/she] look interested in the pictures almost every time, some of the time, or none of the time?			☐

Page 6
Total



R

17 | 23

19 | 27

R

28 | 37

30 | 42

32 | 45

S

30

45

R

28 | 37

30 | 42

32 | 45



R

14 | 33

22 |

Item	Materials	Scoring criteria	Score
27. Picks Up Another Block	3 blocks	Holds 1 block while reaching for an additional block.	2
		Releases 1 block to pick up an additional block.	1
		Shows no interest in additional block.	0
		Comments:	
28. Searches for Missing Objects	3 blocks, cup	Actively searches for blocks in cup.	2
		Glances in cup for blocks.	1
		Shakes and plays with cup but does not search for blocks.	0
		Comments:	
29. Stirs Spoon	Spoon, cup	Makes stirring motion and imitates readily.	2
		Makes attempt to stir or hits cup with spoon.	1
		Plays with spoon or cup individually but makes no attempt to imitate.	0
		Comments:	
30. Block Series: 3 Blocks	9 blocks, cup, timer	Places 3 to 9 blocks in cup within 120 seconds.	2
		Places 1 to 2 blocks in cup within 120 seconds.	1
		Does not pick up any blocks or picks up a block but does not put it over or in cup within 120 seconds.	0
		Completion time:	
		Number of blocks:	
		Comments:	
31. Pushes Car	Car	Intentionally pushes car so that all 4 of its wheels stay on table.	2
		Makes car move but not in manner demonstrated (e.g., sideways, car tips over).	1
		Shows no interest in pushing car or is only interested in details (e.g., wheels).	0
		Comments:	
32. Finds Hidden Object	2 cups, 1 block	Finds block by looking first under correct cup on both sides in either trial.	2
		Finds block by looking first under correct cup on only 1 side in either trial.	1
		Does not attempt to find block or is unsuccessful in finding block.	0
		Comments:	
33. Suspends Ring	Ring with string <i>Note. Ring with string items are also in the Fine Motor subtest.</i>	Obtains ring and suspends it by string without ring touching table.	2
		Obtains ring and suspends it, but ring touches table.	1
		Obtains ring but does not suspend it or only plays with ring or string.	0
		Comments:	

Page 7
Total

Item	Materials	Scoring criteria	Score
34. Removes Pellet	Food pellet, bottle	Purposely removes pellet from bottle using some form of directed effort.	2
		Shakes bottle and pellet comes out accidentally.	1
		Shows no interest in pellet or shows interest but does not remove pellet.	0
		Comments:	
35. Clear Box	Clear box, small ball, timer	Retrieves ball through open end of box within 1 to 20 seconds.	2
		Retrieves ball through open end of box within 21 to 45 seconds.	1
		Does not retrieve ball within 45 seconds.	0
		Completion time:	
		Comments:	
36. Squeezes Object	Squeeze toy	Intentionally squeezes toy, imitating examiner.	2
		Attempts to make toy squeak by banging toy on a surface.	1
		Does not attempt to make toy squeak.	0
		Comments:	
37. Finds Hidden Object (Reversed)	2 cups,1 block	Finds block by first looking under correct cup for 4 trials.	2
		Finds block by first looking under correct cup for 2 to 3 trials.	1
		Finds block by first looking under correct cup for 0 to 1 trials.	0
		Comments:	
38. Pegboard Series: 2 Pegs	Pegboard, 6 yellow pegs, timer	Places at least 2 pegs in 2 different holes within 70 seconds.	2
		Places only 1 peg in hole within 70 seconds or places same peg in 2 different holes within 70 seconds.	1
		Does not place any pegs in a hole within 70 seconds.	0
		Completion time:	
		Number of pegs:	
		Comments:	
39. Relational Play: Self	None	Caregiver provides at least 3 examples.	2
		Caregiver provides 1 to 2 examples.	1
		Caregiver provides 0 examples.	0
		Comments:	
Caregiver Question: When playing, does [insert child's name] pretend to do things like drink from an empty cup?			
If the caregiver says no, score 0.			
If the caregiver says yes, ask, Can you give me some examples of other things [he/she] pretends to do?			

Page 8
Total

S
40
47

R
40
43
47

49
51
55

Item	Materials	Scoring criteria	Score
40. Pink Board Series: 2 Pieces	Pink board, red block set, timer	Places 2 to 3 pieces that fit exactly within 60 seconds.	2
		Places 1 piece that fits exactly within 90 seconds or places 2 pieces within 60 seconds but 1 piece does not fit exactly.	1
		Does not place any pieces that fit exactly within 90 seconds.	0
		Completion time:	
		Number of pieces:	
		Comments:	
41. Listens to Story	Storybook	Attends to story the entire time with only brief lapses in attention. Almost every time	2
		Attends to story for only a short time. Some of the time	1
		Shows no interest in book or does not attend to story. None of the time	0
		Comments:	
		Caregiver Question: When you read to [insert child's name], does [he/she] pay attention to the <i>entire</i> story almost every time, some of the time, or none of the time?	
42. Finds Hidden Object (Visible Displacement)	2 cups, 1 block	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Comments:	
43. Blue Board Series: 1 Piece	Blue board, blue block set, timer	Places 1 to 9 pieces that fit exactly within 90 seconds.	2
		Places at least 1 piece within 90 seconds but piece does not fit exactly.	1
		Does not place any pieces that fit exactly within 90 seconds.	0
		Completion time:	
		Number of pieces:	
		Comments:	
44. Relational Play: Others	Doll, cup, spoon, small ball, comb, tissue	Uses at least 2 objects with doll or caregiver.	2
		Uses only 1 object with doll or caregiver.	1
		Uses 0 objects with doll or caregiver.	0
		Comments:	
45. Block Series: 9 Blocks	9 blocks, cup, timer	Places 9 blocks in cup within 120 seconds.	2
		Places 5 to 8 blocks in cup within 120 seconds.	1
		Does not place at least 5 blocks in cup within 120 seconds.	0
		Completion time:	
		Number of blocks:	
		Comments:	

S
43
49
55

R
40
43
47

49
51
55

S
30
45

R
28
30
32

37
42
45

Page 9
Total

Item	Materials	Scoring criteria	Score
46. Pegboard Series: 6 Pegs	Pegboard, 6 yellow pegs, timer	Places all 6 pegs within 1 to 35 seconds.	2
		Places all 6 pegs within 36 to 90 seconds.	1
		Does not place all 6 pegs within 90 seconds.	0
		Completion time:	
		Number of pegs:	
		Comments:	
47. Pink Board Series: 3 Pieces	Pink board, red block set, timer	Places 3 pieces that fit exactly within 1 to 60 seconds.	2
		Places 3 pieces that fit exactly within 61 to 90 seconds.	1
		Does not place 3 pieces that fit exactly within 90 seconds.	0
		Completion time:	
		Number of pieces:	
		Comments:	
48. Uses Pencil to Obtain Object	Pencil, small duck	Makes at least 1 sweeping motion with pencil and obtains duck.	2
		Makes at least 1 sweeping motion with pencil but does not obtain duck.	1
		Hits or pushes duck with pencil, using random swings of pencil, without intending to pull duck toward him or her.	0
		Comments:	
49. Blue Board Series: 4 Pieces	Blue board, blue block set, timer	Places 4 to 9 pieces that fit exactly within 90 seconds.	2
		Places 3 pieces that fit exactly within 90 seconds.	1
		Does not place at least 3 pieces that fit exactly within 90 seconds.	0
		Completion time:	
		Number of pieces:	
		Comments:	
50. Representational Play	None	Caregiver provides at least 2 examples.	2
		Caregiver provides 1 example.	1
		Caregiver provides 0 examples.	0
		Comments:	
	Caregiver Question: When playing, does [insert child's name] make-believe an object is something else, like pretending a ball is a piece of fruit? If the caregiver says no, score 0. If the caregiver says yes, ask, Can you give me some examples of other ways that [he/she] make-believes an object is something else?		
51. Rotated Pink Board	Pink board, red block set, timer	Places 3 pieces that fit exactly within 60 seconds.	2
		Places 2 pieces that fit exactly within 60 seconds.	1
		Does not place at least 2 pieces that fit exactly within 60 seconds.	0
		Completion time:	
		Number of pieces:	
		Comments:	



Item	Materials	Scoring criteria	Score
52. Object Assembly: Ball	Ball puzzle, timer	Assembles puzzle within 1 to 60 seconds.	2
		Assembles puzzle within 61 to 90 seconds.	1
		Does not assemble puzzle within 90 seconds.	0
		Completion time:	
		Comments:	
53. Object Assembly: Ice Cream Cone	Ice cream cone puzzle, timer	Assembles puzzle within 1 to 60 seconds.	2
		Assembles puzzle within 61 to 90 seconds.	1
		Does not assemble puzzle within 90 seconds.	0
		Completion time:	
		Comments:	
54. Matches Pictures	Stimulus Book	Provides correct response for 3 to 4 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Airplane Trial 2 ☐ Tricycle Trial 3 ☐ Tree Trial 4 ☐ Apple	
		Comments:	
55. Blue Board Series: 9 Pieces	Blue board, blue block set, timer	Places 9 pieces that fit exactly within 90 seconds.	2
		Places 5 to 8 pieces that fit exactly within 90 seconds.	1
		Does not place at least 5 pieces that fit exactly within 90 seconds.	0
		Completion time:	
		Number of pieces:	
56. Spatial Memory: 3 Cards	Memory Cards (Set A), timer	Provides correct response for 3 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Ball Trial 2 ☐ Shoe Trial 3 ☐ Train	
		Comments:	
57. Imitates 2-Step Action	Small duck, spoon	Imitates both steps correctly and in sequence making duck fly into air.	2
		Imitates only 1 step (i.e., puts duck on spoon handle or hits bowl of spoon without duck on spoon handle).	1
		Does not imitate either step.	0
		Comments:	

Page 11
Total

S
43
49
55

R
40
43
47

49
51
55

R
48
57
65

R
39
44
50
59

Item	Materials	Scoring criteria	Score
58. Matches 3 Colors	Stimulus Book, 1 big red disk, 1 big yellow disk, 1 big blue disk, 1 big green disk	Provides correct response for 3 trials.	2
		Provides correct response for 2 trials.	1
		Provides correct response for 0 to 1 trials.	0
		Correct? Trial 1 ☐ Yellow Trial 2 ☐ Blue Trial 3 ☐ Green	
		Comments:	
59. Imaginary Play	None	Caregiver provides at least 2 examples.	2
		Caregiver provides 1 example.	1
		Caregiver provides 0 examples.	0
		Comments:	
		Caregiver Question: When playing, does [insert child's name] use imaginary objects? If the caregiver says no, score 0. ☐ If the caregiver says yes, ask, Can you give me some examples of [him/her] using imaginary objects?	
60. Recalls Names	Stimulus Book	Provides correct response for 2 to 3 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Maria (3) Trial 2 ☐ Jamie (2) Trial 3 ☐ Lee (1)	
		Comments:	
61. Understands Concept of One	3 blocks, paper, timer	Places 1 block on paper within 1 to 5 seconds.	2
		Places 1 block on paper within 6 to 20 seconds, or initially places 1 block but then adds more blocks.	1
		Does not place any blocks on paper within 20 seconds or initially places all blocks on paper.	0
		Completion time:	
		Comments:	
62. Grouping: Color	1 big blue disk, 1 little blue disk, 1 big yellow disk, 1 little yellow disk	Identifies both blue disks and does not identify any yellow disks.	2
		Identifies only 1 blue disk and does not identify any yellow disks.	1
		Identifies only yellow disks or identifies both blue and yellow disks.	0
		Comments:	
63. Grouping: Size	1 big red disk, 1 little red disk, 1 big yellow disk, 1 little yellow disk	Identifies both little disks for Trial 1 and both big disks for Trial 2.	2
		Identifies both little disks for Trial 1 but not both big disks for Trial 2 or vice versa.	1
		Does not identify both little disks for Trial 1 or both big disks for Trial 2.	0
		Comments:	

R
62
63
66
68

R
62
63
66
68

Page 12
Total

Item	Materials	Scoring criteria	Score
64. Repeats Words	None	Provides correct response for 3 to 4 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Dog-car Trial 3 ☐ Boy-house-ball Trial 2 ☐ Tree-fish Trial 4 ☐ Cat-girl-cup	
		Comments:	
65. Compares Masses	1 big weighted duck, 1 big unweighted duck	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Comments:	
66. Matches Size	1 big red disk, 1 big blue disk, 1 little yellow disk	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Comments:	
67. Discriminates Pictures	Stimulus Book	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Cow Trial 2 ☐ Donkey	
		Comments:	
68. Simple Pattern	2 big blue disks, 1 big red disk, 1 big yellow disk, 1 little blue disk, 1 little yellow disk, 1 little red disk	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Comments:	
69. Sorts Pegs by Color	4 red pegs, 4 yellow pegs, 4 blue pegs, timer	Sorts all pegs by color into separate piles with no errors within 60 seconds.	2
		Sorts all pegs by color into separate piles with 1 to 2 errors within 60 seconds.	1
		Sorts all pegs by color into separate piles with more than 2 errors within 60 seconds or does not sort pegs.	0
		Completion time:	
		Comments:	

Page 13
Total

Item	Materials	Scoring criteria	Score
70. Counts (One-to-One Correspondence)	5 blocks	Counts 3 to 5 blocks in proper sequence (without skipping any block) and assigns only 1 number to each block when counting.	2
		Counts 2 blocks in proper sequence and assigns only 1 number to each block when counting.	1
		Does not count 2 blocks in proper sequence or assigns more than 1 number to any block.	0
		Comments:	
71. Discriminates Sizes	Stimulus Book	Provides correct response for 3 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Lids Trial 2 ☐ Bowls Trial 3 ☐ Shoes	
		Comments:	
72. Identifies 3 Incomplete Pictures	Stimulus Book	Identifies picture after first or second page for 3 pictures.	2
		Identifies picture after first or second page for 2 pictures.	1
		Identifies picture after first or second page for 0 to 1 pictures.	0
		Correct? Picture 1 ☐ Face Picture 2 ☐ Cat Picture 3 ☐ Flower	
		Comments:	
73. Object Assembly: Dog	Dog puzzle, timer	Assembles puzzle within 1 to 60 seconds.	2
		Assembles puzzle within 61 to 90 seconds.	1
		Does not assemble puzzle within 90 seconds.	0
		Completion time:	
		Comments:	
74. Object Assembly: Cat	Cat puzzle, timer	Assembles puzzle within 1 to 60 seconds.	2
		Assembles puzzle within 61 to 90 seconds.	1
		Does not assemble puzzle within 90 seconds.	0
		Completion time:	
		Comments:	
75. Discriminates Patterns	Stimulus Book	Provides correct response for 3 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Square Trial 2 ☐ Triangle Trial 3 ☐ Letter E	
		Comments:	

Item	Materials	Scoring criteria	Score
76. Spatial Memory: 6 Cards	Memory Cards (Set B), timer	Provides correct response for 2 to 3 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Dogs Trial 2 ☐ Flowers Trial 3 ☐ Cars	
		Comments:	
77. Counts (Cardinality)	10 blocks	Counts all 10 blocks accurately and says there are 10 blocks.	2
		Counts 5 to 9 blocks or counts all 10 blocks but does not say there are 10 blocks.	1
		Does not count at least 5 blocks.	0
		Comments:	
78. Number Constancy	5 blocks	Counts 5 blocks and says there are 5 blocks.	2
		Counts 5 blocks but does not say there are 5 blocks, or does not count 5 blocks but says there are 5 blocks.	1
		Does not count 5 blocks and does not say there are 5 blocks.	0
		Comments:	
79. Classifies Objects	Stimulus Book	Provides correct response for 3 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Banana Trial 2 ☐ Lamp Trial 3 ☐ Train	
		Comments:	
80. Repeats Number Sequences	None	Provides correct response for 4 to 6 trials.	2
		Provides correct response for 3 trials.	1
		Provides correct response for 0 to 2 trials.	0
		Correct? Trial 1 ☐ 3-1 Trial 4 ☐ 2-9-1-3 Trial 2 ☐ 4-2-5 Trial 5 ☐ 5-3-7-1-6 Trial 3 ☐ 3-1-4-2 Trial 6 ☐ 3-1-9-6-4	
		Comments:	

Page 15
Total

R
69
81

Item	Materials	Scoring criteria	Score
81. Completes Patterns	Pegboard, 8 yellow pegs, 4 red pegs, 4 blue pegs	Provides correct response for 3 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ B-R-B-R-B-R Trial 2 ☐ R-B-Y-R-B-Y Trial 3 ☐ B-Y-Y-B-Y-Y	
		Comments:	

Page 16
Total

COGNITIVE
Total Raw Score
(max. = 162)



RECEPTIVE COMMUNICATION

Reverse Rule

If the child obtains an imperfect score on any of the first 3 items, find the previous age start point and administer those items in a forward direction.

Discontinue Rule

Discontinue when the child receives scores of 0 for 5 consecutive items.

S = Series Items

R = Related Items



Item	Materials	Scoring criteria	Score
1. Regards Person Momentarily	None	Consistently looks at person and sustains look for at least 3 seconds.	2
		Briefly looks at person for less than 3 seconds.	1
		Does not look at person.	0
		Comments:	
2. Calms When Spoken To	None	Consistently calms and remains calm when spoken to.	2
		Inconsistently calms or briefly calms when spoken to.	1
		Does not calm when spoken to.	0
		Comments:	
3. Reacts to Sounds in Environment	Squeeze toy, rattle	Consistently displays clear reaction to sounds.	2
		Ambiguous or brief reaction to sounds.	1
		Does not react to sounds.	0
		Comments:	
4. Recognizes Caregiver	None	Expression immediately changes to indicate caregiver recognition on at least 1 occasion.	2
		Displays a short, brief change of expression or response is not immediate.	1
		Displays no change of expression.	0
		Comments:	
5. Responds to Person's Voice	None	Consistently displays clear reaction to voice. Almost every time	2
		Ambiguous or brief reaction to voice. Some of the time	1
		Does not react to voice. None of the time	0
		Comments:	
	Caregiver Question: Does [insert child's name] respond to your voice by doing things like turning [his/her] head or changing the look on [his/her] face almost every time, some of the time, or none of the time?		☐
6. Reaction to Caregiver	None	Displays a reaction that is clearly anticipatory. Almost every time	2
		Displays a reaction that is not clearly anticipatory. Some of the time	1
		Displays no reaction. None of the time	0
		Comments:	
Caregiver Question: When you are about to pick up [insert child's name], does [he/she] clearly show that [he/she] is looking forward to being picked up almost every time, some of the time, or none of the time?		☐	

Page 17
Total

Item	Materials	Scoring criteria	Score
7. Shifts Attention	Bell, rattle	Eyes move from 1 object to the other for 3 trials.	2
		Eyes move from 1 object to the other for 1 to 2 trials.	1
		Eyes do not move from 1 object to the other for any trial.	0
		Comments:	
8. Discriminates Sounds	Squeeze toy, rattle	Consistently displays clear reaction to sounds.	2
		Ambiguous or brief reaction to sounds.	1
		Does not react to sounds.	0
		Comments:	
9. Explores Object	Rattle	Attends to the sight, sound, or feel of rattle by touching, shaking, or engaging in other playful activity.	2
		Attends very briefly to rattle or simply mouths it.	1
		Holds rattle but does not act upon it.	0
		Comments:	
10. Brings to Mouth	Ring with string, other object of interest	Consistently carries objects to mouth.	2
		Inconsistently carries objects to mouth.	1
		Does not try to bring objects to mouth.	0
		Comments:	
11. Bangs Object	Block, spoon, other suitable hard object	Intentional and frequent banging of object. Often	2
		Only occasional banging of object. Not often	1
		Does not bang object. Not at all	0
		Comments:	
	Caregiver Question: When [insert child's name] has something in [his/her] hand, does [he/she] purposely bang it on the furniture often, not often, or not at all?		
12. Responds to Name	None	Turns head both times name is called and does not respond to unfamiliar name. Almost every time	2
		Turns head 1 time name is called and does not respond to unfamiliar name. Some of the time	1
		Responds to unfamiliar name or does not respond either time name is called. None of the time	0
		Comments:	
Caregiver Question: Does [insert child's name] respond to you when you call [his/her] name by turning [his/her] head without you touching [him/her] almost every time, some of the time, or none of the time?			☐

Page 18
Total



Item	Materials	Scoring criteria	Score
13. Recognizes Words	5 objects of interest	Looks at 2 to 5 objects. Often	2
		Looks at 1 object. Not often	1
		Looks at 0 objects. Not at all	0
		Correct? Object 1 ☐ Object 2 ☐ Object 3 ☐ Object 4 ☐ Object 5 ☐	
		Comments:	
Caregiver Question: When you say the name of a familiar object, does [insert child's name] look at the object you named often, not often, or not at all? ☐			
14. Responds to Request for Social Routines	None	Consistently responds in an appropriate manner to spoken requests. Almost every time	2
		Inconsistently responds in an appropriate manner to spoken requests. Some of the time	1
		Does not respond appropriately to spoken requests. None of the time	0
		Comments:	
		Caregiver Question: When you ask [insert child's name] to do things, like give a high five or blow a kiss, does [he/she] do what you ask without you showing [him/her] how to do it almost every time, some of the time, or none of the time? ☐	
15. Attends to Play Routine	Timer	Maintains attention for at least 30 consecutive seconds.	2
		Maintains attention but for less than 30 consecutive seconds.	1
		Does not attend to play routine.	0
		Elapsed time:	
		Comments:	
16. Identifies Objects	Storybook, cup, spoon, small ball, doll	Identifies at least 3 objects.	2
		Identifies 1 to 2 objects.	1
		Identifies 0 objects.	0
		Correct? Object 1 ☐ Object 2 ☐ Object 3 ☐ Object 4 ☐ Object 5 ☐	
		Comments:	
17. Identifies Objects in Environment	None	Identifies at least 2 objects.	2
		Identifies 1 object.	1
		Identifies 0 objects.	0
		Correct? Object 1 ☐ Object 2 ☐ Object 3 ☐ Object 4 ☐ Object 5 ☐	
		Comments:	

Page 19
Total

S
18
22

Item	Materials	Scoring criteria	Score
18. Picture Series: 3 Correct	Stimulus Book	Provides correct response for 3 to 12 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Cookie Trial 4 ☐ Shoe(s) Trial 7 ☐ Car Trial 10 ☐ Balloon(s) Trial 2 ☐ Bird Trial 5 ☐ Bed Trial 8 ☐ Kitten Trial 11 ☐ Spoon Trial 3 ☐ Ball Trial 6 ☐ Book Trial 9 ☐ Bottle Trial 12 ☐ Apple	
		Comments:	
19. Parts of Body	None	Provides correct response for 5 to 9 trials.	2
		Provides correct response for 3 to 4 trials.	1
		Provides correct response for 0 to 2 trials.	0
		Correct? Trial 1 ☐ Hair Trial 4 ☐ Mouth Trial 7 ☐ Hands Trial 2 ☐ Eyes Trial 5 ☐ Ears Trial 8 ☐ Head Trial 3 ☐ Nose Trial 6 ☐ Feet Trial 9 ☐ Stomach	
		Comments:	
20. Parts of Doll Series: 2 Correct	Doll	Provides correct response for 2 to 9 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Hair Trial 4 ☐ Mouth Trial 7 ☐ Hands Trial 2 ☐ Eyes Trial 5 ☐ Ears Trial 8 ☐ Head Trial 3 ☐ Nose Trial 6 ☐ Feet Trial 9 ☐ Stomach	
		Comments:	
21. Follows 1-Part Directions	Doll, spoon, comb, tissue	Provides correct response for 3 trials.	2
		Provides correct response for 2 trials.	1
		Provides correct response for 0 to 1 trials.	0
		Correct? Trial 1 ☐ Feed Trial 2 ☐ Comb Trial 3 ☐ Wipe	
		Comments:	
22. Picture Series: 6 Correct	Stimulus Book	Provides correct response for 6 to 12 trials.	2
		Provides correct response for 4 to 5 trials.	1
		Provides correct response for 0 to 3 trials.	0
		Correct? Trial 1 ☐ Cookie Trial 4 ☐ Shoe(s) Trial 7 ☐ Car Trial 10 ☐ Balloon(s) Trial 2 ☐ Bird Trial 5 ☐ Bed Trial 8 ☐ Kitten Trial 11 ☐ Spoon Trial 3 ☐ Ball Trial 6 ☐ Book Trial 9 ☐ Bottle Trial 12 ☐ Apple	
		Comments:	

Page 20
Total



S
20
24

R
20
21
24
29

S
25
28

Item	Materials	Scoring criteria	Score
23. Identifies Clothing	None	Provides correct response for 3 to 7 trials.	2
		Provides correct response for 2 trials.	1
		Provides correct response for 0 to 1 trials.	0
		Correct? Trial 1 ☐ Shoes Trial 3 ☐ Pants Trial 5 ☐ Shorts Trial 7 ☐ Dress Trial 2 ☐ Shirt Trial 4 ☐ Socks Trial 6 ☐ Skirt	
		Comments:	
24. Parts of Doll Series: 5 Correct	Doll	Provides correct response for 5 to 9 trials.	2
		Provides correct response for 3 to 4 trials.	1
		Provides correct response for 0 to 2 trials.	0
		Correct? Trial 1 ☐ Hair Trial 4 ☐ Mouth Trial 7 ☐ Hands Trial 2 ☐ Eyes Trial 5 ☐ Ears Trial 8 ☐ Head Trial 3 ☐ Nose Trial 6 ☐ Feet Trial 9 ☐ Stomach	
		Comments:	
25. Action Series: 3 Correct	Stimulus Book	Provides correct response for 3 to 8 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Waving Trial 3 ☐ Sleeping Trial 5 ☐ Drinking Trial 7 ☐ Washing Trial 2 ☐ Riding Trial 4 ☐ Eating Trial 6 ☐ Reading Trial 8 ☐ Running	
		Comments:	
26. Understands Object Use	Stimulus Book	Provides correct response for 3 to 6 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Tricycle Trial 3 ☐ Scissors Trial 5 ☐ Shoe Trial 2 ☐ Pan Trial 4 ☐ Crayon Trial 6 ☐ Glass	
		Comments:	
27. Understands Part/Whole Relationships	Stimulus Book	Provides correct response for 4 trials.	2
		Provides correct response for 2 to 3 trials.	1
		Provides correct response for 0 to 1 trials.	0
		Correct? Trial 1 ☐ Door Trial 2 ☐ Nose Trial 3 ☐ Tail Trial 4 ☐ Wheel(s)	
		Comments:	

Page 21
Total

S
25
28R
20
21
24
29

Item	Materials	Scoring criteria	Score
28. Action Series: 6 Correct	Stimulus Book	Provides correct response for 6 to 8 trials.	2
		Provides correct response for 4 to 5 trials.	1
		Provides correct response for 0 to 3 trials.	0
		Correct? Trial 1 ☐ Waving Trial 3 ☐ Sleeping Trial 5 ☐ Drinking Trial 7 ☐ Washing Trial 2 ☐ Riding Trial 4 ☐ Eating Trial 6 ☐ Reading Trial 8 ☐ Running	
		Comments:	
29. Understands Pronouns (Her, Me, You, My, Your)	Doll, 2 cups, 2 spoons	Provides correct response for 3 to 6 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ You (cup) Trial 3 ☐ Me Trial 5 ☐ My Trial 2 ☐ Her Trial 4 ☐ You (spoon) Trial 6 ☐ Your	
		Comments:	
30. Understands Labels for Sizes	Stimulus Book	Provides correct responses for both the big and little objects for 3 trials.	2
		Provides correct responses for both the big and little objects for 2 trials.	1
		Does not provide correct responses for at least 2 trials.	0
		Correct? Trial 1 ☐ Shoes Trial 2 ☐ Trucks Trial 3 ☐ Dogs	
		Comments:	
31. Understands Prepositions	Cup, block	Provides correct response for 4 to 5 trials.	2
		Provides correct response for 2 to 3 trials.	1
		Provides correct response for 0 to 1 trials.	0
		Correct? Trial 1 ☐ On Trial 3 ☐ Under Trial 5 ☐ Next to Trial 2 ☐ In Trial 4 ☐ Behind	
		Comments:	
32. Understands Possessives	Stimulus Book	Provides correct response for 3 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Boy's car Trial 2 ☐ Baby's bear Trial 3 ☐ Cat's ball	
		Comments:	

Page 22
Total

Item	Materials	Scoring criteria	Score
33. Understands Verb + -ing	Stimulus Book	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Brushing Trial 2 ☐ Swimming	
		Comments:	
34. Identifies Colors	Stimulus Book	Provides correct response for 6 trials.	2
		Provides correct response for 4 to 5 trials.	1
		Provides correct response for 0 to 3 trials.	0
		Correct? Trial 1 ☐ Red Trial 3 ☐ Yellow Trial 5 ☐ Green Trial 2 ☐ Brown Trial 4 ☐ Purple Trial 6 ☐ Blue	
		Comments:	
35. Understands Pronouns (They, She, He)	Stimulus Book	Provides correct response for 3 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Playing Trial 2 ☐ Stairs Trial 3 ☐ Pool	
		Comments:	
36. Understands Plurals	Stimulus Book	Provides correct response for 4 trials.	2
		Provides correct response for 2 to 3 trials.	1
		Provides correct response for 0 to 1 trials.	0
		Correct? Trial 1 ☐ Boy, balloon Trial 3 ☐ Boy, balloons Trial 2 ☐ Girl, balloon Trial 4 ☐ Girl, balloons	
		Comments:	
37. Understands More	Stimulus Book	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Apples Trial 2 ☐ Blocks	
		Comments:	

Page 23
Total

Item	Materials	Scoring criteria	Score
38. Understands Most	Stimulus Book	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Most Trial 2 ☐ Spots	
		Comments:	
39. Understands Negatives	Stimulus Book	Provides correct response for 3 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Baby Trial 2 ☐ Chicken Trial 3 ☐ Child	
		Comments:	
40. Understands Past Tense	Stimulus Book	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Dog Trial 2 ☐ Milk	
		Comments:	
41. Understands Labels for Mass	Stimulus Book	Provides correct response for 3 trials.	2
		Provides correct response for 2 trials.	1
		Provides correct response for 0 to 1 trials.	0
		Correct? Trial 1 ☐ Rock, leaf Trial 2 ☐ Ball, balloon Trial 3 ☐ Book, paper	
		Comments:	
42. Understands Less	Stimulus Book	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Ice cream Trial 2 ☐ Blocks	
		Comments:	

Page 24
Total

RECEPTIVE COMMUNICATION
Total Raw Score
(max. = 84)



EXPRESSIVE COMMUNICATION

Reverse Rule

If the child obtains an imperfect score on any of the first 3 items, find the previous age start point and administer those items in a forward direction.

Discontinue Rule

Discontinue when the child receives scores of 0 for 5 consecutive items.

S = Series Items

R = Related Items



Item	Materials	Scoring criteria	Score
1. Undifferentiated Vocalizations	None	Produces frequent throaty, grunting, squealing, or gurgling sounds. Often	2
		Produces occasional throaty, grunting, squealing, or gurgling sounds. Not often	1
		Does not produce sounds. Not at all	0
		Comments:	
		Caregiver Question: When you play and talk with [insert child's name], does [he/she] make sounds, like gurgling, grunting, and squealing, often, not often, or not at all?	☐
2. Social Smile	None	Produces frequent smiles in response to attention/interaction. Often	2
		Produces occasional smiles in response to attention/interaction. Not often	1
		Does not smile in response to attention/interaction or cries. Not at all	0
		Comments:	
		Caregiver Question: Does [insert child's name] smile or laugh when you or other adults look at or snuggle with [him/her] often, not often, or not at all?	☐
3. Vocalizes Mood	None	Produces frequent and varied vocalizations that express mood. Often	2
		Produces occasional vocalizations that express mood. Not often	1
		Does not vocalize to express mood or cries. Not at all	0
		Comments:	
		Caregiver Question: Does [insert child's name] make noises other than crying to show you how [he/she] feels when [he/she] is happy or upset, like laughing or whining, often, not often, or not at all?	☐
4. Social Vocalizing/ Laughing	None	Produces frequent vocalizations and laughter in response to attention/interaction. Often	2
		Produces occasional vocalizations and laughter in response to attention/interaction. Not often	1
		Does not vocalize at all, smiles but does not vocalize, or only cries. Not at all	0
		Comments:	
		Caregiver Question: Does [insert child's name] make noises or laugh when you speak to or snuggle with [him/her] often, not often, or not at all?	☐
5. Vowel Sounds	None	Produces frequent and varied vocalizations of distinct vowel sounds. Often	2
		Produces occasional vocalizations of distinct vowel sounds. Not often	1
		Does not vocalize vowel sounds. Not at all	0
		Comments:	
		Caregiver Question: When [insert child's name] makes sounds, do you hear [him/her] make sounds, like ah, uh, ooh, or eh, often, not often, or not at all?	☐
6. Solicits Attention/ Interaction	None	Frequent attempts to get attention. Often	2
		Occasional attempts to get attention. Not often	1
		Does not attempt to get attention. Not at all	0
		Comments:	
		Caregiver Question: When you are not paying attention to [insert child's name], does [he/she] try to get your attention often, not often, or not at all?	☐

Page 25
Total



Item	Materials	Scoring criteria	Score
7. Consonant Sounds	Objects of interest	Produces frequent and varied vocalizations of distinct consonant sounds. Often	2
		Produces occasional vocalizations of distinct consonant sounds. Not often	1
		Does not vocalize consonant sounds. Not at all	0
		Comments:	
	Caregiver Question: When [insert child's name] makes sounds, do you hear [him/her] make sounds, like <i>da, ma, or bah</i> , often, not often, or not at all?		☐
8. Consonant-Vowel Combination	None	Produces frequent and varied vocalizations of consonant-vowel combinations. Often	2
		Produces occasional vocalizations of consonant-vowel combinations. Not often	1
		Does not vocalize consonant-vowel combinations. Not at all	0
		Comments:	
	Caregiver Question: When [insert child's name] makes sounds, do you hear [him/her] make sounds, like <i>gaga, bababa, dada, or mamama</i> , often, not often, or not at all?		☐
9. Uses Gestures	None	Frequent use of gestures to communicate. Often	2
		Occasional use of gestures to communicate. Not often	1
		Does not use gestures to communicate. Not at all	0
		Comments:	
	Caregiver Question: When you play and talk with [insert child's name], do you see [him/her] use gestures, like shaking [his/her] head no or waving bye-bye, often, not often, or not at all?		☐
10. Jabbers Expressively	None	Produces frequent vocalizations containing expressive inflections and mimics conversational inflections. Often	2
		Produces occasional vocalizations containing expressive inflection but does not mimic conversational inflections (e.g., only squeals). Not often	1
		Does not produce vocalizations containing expressive inflections or mimic conversational inflections. Not at all	0
		Comments:	
	Caregiver Question: When you talk to [insert child's name], does [he/she] jabber back at you often, not often, or not at all?		☐
11. Uses 1-Word Approximations	None	Says frequent and varied one-word (or more) approximations. Often	2
		Says occasional one-word (or more) approximations. Not often	1
		Does not say one-word (or more) approximations. Not at all	0
		Comments:	
	Caregiver Question: When [insert child's name] sees people or [he/she] plays with toys, does [he/she] name or label them often, not often, or not at all?		☐
12. Directs Attention of Adult to Object	Objects of interest	Without being asked, points to or shows at least 1 object. Often	2
		Points to or shows at least 1 object only after being asked. Not often	1
		Does not point to or show any objects. Not at all	0
		Comments:	
	Caregiver Question: When [insert child's name] wants you to look at something, does [he/she] point to the object or hand it to you without you asking [him/her] about the object often, not often, or not at all?		☐

Page 26
Total

Item	Materials	Scoring criteria	Score
13. Imitates Word	None	Says frequent and varied word imitations. Often	2
		Says occasional word imitations. Not often	1
		Does not say word imitations. Not at all	0
		Comments:	
		Caregiver Question: Does [insert child's name] repeat the words you say to [him/her] back to you often, not often, or not at all? ☐	
14. Initiates Play	Objects of interest	Frequent initiation of play activity. Often	2
		Occasional initiation of play activity. Not often	1
		Does not initiate play activity. Not at all	0
		Comments:	
		Caregiver Question: When [insert child's name] plays, does [he/she] try to start a game with you, like peek-a-boo, often, not often, or not at all? ☐	
15. Uses Appropriate Words	Objects of interest	Frequent and varied use of words appropriately. Often	2
		Occasional use of words appropriately. Not often	1
		Does not use words appropriately. Not at all	0
		Comments:	
		Caregiver Question: When [insert child's name] talks, does [he/she] use the right words to talk about objects [he/she] is playing with or to describe what is going on often, not often, or not at all? ☐	
16. Uses Words to Make Wants Known	None	Says at least 2 words to make wants known.	2
		Says only 1 word to make wants known.	1
		Does not use words to make wants known.	0
		Comments:	
17. Intelligibility: 50%	None	Words or phrases are intelligible at least 50% of the time. At least half	2
		Words or phrases are intelligible less than 50% of the time. Less than half	1
		Words or phrases are not intelligible. None of the time	0
		Comments:	
		Caregiver Question: When new people talk with [insert child's name], do they understand the words [he/she] says at least [half/50%] of the time, less than [half/50%] of the time, or none of the time? If the caregiver asks for clarification, say, With people who do not see [insert child's name] often, like relatives, me, or a neighbor. ☐	
18. Names Objects	Storybook, small ball, doll, spoon, cup	Provides correct response for at least 3 objects.	2
		Provides correct response for 1 to 2 objects.	1
		Provides correct response for 0 objects.	0
		Correct?	
		Object 1 ☐ Object 2 ☐ Object 3 ☐ Object 4 ☐ Object 5 ☐	
		Comments:	

Page 27
Total

Item	Materials	Scoring criteria	Score
19. Combines Gestures and Words	None	Produces frequent and varied gesture and word combinations. Often	2
		Produces occasional gesture and word combinations. Not often	1
		Words are not accompanied by gestures or gestures are accompanied by only nonword vocalizations. Not at all	0
		Comments:	
Caregiver Question: When you play and talk with [insert child's name], does [he/she] gesture and speak at the same time to express [himself/herself] often, not often, or not at all?			☐
20. Names Picture	Stimulus Book	Provides correct response for 5 to 12 trials.	2
		Provides correct response for 1 to 4 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Cookie Trial 4 ☐ Bottle Trial 7 ☐ Shoe(s) Trial 10 ☐ Car Trial 2 ☐ Bird Trial 5 ☐ Balloon(s) Trial 8 ☐ Bed Trial 11 ☐ Kitten Trial 3 ☐ Ball Trial 6 ☐ Spoon Trial 9 ☐ Apple Trial 12 ☐ Book Comments:	
21. Answers Yes or No	Objects of interest	Provides yes or no answer for 4 to 5 questions. Almost every time	2
		Provides yes or no answer for 1 to 3 questions. Some of the time	1
		Provides yes or no answer for 0 questions or responds using gestures without accompanying verbal response. None of the time	0
		Comments:	
Caregiver Question: When you ask [insert child's name] a yes/no question, does [he/she] answer you by saying the words yes or no almost every time, some of the time, or none of the time?			☐
22. Imitates 2-Word Utterances	None	Frequent and varied imitation of two-word (or more) utterances and each word in the utterance denotes a different concept. Often	2
		Occasional imitation of two-word (or more) utterances and each word in the utterance denotes a different concept. Not often	1
		Imitates one-word utterances only or does not imitate any utterances. Not at all	0
		Comments:	
Caregiver Question: Does [insert child's name] repeat two-word sentences back to you, like <i>Mama go</i> , often, not often, or not at all?			☐
23. Says 2-Word Utterances	None	Frequent and varied production of two-word (or more) utterances. Often	2
		Occasional production of two-word (or more) utterances. Not often	1
		Does not say two-word (or more) utterances. Not at all	0
		Comments:	
Caregiver Question: When you play and talk with [insert child's name], does [he/she] say sentences with two or more words often, not often, or not at all?			☐
24. Intelligibility: 75%	None	Phrases or sentences are intelligible at least 75% of the time. At least 75%	2
		Phrases or sentences are intelligible 50% to 74% of the time. Only half	1
		Phrases or sentences are not intelligible at least 50% of the time. Less than half	0
		Comments:	
Caregiver Question: When new people talk with [insert child's name], do they understand the sentences [he/she] says 75% of the time, only [half/50%] of the time, or less than [half/50%] of the time? If the caregiver asks for clarification, say, With people who do not see [insert child's name] often, like relatives, me, or a neighbor.			☐

R
23
25
37S
27
31

Item	Materials	Scoring criteria	Score
25. Says 3-Word Sentences	None	Frequent and varied production of three-word (or more) sentences. Often	2
		Occasional production of three-word (or more) sentences. Not often	1
		Does not say three-word (or more) sentences. Not at all	0
		Comments:	
		Caregiver Question: When you play and talk with [insert child's name], does [he/she] say sentences with three or more words often, not often, or not at all? ☐	
26. Uses Pronouns	Objects of interest	Frequent and varied use of pronouns. Often	2
		Occasional use of pronouns. Not often	1
		Does not use pronouns. Not at all	0
		Comments:	
		Caregiver Question: When you play and talk with [insert child's name], does [he/she] say pronouns, like <i>me, I, he, she, her, or him</i> , often, not often, or not at all? ☐	
27. Names Action Series: 3 Correct	Stimulus Book	Provides correct response for 3 to 10 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Eating Trial 4 ☐ Swimming Trial 7 ☐ Kicking Trial 10 ☐ Washing Trial 2 ☐ Playing Trial 5 ☐ Hugging Trial 8 ☐ Swinging Trial 3 ☐ Sleeping Trial 6 ☐ Running Trial 9 ☐ Yawning	
		Comments:	
28. Poses Questions	None	Frequent and varied production of multiple-word questions.	2
		Occasional production of multiple-word questions.	1
		Does not say multiple-word questions.	0
		Comments:	
29. Uses Verb + -ing	Stimulus Book	Provides correct response for 2 trials.	2
		Provides correct response for 1 trial.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ Eating, sitting Trial 2 ☐ Sleeping	
		Comments:	
30. Uses Different Word Combinations	None	Says at least 3 sentence structures.	2
		Says 1 to 2 sentence structures.	1
		Says 0 sentence structures.	0
		Comments:	
31. Names Action Series: 5 Correct	Stimulus Book	Provides correct response for 5 to 10 trials.	2
		Provides correct response for 4 trials.	1
		Provides correct response for 0 to 3 trials.	0
		Correct? Trial 1 ☐ Eating Trial 4 ☐ Swimming Trial 7 ☐ Kicking Trial 10 ☐ Washing Trial 2 ☐ Playing Trial 5 ☐ Hugging Trial 8 ☐ Swinging Trial 3 ☐ Sleeping Trial 6 ☐ Running Trial 9 ☐ Yawning	
		Comments:	

S
27
31Page 29
Total

Item	Materials	Scoring criteria	Score
32. Answers Questions	Stimulus Book	Provides correct response for 3 trials.	2
		Provides correct response for 2 trials.	1
		Provides correct response for 0 to 1 trials.	0
		Correct? Trial 1 ☐ Sleep Trial 2 ☐ Blocks Trial 3 ☐ Car	
		Comments:	
33. Uses Possessives	Stimulus Book	Uses possessive pronoun or the 's ending for 2 to 3 trials.	2
		Uses possessive pronoun or the 's ending for 1 trial.	1
		Does not use possessive pronoun or the 's ending for any trial.	0
		Correct? Trial 1 ☐ Cat Trial 2 ☐ Food Trial 3 ☐ Blocks	
		Comments:	
34. Names Colors	Stimulus Book	Provides correct response for 4 to 6 trials.	2
		Provides correct response for 2 to 3 trials.	1
		Provides correct response for 0 to 1 trials.	0
		Correct? Trial 1 ☐ Red Trial 3 ☐ Yellow Trial 5 ☐ Brown Trial 2 ☐ Blue Trial 4 ☐ Green Trial 6 ☐ Purple	
		Comments:	
35. Tells Object Use	Stimulus Book	Provides correct response for 5 trials.	2
		Provides correct response for 3 to 4 trials.	1
		Provides correct response for 0 to 2 trials.	0
		Correct? Trial 1 ☐ Cup Trial 3 ☐ Toothbrush Trial 5 ☐ Shoes Trial 2 ☐ Scissors Trial 4 ☐ Tricycle	
		Comments:	
36. Uses Prepositions	1 block, cup	Provides correct response for 3 to 5 trials.	2
		Provides correct response for 1 to 2 trials.	1
		Provides correct response for 0 trials.	0
		Correct? Trial 1 ☐ In Trial 3 ☐ Under Trial 5 ☐ Next to Trial 2 ☐ On Trial 4 ☐ Behind	
		Comments:	
37. Says 4- or 5-Word Sentences	Stimulus Book	Says a four- or five-word (or more) sentence at least twice. Often	2
		Says a four- or five-word (or more) sentence once. Not often	1
		Does not say four- or five-word (or more) sentences. Not at all	0
		Comments:	
		Caregiver Question: When you play and talk with [insert child's name], does [he/she] say sentences with four or five words often, not often, or not at all? ☐	

R
23
25
37

Page 30
Total

EXPRESSIVE COMMUNICATION
Total Raw Score
(max. = 74)



FINE MOTOR

Reverse Rule

If the child obtains an imperfect score on any of the first 3 items, find the previous age start point and administer those items in a forward direction.

Discontinue Rule

Discontinue when the child receives scores of 0 for 5 consecutive items.

S = Series Items

R = Related Items

A-E

R
2 | 6
3 | 11
5 | 16

R
2 | 6
3 | 11
5 | 16

R
4
8
10

R
2 | 6
3 | 11
5 | 16

R
2 | 6
3 | 11
5 | 16

Item	Materials	Scoring criteria	Score
1. Eyes Follow Moving Person	None	Eyes track person through midline to the left and to the right.	2
		Eyes track person briefly but eyes do not follow past midline.	1
		Eyes do not track person or child looks at something else in room.	0
		Comments:	
2. Follows Ring: Horizontal	Ring with string <i>Note.</i> Ring with string items are also in the Cognitive subtest.	Eyes track ring through 1 complete trial.	2
		Eyes track ring but not for a complete trial.	1
		Eyes do not track ring.	0
		Comments:	
3. Follows Ring: Vertical	Ring with string <i>Note.</i> Ring with string items are also in the Cognitive subtest.	Eyes track ring through 1 complete trial.	2
		Eyes track ring but not for a complete trial.	1
		Eyes do not track ring.	0
		Comments:	
4. Brings Hand to Mouth	None	Attempts to place hand in mouth and has consistent success. Almost every time	2
		Attempts to place hand in mouth but does not have consistent success. Some of the time	1
		Does not attempt to place hand in mouth. None of the time	0
		Comments:	
	Caregiver Question: Can [insert child's name] successfully put [his/her] hand(s) in [his/her] mouth almost every time [he/she] tries, some of the time, or none of the time?		
5. Retains Ring	Ring with string, timer <i>Note.</i> Ring with string items are also in the Cognitive subtest.	Retains ring for at least 5 seconds. Almost every time	2
		Retains ring for 2 to 4 seconds. Some of the time	1
		Retains ring for 0 to 1 seconds. None of the time	0
		Elapsed time:	
		Comments:	
Caregiver Question: When [insert child's name] has something in [his/her] hand, is [he/she] able to hold onto it for at least 5 seconds almost every time, some of the time, or none of the time?			☐
6. Head Follows Ring	Ring with string <i>Note.</i> Ring with string items are also in the Cognitive subtest.	Head tracks ring through 1 complete trial.	2
		Head tracks ring but not for a complete trial.	1
		Head does not track ring.	0
		Comments:	

Page 31
Total

Item	Materials	Scoring criteria	Score
7. Follows Pencil: Horizontal	Pencil	Eyes track pencil through 1 complete trial.	2
		Eyes track pencil but not for a complete trial.	1
		Eyes do not track pencil.	0
		Comments:	
8. Keeps Hands Open	None	Holds both hands open almost all of the time. Almost all of the time	2
		Holds both hands open some of the time. Some of the time	1
		One or both hands remain fisted most of the time or cortical thumbing is noted at least some of the time. None of the time	0
		Comments:	
	Caregiver Question: When [insert child's name] is not holding something, are [his/her] hands open almost all the time, some of the time, or none of the time?		☐
9. Palmar Grasp Reflex	None	Hands do not reflexively close when palms are gently pressed.	2
		Hands close briefly but then open and grasp is loose.	1
		Hands reflexively close when palms are gently pressed and grasp is tight for several seconds.	0
		Comments:	
10. Distal Rotation	Block, rattle, bell, or other small object	Freely rotates wrist from palm down to palm up.	2
		Slightly rotates wrist.	1
		Does not rotate wrist.	0
		Comments:	
11. Grasps Suspended Ring	Ring with string	Uses 1 or both hands to successfully grasp ring. Almost every time	2
	Note. Ring with string items are also in the Cognitive subtest.	Attempts to grasp ring with 1 or both hands but only makes contact. Some of the time	1
		Does not reach for ring or attempts to touch ring are unsuccessful. None of the time	0
		Comments:	
	Caregiver Question: Is [insert child's name] able to successfully grab things that hang, like this ring (point to ring), almost every time [he/she] tries, some of the time, or none of the time?		☐
12. Reaches for/ Touches Block	Block	Extends 1 or both arms and touches block. Almost every time	2
		Extends 1 or both arms but does not touch block. Some of the time	1
		Does not reach for block. None of the time	0
		Comments:	
Caregiver Question: When things like this block (point to block) are placed in front of [insert child's name], is [he/she] able to reach for and touch them almost every time [he/she] tries, some of the time, or none of the time?		☐	
13. Block Grasp Series: Whole Hand	Block	Grasps block using 1 hand with whole hand (palmar) grasp or uses more advanced grasp.	 2
		Grasps block using both hands.	1
		Does not grasp block.	0
		Comments:	

Page 32
Total

Item	Materials	Scoring criteria	Score
14. Looks at Pellet	Food pellet	Looks at pellet for at least 3 seconds.	2
		Looks at pellet for less than 3 seconds and does not focus on it.	1
		Does not regard pellet.	0
		Comments:	
15. Pellet Grasp Series: Whole Hand	Food pellet	Grasps pellet using whole hand grasp or uses more advanced grasp.	 2
		Inconsistently uses whole hand grasp or uses raking grasp.	 1
		Does not attempt to grasp pellet.	0
		Comments:	
16. Transfers Block or Ring	Block, ring with(out) string Note. Ring with string items are also in the Cognitive subtest.	Transfers block (not ring) from hand to hand.	2
		Transfers ring (not block) from hand to hand.	1
		Does not transfer ring or block from hand to hand.	0
		Comments:	
17. Feeds Self	None	Almost every time	2
		Some of the time	1
		None of the time	0
		Comments:	
Caregiver Question: When you give [insert child's name] small foods, like peas, puffs, or raisins, is [he/she] able to successfully pick them up with [his/her] thumb and finger and put them in [his/her] mouth almost every time [he/she] tries, some of the time, or none of the time?			☐
18. Block Grasp Series: Thumb-Fingertip	Block	Grasps block using thumb-fingertip grasp.	 2
		Grasps block using partial thumb opposition grasp.	 1
		Uses less advanced grasp.	0
		Comments:	
19. Pellet Grasp Series: Neat Pincer	Food pellet	Grasps pellet using neat pincer grasp.	 2
		Grasps pellet using partial thumb opposition grasp.	 1
		Uses less advanced grasp.	0
		Comments:	

Page 33
Total

S
21
26
29
45

R
21 34
23 39
26 42
29 45
31



R
21 34
23 39
26 42
29 45
31

S
24
30
33

R
12 24
13 30
18 33

R
14
15
19
25

Item	Materials	Scoring criteria	Score
20. Turns Pages of Book	Storybook	Consistently and successfully attempts to turn 1 page at a time. Almost every time	2
		Occasionally turns 1 page at a time but typically turns several pages. Some of the time	1
		Does not attempt to turn pages. None of the time	0
		Comments:	
	Caregiver Question: Is [insert child's name] able to successfully turn the pages of a book one at a time almost every time [he/she] turns pages, some of the time, or none of the time?		☐
21. Pencil Grasp Series: Palmar	Crayon or pencil, paper	Grasps crayon or pencil using palmar grasp (palmar supinate or radial cross palmar) and makes a mark on paper or uses more advanced grasp.	 2
		Grasps crayon or pencil using fingers and thumb opposition but does not make a mark.	1
		Does not grasp crayon or pencil firmly in palm.	0
		Comments:	
	22. Finger in Pegboard	Pegboard	Intentionally pokes a finger or thumb in at least 2 holes.
Intentionally pokes a finger or thumb in 1 hole or pokes a finger or thumb repeatedly in the same hole.			1
Shows no interest in pegboard or does not poke a finger into any holes.			0
Comments:			
23. Scribbles Spontaneously		Crayon or pencil, paper	Spontaneously and purposely scribbles on paper.
	Purposely scribbles on paper after demonstration.		1
	Accidentally marks on paper while playing with crayon or does not mark on paper.		0
	Comments:		
	24. Block Stacking Series: 2 Blocks	12 blocks	Stacks 2 to 12 blocks in any trial.
Stacks 2 blocks but does not leave them stacked, does not release second block, or blocks fall over.			1
Base is not a single block or does not stack blocks.			0
Number of blocks:			
Comments:			
25. Pellets in Bottle	10 food pellets, bottle, timer	Places 10 pellets in bottle within 60 seconds, 1 at a time.	2
		Places 5 to 9 pellets in bottle within 60 seconds, 1 at a time.	1
		Places 0 to 4 pellets in bottle within 60 seconds, 1 at a time.	0
		Completion time:	
		Number of pellets:	
	Comments:		

Page 34
Total

S
21
26
29
45

R
21 34
23 39
26 42
29 45
31

Item	Materials	Scoring criteria	Score
26. Pencil Grasp Series: Transitional	Crayon or pencil, paper	Consistently grasps crayon or pencil using transitional grasp (digital pronate) and makes a mark on paper or uses more advanced grasp.	2
		Inconsistently uses transitional grasp and marks on paper.	1
		Uses less advanced grasp.	0
		Comments:	
27. Coins in Bank	Bank, 7 coins, timer	Places 4 to 7 coins in slot within 90 seconds.	2
		Places 3 coins in slot within 90 seconds.	1
		Places 0 to 2 coins in slot within 90 seconds.	0
		Completion time:	
		Number of coins:	
28. Takes Blocks Apart	Connecting block set	Separates all stacked blocks.	2
		Separates at least 1 block from stacked blocks.	1
		Does not separate any stacked blocks.	0
		Comments:	
29. Pencil Grasp Series: Static Tripod	Crayon or pencil, paper	Consistently grasps crayon or pencil using static tripod grasp or static quadrupod grasp and makes a mark on paper or uses more advanced grasp.	2
		Inconsistently uses static tripod grasp or static quadrupod and marks on paper.	1
		Uses less advanced grasp.	0
		Comments:	
30. Block Stacking Series: 6 Blocks	12 blocks	Stacks 6 to 12 blocks in any trial.	2
		Stacks 4 to 5 blocks in any trial.	1
		Does not stack at least 4 blocks in any trial or uses 2 or more blocks as the base.	0
		Number of blocks:	
		Comments:	
31. Imitates Strokes: Horizontal and Vertical	Crayon or pencil, paper	Makes both horizontal and vertical strokes that are within approximately 30° of your lines.	2
		Makes either a horizontal or vertical stroke that is within approximately 30° of your lines.	1
		Does not make horizontal or vertical strokes or neither stroke is within 30° of your lines.	0
		Comments:	

Page 35
Total

R
28
32

Item	Materials	Scoring criteria	Score
32. Connects Blocks	Connecting block set, timer	Puts all 6 blocks together within 90 seconds.	2
		Puts 3 to 5 blocks together within 90 seconds.	1
		Puts 0 to 2 blocks together within 90 seconds.	0
		Completion time:	
		Number of blocks:	
		Comments:	
33. Block Stacking Series: 8 Blocks	12 blocks	Stacks 8 to 12 blocks in any trial.	2
		Stacks 7 blocks in any trial.	1
		Does not stack at least 7 blocks in any trial or uses 2 or more blocks as the base.	0
		Number of blocks:	
		Comments:	
34. Imitates Strokes: Circular	Crayon or pencil, paper	Makes a mostly circular shape with no gap greater than 1 in.	2
		Makes a mostly circular shape with a gap greater than 1 in.	1
		Does not make a mostly circular shape.	0
		Comments:	
35. Builds Train	10 blocks	Places 4 adjacent, touching blocks in a row and a fifth on top.	2
		Places at least 4 adjacent, touching blocks in a row but fifth block is not placed on top.	1
		Does not place 4 adjacent blocks in a row or adjacent blocks have a gap greater than ¼ in.	0
		Comments:	
36. Strings Blocks	Shoelace, 3 blocks with holes	Strings 3 blocks on shoelace.	2
		Strings 1 to 2 blocks on shoelace.	1
		Strings 0 blocks on shoelace or threads blocks on tip of shoelace.	0
		Comments:	
37. Folds Paper	4 sheets of paper	Folds paper approximately in half.	2
		Folds paper but fold divides paper by less than half (e.g., into thirds).	1
		Does not attempt to fold paper or crumples paper.	0
		Comments:	
38. Builds Bridge	6 blocks	Replicates bridge.	2
		Replicates bridge but has no gap between bottom blocks.	1
		Does not replicate bridge.	0
		Comments:	

Page 36
Total

		Item	Materials	Scoring criteria	Score
R 21 23 26 29 31	34 39 42 45	39. Imitates Plus Sign	Crayon or pencil, paper	Makes 2 intersecting lines close to midpoint and both are within approximately 30° of your lines.	2
				Makes 2 intersecting lines that do not intersect close to midpoint or lines have a break.	1
				Does not make 2 intersecting lines or design does not resemble a plus sign.	0
				Comments:	
		40. Managing Buttons	Button sleeve	Both buttons and unbuttons sleeve.	2
				Either buttons or unbuttons sleeve.	1
				Does not button or unbutton sleeve.	0
				Comments:	
R 41 43 46		41. Traces Designs	Response Booklet, crayon or pencil	Traces designs correctly for 3 trials.	2
				Traces designs correctly for 1 to 2 trials.	1
				Traces designs correctly for 0 trials.	0
				Comments:	
R 21 23 26 29 31	34 39 42 45	42. Imitates Square	Crayon or pencil, paper	Makes a four-sided figure with 4 distinct corners and no gap larger than ¼ in. at corners.	2
				Makes a four-sided figure but corners are rounded or figure is clearly rectangular.	1
				Does not make a four-sided figure.	0
				Comments:	
R 41 43 46		43. Copies Plus Sign	Response Booklet, crayon or pencil	Makes 2 intersecting lines close to midpoint and both are within approximately 30° of the horizontal and vertical axes.	2
				Makes 2 intersecting lines that do not intersect close to midpoint or lines have a break.	1
				Does not make 2 intersecting lines or design does not resemble a plus sign.	0
				Comments:	
		44. Taps Finger	Timer	Taps at least 20 times within 15 seconds for both trials.	2
				Taps at least 10 times within 15 seconds for at least 1 trial.	1
				Does not tap at least 10 times within 15 seconds for at least 1 trial or taps other fingers along with index finger.	0
				Comments:	

Page 37
Total

S
21
26
29
45

R

21 34
23 39
26 42
29 45
31

R

41
43
46

Item	Materials	Scoring criteria	Score
45. Pencil Grasp Series: Dynamic	Crayon or pencil, paper	Consistently grasps crayon or pencil using mature, controlled, dynamic grasp and makes a mark on paper.	2
		Inconsistently uses dynamic grasp and marks on paper.	1
		Uses less advanced grasp.	0
		Comments:	
46. Copies Square	Response Booklet, crayon or pencil	Makes a four-sided figure with 4 distinct corners and no gap larger than ¼ in. at corners.	2
		Makes a four-sided figure but corners are rounded or figure is clearly rectangular.	1
		Does not make a four-sided figure.	0
		Comments:	

Page 38

Total

FINE MOTOR
Total Raw Score
(max. = 92)



GROSS MOTOR

Reverse Rule

If the child obtains an imperfect score on any of the first 3 items, find the previous age start point and administer those items in a forward direction.

Discontinue Rule

Discontinue when the child receives scores of 0 for 5 consecutive items.

S = Series Items

R = Related Items



R

1

12

22

S

2

6

R

2 6

4 7

5 15

R

3

11

R

2 6

4 7

5 15



R

2 6

4 7

5 15

S

2

6

R

2 6

4 7

5 15

Item	Materials	Scoring criteria	Score
1. Thrusts Arms and Legs	None	Thrusts arms and legs at least 1 time in a smooth, coordinated fashion.	2
		Thrusts arms and legs but movements are not in a smooth, coordinated fashion.	1
		Shows asymmetry in movement, thrusting 1 side only or not moving both arms and legs.	0
		Comments:	
2. Controls Head Upright Series: 3 Seconds	Timer	Holds head erect without support for at least 3 seconds.	2
		Lifts head without support intermittently for 1 to 2 seconds.	1
		Does not lift head.	0
		Elapsed time:	
		Comments:	
3. Turns Head to Each Side	Object of interest	Turns head from 1 side to the other on both sides.	2
		Turns head from 1 side to the other on 1 side.	1
		Does not turn head from 1 side to the other on either side.	0
		Comments:	
4. Controls Head: Supine Suspension	None	Maintains head in midline or child lifts head up slightly.	2
		Maintains head in midline briefly before dropping backward.	1
		Does not maintain head in midline even briefly and needs support constantly.	0
		Comments:	
5. Controls Head: Prone Suspension	None	Maintains head in midline or child lifts head up slightly.	2
		Maintains head in midline briefly before dropping forward.	1
		Does not maintain head in midline even briefly or head drops as child is lifted.	0
		Comments:	
6. Controls Head Upright Series: 15 Seconds	Timer	Holds head erect, steady, and without support for at least 15 seconds.	2
		Holds head erect, steady, and without support for 10 to 14 seconds.	1
		Holds head erect, steady, and without support for 0 to 9 seconds.	0
		Elapsed time:	
		Comments:	

Page 39
Total

S
7
15R
2 6
4 7
5 15R
8
9
14R
8
9
14R
10
17
23R
3
11R
1
12
22S
13
16R
13 18
16 24

Item	Materials	Scoring criteria	Score
7. Controls Head Prone Series: 45°	Object of interest	Maintains a raised head at least 45° for at least 3 seconds.	2
		Maintains a raised head at least 45° for less than 3 seconds.	1
		Does not raise head at least 45°.	0
		Comments:	
8. Rights Head	None	Consistently keeps head balanced and in same plane as body; may overcompensate by tilting head toward vertical plane.	2
		Keeps head balanced briefly but not in all 4 planes; head balance is inconsistent.	1
		Head does not adjust position when shifted from vertical plane; head control is unsteady.	0
		Comments:	
9. Downward Parachute	None	Legs extend and legs and feet rotate outward symmetrically.	2
		Legs only partially extend with only slight rotation outward that is symmetric.	1
		Keeps legs tucked, response is asymmetric, or legs scissor (cross).	0
		Comments:	
10. Rolls: Stomach to Back	Bell, rattle	Consistently able to roll from stomach to back from either side. Almost every time	2
		Inconsistently able to roll from stomach to back from either side or typically rolls from stomach to side. Some of the time	1
		Does not roll from stomach to back. None of the time	0
		Comments:	
	Caregiver Question: Can [insert child's name] successfully roll from [his/her] stomach to [his/her] back almost every time [he/she] tries, some of the time, or none of the time?		☐
11. Elevates Chest While Prone	Object of interest	Elevates head and chest by pushing up on both hands.	2
		Elevates head and chest by pushing up on elbows or forearms.	1
		Does not elevate head and chest or uses legs to elevate abdomen.	0
		Comments:	
12. ATNR	None	No spontaneous asymmetric tonic neck posture observed.	2
		Spontaneous tonic neck posture is transient and is absent most of the time.	1
		Displays tonic neck posture frequently when supine.	0
		Comments:	
13. Supported Sitting Series: 10 Seconds	Timer	Sits with slight support for at least 10 seconds.	2
		Sits with slight support for 5 to 9 seconds.	1
		Sits with slight support for 0 to 4 seconds.	0
		Elapsed time:	
		Comments:	

Page 40
Total

		Item	Materials	Scoring criteria	Score
R 8 9 14		14. Forward Parachute	None	Extends both arms, hands open, and neck extends.	2
				Extends both arms partially with at least slight neck extension; hands may not open.	1
				Does not extend arms or only extends 1 arm.	0
				Comments:	
S 7 15	R 2 4 5	15. Controls Head Prone Series: 90°	Object of interest	Maintains a raised head at least 90° for at least 5 seconds; abdomen, hips, and thighs should remain on exam surface.	2
				Maintains a raised head at least 90° for less than 5 seconds; abdomen, hips, and thighs could lift off exam surface briefly.	1
				Does not raise head at least 90°.	0
				Comments:	
S 13 16	R 13 16 18 24	16. Supported Sitting Series: 30 Seconds	Timer	Sits with slight support for at least 30 seconds.	2
				Sits with slight support for 15 to 29 seconds.	1
				Sits with slight support for 0 to 14 seconds.	0
				Elapsed time: Comments:	
R 10 17 23		17. Rolls: Back to Side	Bell, rattle	Consistently able to roll from back to side.	2
				Inconsistently able to roll from back to side.	1
				Does not roll from back to side.	0
				Comments:	
S 18 24	R 13 16 18 24	18. Unsupported Sitting Series: 10 Seconds	Timer	Sits without support for at least 10 seconds.	2
				Sits without support for 5 to 9 seconds.	1
				Sits without support for 0 to 4 seconds or uses arms to prop self up.	0
				Elapsed time: Comments:	
		19. Foot Grasp (Plantar)	None	No toe flexion around thumbs.	2
				Some toe flexion but is not strong or is not maintained for several seconds.	1
				Strong, maintained toe flexion.	0
				Comments:	
R 20 25 28 34		20. Stands: Back Straight	None	Trunk and head are perpendicular to floor.	2
				Leans forward, bends at hips, or hips are slightly flexed and legs bent.	1
				Does not support weight or locks legs in hyperextension, bending torso forward at least 45°.	0
				Comments:	

Page 41
Total

Item	Materials	Scoring criteria	Score
21. Pulls Up to Sit	None	Actively pulls and head leans forward (chin toward chest) to pull up to sit.	2
		Actively pulls and head is in line with body.	1
		Does not actively pull and head lags in pull to sit or locks back (axial tone) and pulls to standing.	0
		Comments:	
22. Grasps Feet	None	Frequent bringing of 1 or both feet up to hands and grasping a foot or bringing foot to mouth. Almost every time	2
		Occasional bringing of 1 or both feet up to hands and grasping a foot or bringing foot to mouth. Some of the time	1
		Does not bring 1 or both feet up to hands. None of the time	0
		Comments:	
Caregiver Question: Does [insert child's name] grab [his/her] feet or put them in [his/her] mouth almost every time [he/she] tries, some of the time, or none of the time?			☐
23. Rolls: Back to Stomach	Bell, rattle	Consistently able to roll from back to stomach from either side. Almost every time	2
		Inconsistently able to roll from back to stomach from either side or typically rolls from back to side. Some of the time	1
		Does not roll from back to stomach. None of the time	0
		Comments:	
Caregiver Question: Can [insert child's name] successfully roll from [his/her] back to [his/her] stomach almost every time [he/she] tries, some of the time, or none of the time?			☐
24. Unsupported Sitting Series: 30 Seconds	Timer	Sits without support for at least 30 seconds with back straight (i.e., perpendicular to surface).	2
		Sits without support for 11 to 29 seconds with either back straight or leaning forward slightly.	1
		Sits without support for 0 to 10 seconds.	0
		Elapsed time:	
Comments:			
25. Early Stepping Movements	None	Makes at least 4 stepping movements that propel forward.	2
		Makes at least 2 stepping movements that propel forward.	1
		Does not make at least 2 stepping movements or holds legs stiffly.	0
		Comments:	
26. Crawls Series: On Stomach	Object of interest	Crawls forward on stomach (e.g., commando crawl) using both arms for at least 3 ft. Almost every time	2
		Moves forward by scooting on buttocks or gets up on hands and knees and rocks or goes backward. Some of the time	1
		Does not move forward or backward or get up on hands and knees and rock. None of the time	0
		Comments:	
Caregiver Question: Does [insert child's name] crawl on [his/her] hands and knees? If the caregiver says yes, score 2. If the caregiver says no, ask, When [insert child's name] wants to move from one place to another, can [he/she] army or commando crawl or crawl on [his/her] stomach for at least 3 feet almost every time [he/she] tries, some of the time, or none of the time?			☐

Page 42
Total

R
27
30
33

R
20
25
28
34

S
26
29

J-K

R
27
30
33

S
31
36

R
31
32
36
40

Item	Materials	Scoring criteria	Score
27. Transitions From Sitting to Hands and Knees	Object of interest	Moves from a seated position to hands and knees with good balance. Almost every time	2
		Does not move from a seated position to hands and knees with good balance. Some of the time	1
		Loses balance when changing position or does not move from seated position to hands and knees. None of the time	0
		Comments:	
	Caregiver Question: When [insert child's name] wants to get up and start crawling, can [he/she] go from a sitting to a crawling position without tipping over or falling down almost every time [he/she] tries, some of the time, or none of the time?		☐
28. Supports Weight	Timer	Supports own weight for at least 4 seconds using your hands for balance only.	2
		Supports own weight for 2 to 3 seconds using your hands for balance only.	1
		Supports own weight for 0 to 1 seconds using your hands for balance only or requires support to remain standing.	0
		Elapsed time:	
	Comments:		
29. Crawls Series: Crawl Movement	Object of interest	Crawls forward on hands and knees (or feet) for at least 5 ft. Almost every time	2
		Crawls forward on hands and knees (or feet) for less than 5 ft. Some of the time	1
		Does not crawl forward on hands and knees (or feet). None of the time	0
		Comments:	
	Caregiver Question: When [insert child's name] wants to move from one place to another, can [he/she] crawl on [his/her] hands and knees for at least 5 feet almost every time [he/she] tries, some of the time, or none of the time?		☐
30. Raises Self to Standing	Object of interest	Rises to a standing position using a chair or other convenient object for support. Almost every time	2
		Attempts to rise to a standing position but cannot pull up completely. Some of the time	1
		Does not attempt to rise to a standing position or loses balance immediately. None of the time	0
		Comments:	
	Caregiver Question: Can [insert child's name] successfully pull up on furniture to a standing position almost every time [he/she] tries, some of the time, or none of the time?		☐
31. Walks Series: With Support	None	Takes at least 4 steps with support with good coordination.	2
		Takes at least 2 steps with support with good coordination or more than 2 steps without good coordination.	1
		Does not take any steps or relies completely on support to move forward.	0
		Comments:	
32. Walks Sideways With Support (Cruises)	Object of interest	Walks sideways at least 2 steps with support. Almost every time	2
		Attempts to walk sideways but does not take at least 2 steps. Some of the time	1
		Does not walk sideways. None of the time	0
		Comments:	
	Caregiver Question: When [insert child's name] wants to move from one place to another, can [he/she] walk sideways while holding onto the furniture almost every time [he/she] tries, some of the time, or none of the time?		☐

Page 43
Total

Item	Materials	Scoring criteria	Score
33. Sits Down With Control	None	Purposely lowers from a standing to a sitting position in a controlled manner through the entire movement.	2
		Purposely lowers from a standing to a sitting position in a controlled manner through part of the movement; may slowly lower to knees.	1
		Falls to a sitting position (e.g., plops down).	0
		Comments:	
34. Stands Alone	Timer	Stands alone for at least 5 seconds after hands are released.	2
		Stands alone for 3 to 4 seconds after hands are released.	1
		Stands alone for 0 to 2 seconds.	0
		Elapsed time:	
		Comments:	
35. Stands Up Alone	None	Rolls to 1 side and stands without using any support.	2
		Rolls into a prone or quadruped (hands and feet on floor) position and stands without using any support.	1
		Does not stand up or stands up only with support.	0
		Comments:	
36. Walks Series: Without Support	None	Takes at least 5 steps without support with good coordination and without using arms for balance.	2
		Takes at least 3 steps without support but without good coordination and uses arms for balance (e.g., medium or high guard).	1
		Does not take at least 3 steps without support, gait is asymmetric, or does not attempt to walk.	0
		Comments:	
37. Throws Ball Forward	Small ball	Purposely throws ball forward using either an underhand or overhand motion. Almost every time	2
		Attempts to throw ball forward using either an underhand or overhand motion but ball goes straight up or backward. Some of the time	1
		Drops or rolls ball. None of the time	0
		Comments:	
		Caregiver Question: Is [insert child's name] able to successfully throw a ball forward almost every time [he/she] tries, some of the time, or none of the time?	
38. Unsupported Squat	Object of interest	Smoothly moves from standing to squatting to standing while maintaining balance without using any support.	2
		Moves from standing to squatting to standing but may stumble a bit or need slight support, such as stabilizing with 1 hand on floor.	1
		Sits down to retrieve object or needs support to pick up object.	0
		Comments:	

Page 44
Total

S
39
52

R

39 52
41 54
44



R

31 36
32 40

S
41
54

R

39 52
41 54
44

R
37
42
45

R
43
49
56

R

39 52
41 54
44

Item	Materials	Scoring criteria	Score
39. Walks Up Stairs Series: Both Feet on Each Step Without Support	Stairs	Walks up at least 3 steps without support, placing both feet on each step before stepping up to the next.	2
		Walks up at least 3 steps with support, placing both feet on each step before stepping up to the next.	1
		Does not walk up at least 3 steps.	0
		Comments:	
40. Walks Backward	None	Takes at least 3 steps backward without support and shows good balance.	2
		Takes 2 steps backward without support; slight loss of balance acceptable.	1
		Does not take at least 2 steps backward without support or walks backward and loses balance after 1 to 2 steps.	0
		Comments:	
41. Walks Down Stairs Series: Both Feet on Each Step Without Support	Stairs	Walks down at least 3 steps without support, placing both feet on each step before stepping down to the next.	2
		Walks down at least 3 steps with support, placing both feet on each step before stepping down to the next.	1
		Does not walk down at least 3 steps.	0
		Comments:	
42. Coordinated Run	Large ball	Runs with good coordination.	2
		Runs but is slightly uncoordinated or a bit stiff.	1
		Runs with uneven gait, with legs spread more than shoulder width apart or child trips; arms might posture or 1 or both hands fist.	0
		Comments:	
43. Balances on Each Foot With Support	Timer	Balances on both left and right foot with support for at least 2 seconds.	2
		Balances on only right or only left foot with support for at least 2 seconds.	1
		Does not balance on either foot for at least 2 seconds or balances on either foot but requires support beyond just holding child's hand.	0
		Elapsed time (Trial 1): Elapsed time (Trial 2):	
		Comments:	
44. Jumps: Bottom Step	Stairs	Jumps to floor with feet together and both feet are in the air at some point during jump, and lands with balance. Almost every time	2
		Jumps to floor with 1 foot leading and both feet are in the air at some point during jump, but does not land with balance. Some of the time	1
		Does not jump to floor or jumps up but lands on same step, or walks down step rather than jumping. None of the time	0
		Comments:	
Caregiver Question: Does [insert child's name] jump from the bottom step and land without stumbling or falling down almost every time [he/she] tries, some of the time, or none of the time?			☐

Page 45
Total

		Item	Materials	Scoring criteria	Score	
R 37 42 45		45. Kicks Ball	Large ball	Maintains balance while kicking ball in a forward direction at least 2 ft.	2	
				Kicks ball, but it moves forward less than 2 ft or child loses balance in the process of kicking.	1	
				Makes kicking motion but misses ball, or kicks ball but requires support to maintain balance.	0	
				Comments:		
R 46 50 51		46. Walks on Path: Forward	Stepping path	Takes at least 2 steps with both feet on stepping path and keeps 1 foot on path for at least 5 ft.	2	
				Walks for at least 5 ft and keeps at least 1 foot on stepping path.	1	
				Does not keep 1 foot on stepping path or does not walk a distance of at least 5 ft.	0	
				Comments:		
S 47 58	R 47 48 55 58	47. Jumps Forward Series: 6 Inches	Stepping path	Jumps at least 6 in. for any trial.	2	
				Jumps 1 to 5 in. for any trial.	1	
				Does not jump any distance for any trial.	0	
				Comments:		
R 47 48 55 58		48. Jumps: Both Feet	None	Jumps off floor with feet together or leads with 1 foot and both feet are in the air at some point during the jump. Almost every time	2	
				Jumps but only 1 foot is in the air. Some of the time	1	
				Bends legs in an attempt to jump, but both feet remain in contact with floor. None of the time	0	
				Comments:		
		Caregiver Question: Is [insert child's name] able to jump off the floor with both feet in the air at the same time almost every time [he/she] tries, some of the time, or none of the time?				☐
S 49 56	R 43 49 56	49. Balances on Each Foot Without Support Series: 2 Seconds	Timer	Balances on both left and right foot without support for at least 2 seconds.	2	
				Balances on only right or only left foot without support for at least 2 seconds.	1	
				Does not balance on either foot for at least 2 seconds or requires support to maintain balance.	0	
				Elapsed time (Trial 1): Elapsed time (Trial 2):		
		Comments:				
R 46 50 51		50. Walks on Tiptoes	Stepping path	Takes at least 4 steps without touching heels to floor.	2	
				Takes 1 to 3 steps without touching heels to floor.	1	
				Does not take any steps without touching heels to floor.	0	
				Comments:		
R 46 50 51		51. Walks on Path: Backward	Stepping path	Walks backward within approximately 6 in. of stepping path for at least 5 ft.	2	
				Walks backward close to path for several steps.	1	
				Stumbles walking backward, requires support, or cannot walk backward.	0	
				Comments:		

Page 46
Total

		Item	Materials	Scoring criteria	Score
S 39 52	R 39 52 41 54 44	52. Walks Up Stairs Series: Alternating Feet Without Support	Stairs	Walks up at least 3 steps without support, alternating feet on each step.	2
				Walks up 2 steps without support, alternating feet on each step.	1
				Does not walk up at least 2 steps without support, alternating feet on each step.	0
				Comments:	
	R 46 53 50 57 51	53. Stops From a Full Run	Stepping path	Stops in a controlled fashion within 2 steps of end of stepping path on either trial.	2
				Stops within 3 or more steps of end of stepping path on either trial; might stumble at end.	1
				Does not stop at end of stepping path, stops by sitting down or squatting, or loses balance when attempting to stop.	0
				Comments:	
S 41 54	R 39 52 41 54 44	54. Walks Down Stairs Series: Alternating Feet Without Support	Stairs	Walks down at least 3 steps without support, alternating feet on each step.	2
				Walks down 2 steps without support, alternating feet on each step.	1
				Does not walk down at least 2 steps without support, alternating feet on each step.	0
				Comments:	
	R 47 48 55 58	55. Hops 5 Ft	Stepping path	Hops on 1 foot for a distance of at least 5 ft.	2
				Hops on 1 foot several times but less than 5 ft.	1
				Hops in place, stumbles, or does not hop.	0
				Comments:	
S 49 56	R 43 49 56	56. Balances on Each Foot Without Support Series: 6 Seconds	Timer	Balances on both left and right foot without support for at least 6 seconds.	2
				Balances on only right or only left foot without support for at least 6 seconds.	1
				Does not balance on either foot for at least 6 seconds or requires support to maintain balance.	0
				Elapsed time (Trial 1): Elapsed time (Trial 2):	
	R 46 53 50 57 51	57. Walks Heel to Toe	Stepping path	Completes at least 6 heel-to-toe steps for either trial.	2
				Completes 4 to 5 heel-to-toe steps for either trial.	1
				Does not complete at least 4 heel-to-toe steps for either trial.	0
				Comments:	
S 47 58	R 47 48 55 58	58. Jumps Forward Series: 24 Inches	Stepping path	Jumps at least 24 in. for any trial.	2
				Jumps 12 to 23 in. for any trial.	1
				Does not jump at least 12 in. for any trial.	0
				Comments:	

Page 47
Total

GROSS MOTOR
Total Raw Score
(max. = 116)

BEHAVIOR OBSERVATION INVENTORY

Respond to each statement by placing a check mark in the column that describes how often the behavior was observed during testing. For the caregiver ratings, read the description of each behavior to the caregiver and ask him/her to rate the degree to which each statement is typical of the child's everyday behavior.

Examiner rating				Caregiver rating		
Not at all typical; Never or rarely	Somewhat typical; Some of the time	Typical; Most of the time		Not at all typical; Never or rarely	Somewhat typical; Some of the time	Typical; Most of the time
			Positive Affect Smiles and laughs			
			Enthusiasm Shows enthusiasm or excitement			
			Exploration Explores objects in the environment			
			Ease of Engagement Readily takes part in activities			
			Cooperativeness Cooperates with adult requests			
			Moderate Activity Works without becoming overly active or fidgety			
			Adaptability to Change Adapts easily to changes in stimulation or changes in routine			
			Alertness Quiet and attentive; not drowsy			
			Distractibility Unable to focus on task; distraction interferes with performance on items			
			Motor Tone Displays normal muscle tone: not overly stiff (high tone) or floppy (low tone); no tremors			
			Tactile Defensiveness Overly sensitive to touch or textures			
			Fear/Anxiety Approaches new tasks with apprehension; looks to caregiver for reassurance			
			Negative Affect Cries, frowns, whines, or complains			



For inquiries and reordering:
800.627.7271
www.PearsonAssessments.com

Copyright © 2019 NCS Pearson, Inc. All rights reserved. Portions of this work were previously published.

Warning: No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without the express written permission of the copyright owner.

Pearson, Bayley, the Bayley design, and Bayley Scales of Infant and Toddler Development are trademarks, in the U.S. and/or other countries, of Pearson PLC or its affiliates.

NCS Pearson, Inc. 5601 Green Valley Drive Bloomington, MN 55437

Produced in the United States of America.