



Child Oral and Motor Proficiency Scale (ChOMPS)

Intended Use: The ChOMPS is intended to assess eating and related skills in children between the ages of 6 months and 7 years old who are being offered solid foods. The ChOMPS is intended to be completed by a caregiver that is familiar with the child's typical eating and movement abilities. This is most often a parent, but may be another primary caregiver.

Disclosure: The ChOMPS does not replace a healthcare provider's clinical assessment. The ChOMPS is also not intended to provide a diagnosis, but instead may provide the healthcare provider with an objective assessment of the child's eating and movement abilities in order to facilitate diagnosis and treatment decisions.

Referencing Information:

Pados, B.F., Thoyre, S.M., & Park, J. (2018). Age-based norm-reference values for the Child Oral and Motor Proficiency Scale (ChOMPS). *Acta Paediatrica*, 107(8), 1427-1432. doi: 10.1111/apa.14299

Pados, B., Thoyre, S., Park, J., Estrem, H., & McComish, C. (2019). Development and content validation of the Child Oral and Motor Proficiency Scale (ChOMPS). *Journal of Early Intervention*, 41(3), 220-232. doi: 10.1177/1053815119841091

Park, J., Pados, B., Thoyre, S., Estrem, H., & McComish, C. (2019). Factor structure and psychometric properties of the Child Oral and Motor Proficiency Scale (ChOMPS). *Journal of Early Intervention*, 41(4), 283-299. doi: 10.1177/1053815119841092.

Terms of Use of this Assessment Tool

By using this assessment tool, you agree to these terms of use.

This assessment tool is protected by copyright. Your right to use this assessment tool is limited to the right to use the tool for your personal, non-commercial use in accordance with the terms and conditions below.

- I acknowledge and agree that I may not reproduce, publish, share, distribute, or sell this assessment tool to anyone without prior written approval from an author and an appropriate license agreement executed by the author(s) of the tools.
- I agree that I will reference the tool by its correct name and credit the specific authors of the tool in my own presentations, publications, or any other work that I may generate using the tool. Reference information is available on the front page of the assessment tool.
- I acknowledge and agree that I may not alter the assessment tool in any way or create any derivative work from the assessment tool, including translating the tool into other languages, without the prior written approval from an author.
- I agree to use the assessment tool solely as intended (as set forth on the front page of each assessment tool).
- I acknowledge and agree that this assessment tool is not intended to be or to be considered or used as medical advice and/or a diagnostic tool and it does not replace a healthcare provider's assessment or care.
- I agree that the assessment tool is being provided "as is" and that neither the authors of the tool or their institutional or business affiliations make any warranty with respect to the tool.
- I acknowledge and agree that neither the authors of the tool, their institutional affiliations, or business affiliations shall have any liability with respect to the tool or the use of the tool, including without limitation ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, CONSEQUENTIAL, OR OTHER DAMAGES.
- I hereby waive and agree to release the authors of the tool, their institutional affiliations, and business affiliations from and against all claims, liabilities, and damages of any kind arising out of my use of the tool.



Child's Name/ID: _____
 Child's Date of Birth: _____
 Today's Date: _____

CHILD ORAL AND MOTOR PROFICIENCY SCALE (ChOMPS)

Directions: Below are a series of phrases that describe skills learned in early childhood. In this survey, we are interested in what you child can do, which may be different from what they are willing to do. When filling this out, think about what is typical for your child at this time. Your child may be too young to do some of the skills and in that case, please check "Not Yet." If you are unsure if your child can do some of these skills because of restrictions placed on your child's eating (for example, they are not allowed to take liquids), then please check "Not Yet." If your child is older, he or she may have been doing these skills for a very long time and in that case, please check "Yes." This should take you about 15 minutes to complete. Take your time and talk to others who also care for your child, if needed.

COMPLEX MOVEMENT PATTERNS (Note. If your child is less than 9 months old, skip this section and start with Basic Movement Patterns)

My child can...	2	1	0	Score
	YES	SOMETIMES	NOT YET	
1. stand without holding on to anything	☐	☐	☐	
2. walk 10-20 steps by himself/herself	☐	☐	☐	
3. run 10-20 steps without falling	☐	☐	☐	
4. walk up 2-3 stairs holding on to someone or something	☐	☐	☐	
5. walk up 2-3 stairs without holding on to someone or something	☐	☐	☐	
6. walk down 2-3 stairs holding on to someone or something	☐	☐	☐	
7. walk down 2-3 stairs without holding on to someone or something	☐	☐	☐	
8. jump with both feet without holding on to anything	☐	☐	☐	
9. drink from an open cup held by an adult with no or little spilling of liquid from mouth	☐	☐	☐	
10. hold an open cup and drink by himself/herself with no or little spilling of liquid from mouth	☐	☐	☐	
11. keep tongue in mouth when drinking from an open cup (held by self or an adult)	☐	☐	☐	
12. drink from an open cup holding rim with lips (not biting rim with teeth)	☐	☐	☐	
13. use a filled spoon or fork to bring food to mouth	☐	☐	☐	
14. can scoop food onto a spoon or fork and bring to mouth	☐	☐	☐	
15. use a fork to stab a piece of food and bring to mouth	☐	☐	☐	

	2	1	0	
My child can...	YES	SOMETIMES	NOT YET	Score
16. use tongue to lick food off of <u>top lip</u>	☐	☐	☐	
17. use tongue to lick food from <u>corners of mouth</u>	☐	☐	☐	
18. use upper teeth or lip to clean food from <u>bottom lip</u>	☐	☐	☐	
19. pucker lips to kiss or blow	☐	☐	☐	
20. drink from a straw	☐	☐	☐	
21. take a bite of <u>hard, crunchy food</u> , such as a carrot stick	☐	☐	☐	
22. eat <u>hard, crunchy food</u> , such as a raw carrot stick, without gagging, coughing, or choking	☐	☐	☐	
23. speak using words that people outside our family can understand	☐	☐	☐	
Complex Movement Patterns Subscale Score				

BASIC MOVEMENT PATTERNS

	2	1	0	
My child can...	YES	SOMETIMES	NOT YET	Score
24. hold head up when lying on tummy	☐	☐	☐	
25. pull up to stand	☐	☐	☐	
26. stand holding on to something (such as, a table or couch)	☐	☐	☐	
27. walk holding on to someone or something	☐	☐	☐	
28. support weight on forearms when lying on tummy	☐	☐	☐	
29. bring one or both hands to mouth	☐	☐	☐	
30. hold a toy in hand	☐	☐	☐	
31. bring a toy or piece of food to mouth	☐	☐	☐	
32. hold a bottle or sippy cup	☐	☐	☐	
33. bring a bottle or sippy cup to mouth	☐	☐	☐	

	2	1	0	
My child can...	YES	SOMETIMES	NOT YET	Score
34. roll over from tummy to back	☐	☐	☐	
35. use fingers like a rake to bring food or a toy towards self	☐	☐	☐	
36. grasp a piece of food between thumb and another finger (such as, pick up a cheerio)	☐	☐	☐	
37. move a toy or a piece of food from one hand to the other	☐	☐	☐	
38. roll over from back to tummy	☐	☐	☐	
39. keep head steady when in a supported position (such as, with back against a chair or while being held)	☐	☐	☐	
40. sit upright with support (such as, sit with back against a chair or while being held)	☐	☐	☐	
41. sit upright without support	☐	☐	☐	
42. twist body to their left and right while sitting without support (such as, to reach for a toy or look at something)	☐	☐	☐	
43. crawl when placed on tummy	☐	☐	☐	
Basic Movement Patterns Subscale Score				

ORAL-MOTOR COORDINATION

	2	1	0	
My child can...	YES	SOMETIMES	NOT YET	Score
44. use tongue to move food around in mouth	☐	☐	☐	
45. keep solid food in mouth when eating	☐	☐	☐	
46. keep tongue in mouth when food is offered on a spoon	☐	☐	☐	
47. move jaw up and down to chew	☐	☐	☐	
48. drink thin liquids, such as water or juice, without gagging, coughing, or choking	☐	☐	☐	
49. take a bite of <u>soft food</u> , such as a muffin or banana	☐	☐	☐	
50. take a bite of <u>firm food</u> , such as a cracker or cookie	☐	☐	☐	
51. eat a spoonful of <u>smooth food</u> , such as a baby food or yogurt, without gagging, coughing, or choking	☐	☐	☐	

	2	1	0	
My child can...	YES	SOMETIMES	NOT YET	Score
52. eat <u>food that dissolves</u> , such as a baby puff, without gagging, coughing, or choking	☐	☐	☐	
53. eat <u>soft food</u> , such as a pancake, without gagging, coughing, or choking	☐	☐	☐	
54. eat <u>textured food</u> , such as coarse oatmeal, without gagging, coughing, or choking	☐	☐	☐	
55. eat <u>textured food with some lumps</u> , such as a lightly mashed banana, without gagging, coughing, or choking	☐	☐	☐	
56. eat <u>firm food</u> , such as a peeled slice of apple, without gagging, coughing, or choking	☐	☐	☐	
57. eat <u>chewy food</u> , such as a piece of hot dog, without gagging, coughing, or choking	☐	☐	☐	
Oral-Motor Coordination Subscale Score				

FUNDAMENTAL ORAL-MOTOR SKILLS

	2	1	0	
My child can...	YES	SOMETIMES	NOT YET	Score
58. close lips completely	☐	☐	☐	
59. move tongue inside mouth from side to side	☐	☐	☐	
60. stick tongue out past teeth or gums	☐	☐	☐	
61. open mouth wide enough to accept a spoon	☐	☐	☐	
62. bite down so that teeth or gums touch	☐	☐	☐	
63. move chin down to chest	☐	☐	☐	
Fundamental Oral-Motor Skills Subscale Score				

If you would like to explain any of your answers or provide more information, please do so here:



CHILD ORAL AND MOTOR PROFICIENCY SCALE (ChOMPS)

SCORING INSTRUCTIONS

Scores are assigned to ChOMPS items with lower scores indicating lower skill and higher scores indicating higher skill.

1. Score each item using the following values:

Yes = 2

Sometimes = 1

Not Yet = 0

2. Add the scores for each item within each area. A box is provided at the end of each area to record the total score for that area. Transfer each area score total to the table below.

	Score	Level of Concern		
		(circle)		
Complex Movement Patterns		No Concern	Concern	High Concern
Basic Movement Patterns		No Concern	Concern	High Concern
Oral-Motor Coordination		No Concern	Concern	High Concern
Fundamental Oral-Motor Skills		No Concern	Concern	High Concern
Total Score		No Concern	Concern	High Concern

3. Refer to the page specific to the child's age for reference values to determine level of of concern. Please use child's corrected age if the child is under 2 years old and there is a history of premature birth less than 37 weeks (i.e., the child was born more than 3 weeks before their due date).

NOTES:



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Infants 6 - 9 months old

The following reference values are for infants between 6 months 0 days and 9 months 0 days old. If the child was born prior to 37 weeks post-menstrual age, please use the child's corrected age when determining which reference values to use.

	> 10th % No Concern	5th - 10th % Concern	< 5th % High Concern
Complex Movement Patterns	Not Applicable		
Basic Movement Patterns	26 - 40	24 - 25	< 24
Oral-Motor Coordination	9 - 28	7 - 8	< 7
Fundamental Oral-Motor Skills	8 - 12	6 - 7	< 6
Total Score	46 - 80	39 - 45	< 39

Note. Total Score ranges for the 6 - 9 month age group do not include the complex movement patterns subscale.



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Infants 9 - 12 months old

The following reference values are for infants between 9 months 1 day and 12 months 0 days old. If the child was born prior to 37 weeks post-menstrual age, please use the child's corrected age when determining which reference values to use.

	> 10th % No Concern	5th - 10th % Concern	< 5th % High Concern
Complex Movement Patterns	4 - 46	2 - 3	< 2
Basic Movement Patterns	37 - 40	32 - 36	< 32
Oral-Motor Coordination	21 - 28	17 - 20	< 17
Fundamental Oral-Motor Skills	10 - 12	8 - 9	< 8
Total Score	74 - 126	69 - 73	< 69



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Children 12 - 15 months old

The following reference values are for children between 12 months 1 day and 15 months 0 days old. If the child was born prior to 37 weeks post-menstrual age, please use the child's corrected age when determining which reference values to use.

	> 10th % No Concern	5th - 10th % Concern	< 5th % High Concern
Complex Movement Patterns	10 - 46	6 - 9	< 6
Basic Movement Patterns	40	38 - 39	< 38
Oral-Motor Coordination	24 - 28	20 - 23	< 20
Fundamental Oral-Motor Skills	11 - 12	9 - 10	< 9
Total Score	85 - 126	78 - 84	< 78



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Children 15 - 18 months old

The following reference values are for children between 15 months 1 day and 18 months 0 days old. If the child was born prior to 37 weeks post-menstrual age, please use the child's corrected age when determining which reference values to use.

	> 10th % No Concern	5th - 10th % Concern	< 5th % High Concern
Complex Movement Patterns	20 - 46	16 - 19	< 16
Basic Movement Patterns	40	38 - 39	< 38
Oral-Motor Coordination	27 - 28	25 - 26	< 25
Fundamental Oral-Motor Skills	12	10 - 11	< 10
Total Score	97 - 126	92 - 96	< 92



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Children 18 - 24 months old

The following reference values are for children between 18 months 1 day and 24 months 0 days old. If the child was born prior to 37 weeks post-menstrual age, please use the child's corrected age when determining which reference values to use.

	> 10th % No Concern	5th - 10th % Concern	< 5th % High Concern
Complex Movement Patterns	25 - 46	21 - 24	< 21
Basic Movement Patterns	40	< 40	< 40
Oral-Motor Coordination	27 - 28	25 - 26	< 25
Fundamental Oral-Motor Skills	12	11	< 11
Total Score	104 - 126	101 - 103	< 101



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Children 2 - 2.5 years old

The following reference values are for children between 2 years 1 day and 2.5 years old. If the child was born prior to 37 weeks post-menstrual age, please use the child's corrected age when determining which reference values to use.

	> 10th % No Concern	5th - 10th % Concern	< 5th % High Concern
Complex Movement Patterns	34 - 46	32 - 33	< 32
Basic Movement Patterns	40	< 40	< 40
Oral-Motor Coordination	28	26 - 27	< 26
Fundamental Oral-Motor Skills	12	11	< 11
Total Score	113 - 126	109 - 112	< 109



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Children 2.5 - 3 years old

The following reference values are for children between 2.5 years 1 day and 3 years old.

	> 10th %	5th - 10th %	< 5th %
	No Concern	Concern	High Concern
Complex Movement Patterns	41 - 46	37 - 40	< 37
Basic Movement Patterns	40	< 40	< 40
Oral-Motor Coordination	28	27	< 27
Fundamental Oral-Motor Skills	12	11	< 11
Total Score	121 - 126	117 - 120	< 117



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Children 3 - 4 years old

The following reference values are for children between 3 years 1 day and 4 years old.

	> 10th %	5th - 10th %	< 5th %
	No Concern	Concern	High Concern
Complex Movement Patterns	41 - 46	38 - 40	< 38
Basic Movement Patterns	40	< 40	< 40
Oral-Motor Coordination	28	27	< 27
Fundamental Oral-Motor Skills	12	< 12	< 12
Total Score	120 - 126	118 - 119	< 118



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Children 4 - 5 years old

The following reference values are for children between 4 years 1 day and 5 years old.

	> 10th %	5th - 10th %	< 5th %
	No Concern	Concern	High Concern
Complex Movement Patterns	44 - 46	42 - 43	< 42
Basic Movement Patterns	40	39	< 39
Oral-Motor Coordination	28	27	< 27
Fundamental Oral-Motor Skills	12	< 12	< 12
Total Score	123 - 126	120 - 122	< 120



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Children 5 - 6 years old

The following reference values are for children between 5 years 1 day and 6 years old.

	> 10th %	5th - 10th %	< 5th %
	No Concern	Concern	High Concern
Complex Movement Patterns	45 - 46	42 - 44	< 42
Basic Movement Patterns	40	< 40	< 40
Oral-Motor Coordination	28	27	< 27
Fundamental Oral-Motor Skills	12	< 12	< 12
Total Score	125 - 126	121 - 124	< 121



Child Oral and Motor Proficiency Scale (ChOMPS)

Reference Values for Children 6 - 7 years old

The following reference values are for children between 6 years 1 day and 7 years old.

	> 10th %	5th - 10th %	< 5th %
	No Concern	Concern	High Concern
Complex Movement Patterns	45 - 46	44	< 44
Basic Movement Patterns	40	< 40	< 40
Oral-Motor Coordination	28	27	< 27
Fundamental Oral-Motor Skills	12	< 12	< 12
Total Score	125 - 126	122 - 124	< 122