project name	tap_cash project
delievery date	10/5/2023
test design date	30/4/2023
browsers	chrome,edge
operation system	android
country	egypt

Test Case Scrario Created By ahmed abdelnalam Reviewed By	check sign-up functionality Version android	
QA Testarin Log		
Testar's Name ahmed abdelexium Clate Tested 1952		
S # Prerequisities: 1 user already downloaded the mobile app	S # Text Data Requirement 1 first name : nada	
2 check that the application works correctly 3 internet connection is present 4	2 lastname shaled 3 email radakhaled@gmail.com 4 phone number : 01026554554	
Test Case 1 tal	5 usemame:nedaa 6 PW: 321654987	
Check the signup form by entering valid data in all the mandatory fields. Step # Step Dotalits Expected Results	Actual Results Pass Fall Not executed	
	as expected ready to test	bug D
	as expected ready to test as expected ready to test	
The space of the s	as expected ready to test as expected ready to test as expected ready to test as expected	
error a valid password Provided Science and in	as expected ready to lest the otp isn't send and continue to complete the sign-up process normally	buq,signa,7
ticus pour committee of the control	sign-up process normally	
	S# Test Cuts Requirement	
Test Case 2 tsa	1 first name less than 3 letter like : ad 2 second name less than 3 letter like : ab	
Check the signup form by entering invalid data in all the mandatory fields.	3 email by adding (+) sympol like : ahmed+mohamed@gmail.com 4 phone number contain 9 numbers : 012145987	
	5 usemame loos than 3 letter like : an 6 password more than 6 characters	
Step # Step Details Expected Results	Actual Results Pass / Fall / Not executed	loug D
tt_rigno_8 enter an invalid legal first name error message appear (incorrect data) tt_rigno_9 enter an invalid legal second name error message appear (incorrect data)	no error message appear and accept the invalid data no error message appear and accept the invalid to	
tc_signup_10 enter an invalid email emor message appear (incorrect data)	no error message appear and accept the invalid	
tc_signo_11 enter a invalid phone number emor message appear (incorrect data) tc_signo_12 enter an invalid username emor message appear (incorrect data)	data no error message appear and accept the invalid data no error message appear and accept the invalid data to error message appear and accept the invalid data	bug_signup_14
tc_vignup_12 enter an invalid password error message appear (incorrect data)	no error missage appear and accept the invated data no error missage appear and accept the invated data data	
15_Mgrup_14 click on sign-up button error message appear that should enter the valid data	data the account create normally without any error message appear	
	S # Test Cata Requirement	
Text Case 3 pass	1 2 3	
Check the signup form by leaving field empty in all the mandatory fields.	3 4 5	
	6	
Step # Step Details Expected Results Cupacted Results Cupacted Results	Actual Results Pass / Fall / Not secured as expected	bug ID
tc_signus_16 leave second name field empty error message appear (required field) tc_signus_17 leave email field empty error message appear (required field)	as expected pass as expected pass as expected pass	
15_Hgrup_19 leave username field empty error message appear (required field)	as expected pass as expected pass	
sc_sqnup_20 leave password field empty error message appear (required field) sc_sqnup_21 click on sign-up button error massage appear that should enter the required field?	as expected pass as expected pass	
	S # Test Data Requirement	
Text Case 4 pass	1 first name : nada 2	
Check the registration form by entering the valid data only in some mandatory fields	3 email :nadakhaled@gmail.com 4 5	
	6 PW. 321654967	
Step ♥ Step Details Expected Results	Actual Results Pass / Fall / Not executed	
		bug D
ি নিজন, 22 enter valid first name first name enter successfully (ত. ব্যালন, 22 enter valid first name enter successfully ত. ব্যালন, 24 enter valid enter enter successfully enter valid enter valid enter enter successfully enter valid enter valid enter valid enter enter successfully	as expected pass as expected ones as expected ones ones ones ones ones ones ones ones	No D
K_spinu_22 Saava second name field empty emor missage appear (einher required field) K_spinu_24 einher valid email emillerter successfully K_spinu_25 Saava phone number field empty emor missage appear (einher required field) K_spinu_25 Saava username field empty emor missage appear (einher required field)	as expected pass	
ru., spun, 23 laws second name field empty — emor message appear (enter required field) ru., spun, 24 mile revisid entral — email enter successfully — ru., spun, 25 laws phone number field empty — emor message appear (enter required field) ru., spun, 25 mile revisid enter second proper — emor message appear (enter required field) ru., spun, 27 — enter a vaid password — PM enter successfully and in — enter residence field on the recommendation of the r	as expected pass as expected pass	
K_spinu_22 Saava second name field empty emor missage appear (einher required field) K_spinu_24 einher valid email emillerter successfully K_spinu_25 Saava phone number field empty emor missage appear (einher required field) K_spinu_25 Saava username field empty emor missage appear (einher required field)	as expected 3550	
ru., spun, 23 laws second name field empty — emor message appear (enter required field) ru., spun, 24 mile revisid entral — email enter successfully — ru., spun, 25 laws phone number field empty — emor message appear (enter required field) ru., spun, 25 mile revisid enter second proper — emor message appear (enter required field) ru., spun, 27 — enter a vaid password — PM enter successfully and in — enter residence field on the recommendation of the r	As expected process of the control o	
I seek second name that early server realizing appare (and require date) server realizing appare (and require date) server realizing appare (and require date) server realized apparent name that server years (and realized apparent name that server realized apparent name that server realized passing apparent (and require date) server realized passing apparent (and realized date) server realized passing apparent (and realized date) server realized passing apparent find server from the server find and one specific date on support find.	4 septical	
1. C. Price 2. See a second reader that entry the contract and the contrac	as expected property of the control	
In-company Seek second name that entryly service relating appear (with required field) service relating appear (with required field) service relating appear (with required field) service relating appear (with register) service relating appear (with required field) service relating appear (with reduired	Se expected pass se expected	
1. Suppose 2. See second mane field empty — some message appose (entire required feet) most entire required feet of the control of the contr	as expected process as exp	Ng D
Security	as expected mental process of the control of the co	
Section Sec	as expected property of the control	
Section Sect	as expected proper of the control of	
Section Sect	as expected	
Section Sect	as expected proper of the control of	
Section Sect	A supported programment of the p	
Section Sec	as expected property of the control	
Section 2 Section Control for the complex person of the compl	As a special management of the process of the proce	
Section Sect	as a special management of the password of the	
Section Sect	As a specified property of the control of the contr	
Section Sect	As a special metal of the special metal me	
Section Sect	And an expected property of the control of the cont	Vog D
Security	As a specified property of the control of the contr	
Security	as expected property of the control	Vog D
Section Sect	Answers reduced process of the control of the contr	Vog D
Section Sec	Answers reduced process of the control of the contr	Vog D
Section Sec	As a special may be a s	Vog D
Section Sect	An expected process of the control o	Vog D
Section Sec	As a special management of the control of the contr	Vog D
Section Sect	As a specified process of the control of the contro	
Section Sect	A control of the cont	Vog D
Section Sect	As a specified process of the control of the contro	
Section Sect	Actain Resource Controlly with sequence Controlly with sequence Controlly Co	
Section Sect	A sepond of the second of the	
Section Sect	Actain Resource Controlly with sequence Controlly with sequence Controlly Co	
Section Sect	A sepond of the second of the	
Section Sect	An expected property of the pr	
Section Sect	An expected process of the process o	
Security	As a special property of the control	

			6	password : nada147258		7
Step #	Step Details	Expected Results		Actual Results	Pass / Fall / Not executed	bug ID
nup_50	after the enter of valid da in test data requirments	the data enter normally	as expected		pass	
ignup_\$1		error message appear that the password must consist of numbers only	a the password fix	eld accepts numbers and letters	fail	
_signup_52	click continue	error message appear that the digits musn't be sequential	the account crea	ate normally	fail	
c_signup_\$3		and a second	1		ready to test	
c_signup_54			1		ready to test	
ic_signup_55			1		ready to test	
c_signup_\$6			1		ready to test	
			5#	Test Data Requirement		
			- 1	first name : nadaa		
200	9 60		2	lastname khaledd	·	
			3	email:nadakhaledd@gmail.com		_
the passw	ord field of signup (digits of password m	rust be unique)	4	phone number : 01026554554		_
			5	usemame :nadaaa123		-
			6	password : 99299899		
Stap #	Step Details	Expected Results		Actual Results	Pass / Fail / Not executed	h ID
	SHIP DIEBIE	Expected Healits		ALLER MODES	Page / Page / Not executed	bug ID
signup_57						
group_S/	after the enter of valid da in test data requirments	the data enter normally	as expected		pass	
signup_58	enter the password as in test data	error message appear that the digits must be unique	the password er	nter normally with repeated numbers	fail	
	requirment					
	click continue	error message appear that the digits must be unique	the account crea	ate normally	fail	
_signup_60					ready to test	
c_signup_61					ready to test	
_signup_62					ready to test	
_signup_63					ready to test	
			2.0	Test Data Requirement		-
			1	first name : nadae		-
Case	10 01		2	first name : nadaa lastname :khaledd		-
	ord field of signup (click on eye icon to s	ron the encouncil	3	email:nadakhaledd@gmail.com		+
rox tree passes	rora nera or signup (click on eye icon to s	see the pesoword)	4	phone number: 01026554554		-
			5	phone number : 01026554554 usemame :nadaea123		-
			6	password: 99299699		+
			<u> </u>	heesening: aartasaaa		_
Step #	Step Details	Expected Results	_	Actual Results	Pass / Fall / Not executed	bug ID
						Look ID
tc_signup_64	after the enter of valid da in test data	the data enter normally	as expected		0869	
	requirments					
tc_signup_65	click on eye icon in password field	the password should show after click on eye icon	no action occur		blocked	
to since of	to see the written password	-	_			
tc_signup_66 tc_signup_67			_		ready to test ready to test	_
tc_signup_64			_			
tc_signup_69	-		-		ready to test	
	-	-	+		ready to test	
tc_signup_70					ready to test	

Created By						
	ahmed abdelsalam	Test Case Scnario Reviewed By	check login fun	coonality	Version	
A Tester's Log						
fostor's Namo	ahmed abdelsalam	Date Tested 1/5	2023			
20	Prerequisites:		20	Test Data Requirem	nent	
1	user already downloaded the mobile app		1			
2	user already registered with valid data		2	1		
	the application is opened on the login pay	N .	3			
	internet connection is present					
	tools with well makes and an are					
CHICAGO T	login with valid mobile number and password					
Step #	Step Details	Expected Results		Actual Results		Pass / Fall / Not executed
tc_login_1	enter a valid mobile number enter a valid password	mobile number is entered successfully				ready to test
tc_login_2	enter a valid password	password is entered successfully and encrypted				ready to test
tc_login_2	click on login button	user is logged in successfully and redirected to home page				ready to test
				_	_	
Cont Conn C	login with valid mobile number and invalid pass		20	Test Data Requirem		
				Uma maquition		
			+ -	_		
			, z	_		
Step #	Step Details	Expected Results		Actual Results		Pass / Fall / Not executed
tc_logit_4	enter a valid mobile number	mobile number is entered successfully				ready to test
tc_login_5	enter an invalid password	password is entered successfully and encrypted				ready to test
tc_login_6		user isn't looped in and error message is appeared that				
	click on login button	user isn't logged in and error message is appeared that is username or password isn't correct	1			
				_		
Sept Case 3	login with invalid mobile number and valid pass	word	20	Test Data Requirem	ent	
			1	-		
			-	_		
			1	_		
	Step Details	Expected Results		Actual Results		Pass / Fall / Not executed
Step #	Step Details	Expected Results		Actual Results		Pass / Fall / Not executed
	enter an invalid mobile number	mobile number is entered successfully				ready to test
10,000 /						ready to test
tc_login_8	enter a any password	password is entered successfully and encrypted				
sclaghcii sclaghcii	enter a any password	password is entered successfully and encrypted user isn't looped in and error message is appeared that				
tc_login_8	enter a any password click on login button	password is entered successfully and encrypted user isn't logged in and error message is appeared that is username or password isn't correct				ready to test
tc_login_8	enter a any password	password is entered successfully and encrypted user isn't looped in and error message is appeared that				
tc_login_8	enter a any password	password is entered successfully and encrypted user isn't looped in and error message is appeared that				
sclogical sclogical	enter a any pasaword click on login button	password is entered successfully and encrypted user sert logged in and error message is appeared that is username or password sen't correct				
sclogical sclogical	enter a any password	password is entered successfully and encrypted user sert logged in and error message is appeared that is username or password sen't correct	5#	Test Data Requirem	nest Creat	
sclogical sclogical	enter a any pasaword click on login button	password is entered successfully and encrypted user sert logged in and error message is appeared that is username or password sen't correct	S# 1	Test Data Requirem	nest	
sclogical sclogical	enter a any pasaword click on login button	password is entered successfully and encrypted user sert logged in and error message is appeared that is username or password sen't correct	1 2	Test Data Requirem	test	
sclogical sclogical	enter a any pasaword click on login button	password is entered successfully and encrypted user sert logged in and error message is appeared that is username or password sen't correct	5 e i 2 2 3	Test Data Requirem	nest	
sclogical sclogical	enter a any pasaword click on login button	password is entered successfully and encrypted user sert logged in and error message is appeared that is username or password sen't correct	5 e 1 2 2 3	Test Data Requirem	test	
sclogical sclogical	enter a any pasaword click on login button	password is entered successfully and encrypted user sert logged in and error message is appeared that is username or password sen't correct	5 e 1 2 3	Test Data Requirem	ast	
sclogical sclogical	enter a any pasaword click on login button	password is entered successfully and encrypted user sert logged in and error message is appeared that is username or password sen't correct	5 P 1 2 3	Test Data Requirem	hest	
tc.jogic.jl tc.jogic.jl	onter a any pisisienord click on login button login with tearing mobile number and passeson login with tearing mobile number and passeson	passeon is extend according and encypted conformation or encouping apparent had be included and passeon of the conformation to include a passeon of the conformation to the conformation of the conformation the conformatio	5 e 1 2 2 3		hest	ready to heat
sclogical sclogical	enter a any pasaword click on login button	password is entered successfully and encrypted user sert logged in and error message is appeared that is username or password sen't correct	\$# 1 2 3	Test Oata Requirem	nest	
tc_logit_0 tc_logit_0 fost Case.d	order a any possonord clock on login button login with tearing mobile number and passeson separate to the service of the servi	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	\$ # 1 2 3 3		hest	ready to best
tc.jogic.jl tc.jogic.jl	order a any possonord clock on login button login with tearing mobile number and passeson separate to the service of the servi	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	1 2 3		teat	Pass (Fall Not esculed
tc_logit_0 tc_logit_0 fost Case.d	order a any possonord clock on login button login with tearing mobile number and passeson separate to the service of the servi	passeon is extend according and encypted conformation or encouping apparent had be included and passeon of the conformation to include a passeon of the conformation to the conformation of the conformation the conformatio	\$F 1 2 3		heat	ready to best
tc_logit_0 tc_logit_0 fost Case.d	order a any possonord clock on login button login with tearing mobile number and passeson separate to the service of the servi	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	\$ e 1 2 3 3		hest	Pass (Fall Not esculed
tc_logit_0 tc_logit_0 fost Case.d	order a any possonord clock on login button login with tearing mobile number and passeson separate to the service of the servi	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	2 2 3		next .	Pass (Fall Not esculed
tc_login_0 tc_login_0 tc_login_0 tc_login_0 tc_login_10 tc_login_10	order a any password didd on legal bullion legal with having make a under and password legal with having make a under and password legal with having make a under and password legal with having make a under and didd on to topin bullion	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	1 2 3	Actual Results		Pass (Fall Not exceded
tc_login_0 tc_login_0 tc_login_0 tc_login_0 tc_login_10 tc_login_10	order a any possonord clock on login button login with tearing mobile number and passeson separate to the service of the servi	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	2 2 3			Pass (Fall Not exceded
tc_login_0 tc_login_0 tc_login_0 tc_login_0 tc_login_10 tc_login_10	order a any password didd on legal bullion legal with having make a under and password legal with having make a under and password legal with having make a under and password legal with having make a under and didd on to topin bullion	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	1 2 3	Actual Results		Pass (Fall Not essented
tc_login_0 tc_login_0 tc_login_0 tc_login_0 tc_login_10 tc_login_10	order a any password didd on legal bullion legal with having make a under and password legal with having make a under and password legal with having make a under and password legal with having make a under and didd on to topin bullion	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	1 2 3	Actual Results		Pass (Fall Not essented
tc_login_0 tc_login_0 tc_login_0 tc_login_0 tc_login_10 tc_login_10	order a any password didd on legal bullion legal with having make a under and password legal with having make a under and password legal with having make a under and password legal with having make a under and didd on to topin bullion	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	1 2 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Actual Results		Pass (Fall Not essented
tc_login_0 tc_login_0 tc_login_0 tc_login_0 tc_login_10 tc_login_10	order a any password didd on legal bullion legal with having make a under and password legal with having make a under and password legal with having make a under and password legal with having make a under and didd on to topin bullion	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	1 2 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Actual Results		Pass (Fall) Not estended
tc_login_0 tc_login_0 tc_login_0 tc_login_0 tc_login_10 tc_login_10	order a any password didd on legal bullion legal with having make a under and password legal with having make a under and password legal with having make a under and password legal with having make a under and didd on to topin bullion	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	1 2 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Actual Results		Pass (Fall) Not estended
tc_login_0 tc_login_0 tc_login_0 tc_login_0 tc_login_10 tc_login_10	order a any password didd on legal bullion legal with having make a under and password legal with having make a under and password legal with having make a under and password legal with having make a under and didd on to topin bullion	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	1 2 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Actual Results		Pass (Fall Not executed
SC, Jogin, S SC, Jogin, S Stap # Stap # IC, Jogin, 10	own a six password didd on togic button didd not togic button button and password six and p	journment in extend accountably and encrypted one of the plant plant and encrypted as extended accountably and appeared that as extended and encrypt Expected Results Separated Results and entity one of entry message is appeared that it can't have the factor entry.	1 2 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Actual Results Feet Data Requirement		Seasof to best From 1 feet 7 feet feet ownered consists of the seasoned consists of the seasone
tc_login_0 tc_login_0 tc_login_0 tc_login_0 tc_login_10 tc_login_10	order a any password didd on legal bullion legal with having make a under and password legal with having make a under and password legal with having make a under and password legal with having make a under and didd on to topin bullion	passeon is entered accessfully and encypted and mitograph are necessary as appared that is instituted an appared but conset is instituted appared but conset Expended freeze Expended freeze Expended freeze	1 2 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Actual Results		Pass (Fall Not essented
EL Jogin, B EL Jogin, B EL Jogin, B EL Jogin, B Stop # Stop # Stop # Stop #	order a sity password didds on high barden and password by the sity of the sit	journment in extend accountably and encrypted one of the plant plant and encrypted as extended accountably and appeared that as extended and encrypt Expected Results Separated Results and entity one of entry message is appeared that it can't have the factor entry.	1 2 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Actual Results Feet Data Requirement		Seasof to best From 1 feet 7 feet feet ownered consists of the seasoned consists of the seasone
EL Jogin, B EL Jogin, B EL Jogin, B EL Jogin, B Stop # Stop # Stop # Stop #	order a sity password didds on high barden and password by the sity of the sit	parametric retriend accountably and encrypted in the intrograph on an encapying apparent that is accountable or encapying an encapying apparent that Expected females and entit togged in and enter message is apparent that it can't been the false engin.	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Results Feet Data Requirement		Feet (Fell file extended
EL Jogin, B EL Jogin, B EL Jogin, B EL Jogin, B Stop # Stop # Stop # Stop #	other and password (dots on toggic better) Says with having make a variety and password Says States Clos on toggic password facilities()	parametris extrined accountably and encytoped as assertance or generated bark correct as assertance or generated bark correct Expensed Resets Expensed Resets and Fortingged in and error missage is apparent that it can't base as facility or the correct or the	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Results Feet Data Requirement		Face Fell Mel seconded
8C_100(R_S) 8C_100(R_S) 8C_100(R_S) 8C_100(R_S) 800(R_S)	other and password (dots on toggic better) Says with having make a variety and password Says States Clos on toggic password facilities()	parametris extrined accountably and encytoped as assertance or generated bark correct as assertance or generated bark correct Expensed Resets Expensed Resets and Fortingged in and error missage is apparent that it can't base as facility or the correct or the	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Results Feet Data Requirement		Face Fell Mel seconded
8C_100(R)_8 8C_100(R)_8 8C_100(R)_8 800(R) R 800(R) R 800(R) R 800(R) R 800(R) R 800(R) R	order a large password didds on togge better by the best of the be	parametric retriend accossibility and encrypted and the larger of an encourage in apparent than a section for a greater of an interest in a greater of an interest and a section of a greater of an interest for a section of a greater of an interest section of a greater of a greater of an interest for a section of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have a greater of a greater	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Results Feet Data Requirement		Page Fail for executed Face Fail for the executed
8C_100(R_S) 8C_100(R_S) 8C_100(R_S) 8C_100(R_S) 800(R_S)	order a sity password debt on toggin bettern debt on toggin bettern toggin better	parametric retriend accossibility and encrypted and the larger of an encourage in apparent than a section for a greater of an interest in a greater of an interest and a section of a greater of an interest for a section of a greater of an interest section of a greater of a greater of an interest for a section of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have a greater of a greater	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Results Feet Data Requirement		Page 1762 Feet executed Face 1762 Feet executed
8C_100(R_S) 8C_100(R_S) 8C_100(R_S) 8C_100(R_S) 800(R_S)	order a large password didds on togge better by the best of the be	parametris extrined accountably and encytoped as assertance or generated bark correct as assertance or generated bark correct Expensed Resets Expensed Resets and Fortingged in and error missage is apparent that it can't base as facility or the correct or the	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Results Feet Data Requirement		Pass (Fall Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements)
8C_100(R_S) 8C_100(R_S) 8C_100(R_S) 8C_100(R_S) 800(R_S)	order a sity password debt on toggin bettern debt on toggin bettern toggin better	parametric retriend accossibility and encrypted and the larger of an encourage in apparent than a section for a greater of an interest in a greater of an interest and a section of a greater of an interest for a section of a greater of an interest section of a greater of a greater of an interest for a section of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have a greater of a greater	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Results Feet Data Requirement		Pass (Fall Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements)
8C_100(R_S) 8C_100(R_S) 8C_100(R_S) 8C_100(R_S) 800(R_S)	order a sity password debt on toggin bettern debt on toggin bettern toggin better	parametric retriend accossibility and encrypted and the larger of an encourage in apparent than a section for a greater of an interest in a greater of an interest and a section of a greater of an interest for a section of a greater of an interest section of a greater of a greater of an interest for a section of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have the delay entire of a greater of a greater of that it could have a greater of a greater	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Results Feet Data Requirement		Pass (Fall Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements)
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	other a the passessed disks on toggic before large with hearing makes a review and passesser large with hearing makes a review and passesser large that hearing makes of models married and other of models in a review of the hearing makes of models in a review of the hearing makes	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3	Actail Results That Outs Requires Actail Results	and the state of t	Pass Fall Male seconds
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	other a the passessed disks on toggic before large with hearing makes a review and passesser large with hearing makes a review and passesser large that hearing makes of models married and other of models in a review of the hearing makes of models in a review of the hearing makes	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Results Feet Data Requirement	and the state of t	Pass (Fall Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements)
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	other a the passessed disks on toggic before large with hearing makes a review and passesser large with hearing makes a review and passesser large that hearing makes of models married and other of models in a review of the hearing makes of models in a review of the hearing makes	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3	Actail Results That Outs Requires Actail Results	and the state of t	Pass (Fall Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements)
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	order a sity password debt on toggin bettern debt on toggin bettern toggin better	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3	Actail Results That Outs Requires Actail Results	and the state of t	Pass (Fall Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements Pass) for Indicements Pass (Fall Indicements)
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	other a the passessed disks on toggic before large with hearing makes a review and passesser large with hearing makes a review and passesser large that hearing makes of models married and other of models in a review of the hearing makes of models in a review of the hearing makes	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actail Results That Outs Requires Actail Results	and the state of t	Pass Fall Male seconds
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	other a the passessed disks on toggic before large with hearing makes a review and passesser large with hearing makes a review and passesser large that hearing makes of models married and other of models in a review of the hearing makes of models in a review of the hearing makes	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3	Actail Results That Outs Requires Actail Results	and the state of t	Page Fail for executed Face Fail for the executed
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	other a the passessed disks on toggic before large with hearing makes a review and passesser large with hearing makes a review and passesser large that hearing makes of models married and other of models in a review of the hearing makes of models in a review of the hearing makes	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actail Results That Outs Requires Actail Results	and the state of t	Page Fail for executed Face Fail for the executed
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	other a the passessed disks on toggic before large with hearing makes a review and passesser large with hearing makes a review and passesser large that hearing makes of models married and other of models in a review of the hearing makes of models in a review of the hearing makes	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actail Results That Outs Requires Actail Results	and the state of t	Page Fail but executed Face Fail but executed
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	other a the passessed disks on toggic before large with hearing makes a review and passesser large with hearing makes a review and passesser large that hearing makes of models married and other of models in a review of the hearing makes of models in a review of the hearing makes	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actail Results That Outs Requires Actail Results	and the state of t	Page Fail for executed Face Fail for the executed
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	other a the passessed disks on toggic before large with hearing makes a review and passesser large with hearing makes a review and passesser large that hearing makes of models married and other of models in a review of the hearing makes of models in a review of the hearing makes	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actail Results That Outs Requires Actail Results	and the state of t	Page Fail but executed Face Fail but executed
Stope	disk on toggin before light with hearing makes a renter and past service large with hearing makes a renter and past service large with hearing makes a renter and past service large size of makes or makes and past service large size of makes or makes and disk or income and disk or income and the service of the serv	parametris extrated acconstitution and encycled assertises for generated unit correct assertises for generated unit correct Expensed Results Expensed According According Results Expensed Re	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Resides That Side Regulators Actual Resides That Side Regulators	and the state of t	Page Fail had associated Face Fail had asso
K_logh_B K_logh_B K_logh_B Stop # IK_logh_10 Stop # IK_logh_110 IK_logh_12 IK_logh_12	other a the passessed disks on toggic before large with hearing makes a review and passesser large with hearing makes a review and passesser large that hearing makes of models married and other of models in a review of the hearing makes of models in a review of the hearing makes	parametris extrated accountably and encrypted as accurated as password and recognized as accurated as password and correct as accurate as a password and correct frame ways Expensed Research as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have an other correct as a first logged in and error message is appared that it can't have to define correct as a first logged in an other correct they aren't an OTT on models number. They aren't an OTT on models number aren't is togged in paccessfully and endersored to forme page	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actail Results That Outs Requires Actail Results	and the state of t	Page Fail but executed Face Fail but executed Face Fail but executed Face Fail but executed Face Fail but executed
Stop # SCHOOL OF	other a thy passessed disks on togic before disks and spin before	commont in extende accossibility and encytoded as accommon or greated with correct accommon or greated with accommon or greated with a correct accommon or greated with a greated with a correct accommon or greated with a greated with a correct accommon or greated with a greated with a correct accommon or greated with a greated with a correct accommon or greated with a greated with a correct accommon or greated with a greated with a correct accommon or greated with a greated with a correct accommon or greated with a greated with a correct accommon or greated with a greated with a correct accommon or greated with a greated with a correct accommon or greated with a	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Resides That Side Regulators Actual Resides That Side Regulators	and the state of t	Page Fail had associated Face Fail had asso
Supp.	disk on toggic hadron disk on toggic hadron large with having walks a under and password large with having walks a under and password large better and the second of t	parametric servined accountably and encycled assertivation of parameters and encounters of the encoun	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Resides That Side Regulators Actual Resides That Side Regulators	and the state of t	Page Fall for exceeded Face F
Supp.	disk on toggic hadron disk on toggic hadron large with having walks a under and password large with having walks a under and password large better and the second of t	parametris extrated acconstitution and encycled assertises for generated unit correct assertises for generated unit correct Expensed Results Expensed According According Results Expensed Re	1 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Actual Resides That Side Regulators Actual Resides That Side Regulators	and the state of t	Face Fall Not accounted

la me	li ata														 		
bug_signup_7	in frontend mob app+>signup page>>click continue >>GTP tan't send to mobile number	usability	repro stops when I finish the first page and fit all valid data expected resets." When I click on continue .filed it must send a content OTP to create account then go to content OTP to create account then go to determine the varietation? actual reset. "Two go but have determine to complete the effect of the content to complete the effect of the content of the content to complete the effect of the content of the content of the content to effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the content of the content of the effect of the content of the effect of the content of the c	priority	low	new	discussion	samsung AS1 android version									
			contain OTP to create account then go to child information and verification* actual result: "the otp isn't send and continue to complete the														
bus since M		- Alle	sign-up process normally without entering OTP*		Same .												
tog_signup_14	in frontend mob appi-halgrup pagel-hno error massage appear when enter an invalid data in all mandatory fields	usaciny	when I enter an invalid data at first page of sign up to all mandatory to check at fields expected result: an error missage will appear when enter an invalid data to the mandatory felicle actual result: no error missage appear and accept all invalid data chemanders.		iou .												
bug_signup_35	in fronterid mob app\>\signup page>\no error message appear when enter the password same as usemanse	usability	when I enter the password as same as user name expected result; error message should appear due to the security of the account; one error message appear and create account normally	3	low	new											
			or the account actual result : no error message appear and create account normally														
bug_signup_37	in frontend >> signup page >>dont accept the photo of ID and continue the creation of account without	usability	If I leave national ID blank and don't upload photo expected result : the account shouldn't created actual result : create account normally		high												
bug_signup_44		usability			low	new											
-		usability			low	new											
		usability			low	new											
		usability			low	new											
		usability			low	new											
		usability			low												
		usability			low	new											
		usability			low	new											
		usability															
		usability usability															
		usability usability															
					E												
					E	L											
					E												
					E												
					E												
														E	LΞ		
=						_											
										_							

\vdash				-				-										-
				\vdash														
=																		
$\overline{}$				-														
\vdash				1														-
$\vdash \exists$			HΞ	+			$\vdash \exists$	=		-	-	-	 =		=		$\vdash \exists$	F
=																		
				-														
$\overline{}$			_	_														_
\vdash			\vdash	-														_
\vdash				-														-
																		-
\vdash			-	-				_										-
				-				_										
-			_	1				_										
=				_														
\vdash																		
\vdash			-	+=	_		$\vdash \exists$	-									\vdash	
\vdash								-										
\vdash				<u> </u>			⊢ ∃										┕╴╴	
\vdash								-										
\vdash				=														
\Box				\pm			<u>∟</u> ∃	T										
\vdash		-	\vdash	+	\vdash		\vdash	-								_	\vdash	\vdash
\vdash				1				-										
=				\vdash														
\vdash			\vdash	\pm	H-			-										
\Box																		
\vdash																		
				\perp														
\vdash			=	\vdash														
\vdash				\pm					_									\perp
\vdash																		
\vdash			-	-				_										-
-																		
\vdash			_	+	-													-
																	_	_
$\overline{}$				_														

			-												
			+												-
			-												-
		-	+	-				_	_				_		-
			-												
			1												
			\vdash												
		Ë													
				⋿											
			=												
		\vdash													
			1												
			\pm												
			\vdash												
			\vdash												
			-												
															_
\vdash					 		 		_	 	 		 _		_
			_												

																-		
																-		
																		-
																_		
																		_
E			ĿΞ	LΞ		L		E	L	E	E	E		E	LΞ	E	LΞ	LΞ
			\vdash													-		
			\vdash															
																		-
																		—
																		\perp
			=															
																		1
																		—
																-		
\vdash		 _	\perp		\vdash			-		_	\vdash	_	$\vdash =$	-	-			
		 L-		_		 	 	 							_	L		L

												-	
												_	
												$\overline{}$	
												$\overline{}$	
		\perp											
		\Box		_		_							

Test Case ID		2	Test Case Scnario							
Created By			Reviewed By				Version			
QA Tester's Log										
Tester's Name			Date Tested				Test Case (Pass/Fa	il/Not Executed)		
S#	Prerequisites:				S#	Test Data Requirem	nent			
1					1					
2					2					
3					3					
4					4					
					5					
Test Case					6					
Step#	Step D	Details	Expected	d Results		Actual Results		Pa	ss / Fail / Not execut	ed
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										

Test Case ID		2	Test Case Scnario							
Created By			Reviewed By				Version			
QA Tester's Log										
Tester's Name			Date Tested				Test Case (Pass/Fa	il/Not Executed)		
S#	Prerequisites:				S#	Test Data Requirem	nent			
1					1					
2					2					
3					3					
4					4					
					5					
Test Case					6					
Step#	Step D	Details	Expected	d Results		Actual Results		Pa	ss / Fail / Not execut	ed
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										

Test Case ID		2	Test Case Scnario							
Created By			Reviewed By				Version			
QA Tester's Log										
Tester's Name		Date Tested		·		Test Case (Pass/Fa	il/Not Executed)			
S#	Prerequisites:				S#	Test Data Requirem	nent			
1					1					
2					2					
3					3					
4					4					
					5					
Test Case					6					
Step #	Step D	Details	Expected Results			Actual Results		Pa	ass / Fail / Not executed	
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										

Test Case ID		2	Test Case Scnario							
Created By			Reviewed By				Version			
QA Tester's Log										
Tester's Name		Date Tested		·		Test Case (Pass/Fa	il/Not Executed)			
S#	Prerequisites:				S#	Test Data Requirem	nent			
1					1					
2					2					
3					3					
4					4					
					5					
Test Case					6					
Step #	Step D	Details	Expected Results			Actual Results		Pa	ass / Fail / Not executed	
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										

Test Case ID		2	Test Case Scnario							
Created By			Reviewed By				Version			
QA Tester's Log										
Tester's Name		Date Tested		·		Test Case (Pass/Fa	il/Not Executed)			
S#	Prerequisites:				S#	Test Data Requirem	nent			
1					1					
2					2					
3					3					
4					4					
					5					
Test Case					6					
Step #	Step D	Details	Expected Results			Actual Results		Pa	ass / Fail / Not executed	
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										

Test Case ID		2	Test Case Scnario							
Created By			Reviewed By				Version			
QA Tester's Log										
Tester's Name		Date Tested		·		Test Case (Pass/Fa	il/Not Executed)			
S#	Prerequisites:				S#	Test Data Requirem	nent			
1					1					
2					2					
3					3					
4					4					
					5					
Test Case					6					
Step #	Step D	Details	Expected Results			Actual Results		Pa	ass / Fail / Not executed	
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										

Test Case ID		2	Test Case Scnario							
Created By			Reviewed By				Version			
QA Tester's Log										
Tester's Name		Date Tested		·		Test Case (Pass/Fa	il/Not Executed)			
S#	Prerequisites:				S#	Test Data Requirem	nent			
1					1					
2					2					
3					3					
4					4					
					5					
Test Case					6					
Step #	Step D	Details	Expected Results			Actual Results		Pa	ass / Fail / Not executed	
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										