

RStudio

File Edit Code View Plots Session Build Debug Tools Help

Go to file/function

Console C:/Users/Stephen/R projects/

```
R version 3.1.1 (2014-07-10) -- "Sock it to Me"
copyright (c) 2014 The R Foundation for Statistical Computing
Platform: x86_64-w64-mingw32/x64 (64-bit)

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

[workspace loaded from C:/Users/Stephen/R projects/.RData]

> |
```

Environment History

Import Dataset Clear

Global Environment

Environment is empty

Files Plots Packages Help Viewer

R: Random Samples and Permutations Find in Topic

sample {base} R Documentation

Random Samples and Permutations

Description

`sample` takes a sample of the specified size from the elements of `x` using either with or without replacement.

Usage

```
sample(x, size, replace = FALSE, prob = NULL)
sample.int(n, size = n, replace = FALSE, prob = NULL)
```

Arguments

<code>x</code>	Either a vector of one or more elements from which to choose, or a positive integer. See 'Details.'
<code>n</code>	a positive number, the number of items to choose from. See 'Details.'