

anaphora


MEANINGFUL CONNECTIONS, LASTING STORIES.

Build Proposal: AI-Native Matchmaking for Europe

*From product vision to a working demo
and the one-week plan to build the rest.*

Prepared for **Chleo, Founder & CEO, Anaphora**

Prepared by **Louise — AI Product Consulting**



THE PROBLEM

Dating apps optimize for browsing — not for understanding.

- **Volume over intent**

Hundreds of profiles from a few filters and a short bio.
Choosing a life partner is far more complex than a swipe.

60%+

Uninstall rate for non-organic dating-app users

- **A trust problem, not just a product one**

Heavy dating-app use is linked to higher anxiety and depression — incumbents are part of the loneliness problem.

8%

of EU adults report having no close friends at all (OECD)

- **Black-box compatibility**

“92% compatible” explains nothing. Users can't tell why a match was suggested, or trust it.

+95% vs. -14%

PURE's no-swipe growth vs. Tinder's decline, same period — the mechanic is failing, not the category

A growing market, and a structural reason it keeps growing.

TAM · 2026

€2.18B

EU dating-app market, +7.53%
CAGR to €4.20B by 2034

SAM

€0.20B

France, paying tier only (60.7% of
EU revenue is paid)

SOM · YEAR 1

882

Paris launch, paying users —
bottom-up, 1% capture

SOM · YEAR 3

2,646

Paris, scaled — 3% capture of the
addressable pool

Why now

75M

EU single-adult households without
children, +16.9% since 2015


60.7%

of EU dating-app revenue is already paid, not
ad-supported

7.53%

CAGR to 2034 — the category is growing, not just
individual apps

Users aren't leaving dating apps. They're leaving the swipe.



Same-period revenue growth, one source for all four — directly comparable

Hinge is the exception: smaller than Tinder/Bumble, but **+36% YoY** on a lower-volume, more intentional model — the only incumbent still growing.

The gap: Overtone, Known, Sitch, Ditto, Keeper and Wingman each validate one piece — no-swipe AI, voice intake, friend vouching — but none combine conversational self-discovery, structured friend signal, and explainable matching. None are EU-first.

THE SOLUTION

Instead of “who do you want to swipe on”, Anaphora asks “who would actually fit you.”

ME

Personality, lifestyle, values —
described in your own words, not
dropdowns.

MY IDEAL PARTNER

Preferences, attraction, dealbreakers
— surfaced through conversation.

WHAT MY PEOPLE SEE

Anonymous themes from trusted
friends — no competitor structurally
uses this.

→ The Relationship Blueprint

These three sources merge into one evolving, explainable profile. No mathematically “perfect match” — Anaphora identifies people worth meeting, and always says why: “Strong fit” or “Worth exploring”, never a bare percentage.

Explainability isn't bolted on: the system looks for convergence (“people who know you agree”) and tension (“you say X, but your patterns suggest Y — worth exploring?”), never a black-box score.

What you're about to see running — not a mockup.

- **Conversational intake**

“Tell me about the person you'd love to meet.” Real LLM follow-ups; a single call also self-tracks which of 7 base fields are covered, turn by turn.

- **The Relationship Blueprint**

Structured signals across 7 categories per perspective, plus an LLM-written narrative portrait — “the person I'm picturing.”

- **One working “Discovery”**

Scenario trade-offs that produce structured lifestyle signals end-to-end, and move readiness.

- **Honest failure, not fake data**

If the backend or LLM is unreachable, the app says so — a recent commit removed the last fallback mock content entirely.



Also prototyping: an embeddings-style matching engine, validated on synthetic profiles.

Depth-based tiers, not unlimited browsing.

FREE

Experience Anaphora, start understanding what you're looking for.

- Initial AI conversation
- Basic Relationship Blueprint
- Limited Discoveries

NO FRIENDS • NO MATCHES

LIGHT

Turn your Blueprint into introductions.

- Expanded AI conversation
- Up to 3 friend invitations
- 1 curated match / month

ENTRY PAID TIER

PREMIUM

Give Anaphora the fullest possible picture.

- Full Discovery library
- Unlimited friend invitations
- 2 curated matches / month

HIGHEST ARPU TIER

Exact pricing is intentionally out of scope pre-pilot — Round 2 models unit economics against LLM/embedding + CAC costs per user.

SCOPE & RISKS

Scoped honestly: what runs today, what's next, what could go wrong.

CAPABILITY	IN THE MVP	ROUND 2
Ideal-partner intake	✓ Text, live LLM follow-ups	+ Voice / speech-to-text
Discoveries	✓ 1 of 7 built end-to-end	Remaining 6
Friends	✓ Invite + sharing UI only	Full friend AI conversation
Matching	✓ Placeholder UI; retrieval prototyped on synthetic data	Real embeddings index, wired in
Compliance	✓ Risk flags identified (GDPR, EU AI Act)	DPIA, consent flows

Top risks — known, and designed around

Cold start	Regulatory (GDPR/EU AI Act)	Unit economics
Single-city Paris launch, synthetic seeding, local event partnerships	DPIA, minimized inferred-trait storage, no diagnostic language	Per-user cost modeling in Round 2

HOW I WOULD BUILD IT

From today's demo to a tested product in four days.

MON	Round 1 recap (this morning)	What's live right now: self-tracking conversational intake, the 7-category Relationship Blueprint with a narrative portrait, one working Discovery, and the sourced market dashboard — everything in this demo.
MON	Round 2 kickoff (this afternoon)	Clean datasets of profile, and create the rag logic for the matching. Start creating the friend invite feature and link.
TUE	Friends end-to-end + real matching	Friend signals land on the asker's Blueprint with source=friend provenance. matching_chain embeds profile narratives and writes the “why this match” rationale. Recruit testers for Wednesday.
WED	User testing, then react	Real people run the conversation and the friend invite flow end to end. Log every drop-off and confusing moment; fix the top issues the same day.
THU	Regression, polish, rehearse	Full end-to-end pass, mobile check on the public friend page, docs updated to reflect what's real vs. next, demo rehearsal.
FRI	Final presentation	Round 2 demo — plus what we learned from testing with real people, not just more features.

Let's turn this into your Paris pilot.

1

Approve scope

Confirm the MVP slice and the Round 2 roadmap on the previous slide.

2

Run the sprint

One-week build, exactly as scheduled — daily objectives working software each day.

3

Pilot in Paris

Seed the cold start, validate the friend-input hypothesis, and price Light/Premium against real usage.

“This understands what I’m looking for better than a dating profile ever could.”

— the product promise Anaphora is built to keep.