


LEVEL 3 SLAB - BOTTOM REINFORCEMENT PLAN

DENOTES - 1 LAYER SL72 FABRIC BOTTOM EXTRA (LAID FIRST) SHOWN HATCHED ON REINFORCEMENT PLAN FOR CAST-IN HYDRAULIC PIPES. REFER TO DRAWING S8.13 FOR TYPICAL DETAILS




LEVEL 3 SLAB - TOP REINFORCEMENT PLAN

- PROVIDE 1 LAYER SL72 FABRIC TOP EXTRA (LAID LAST) TO ALL EXTERNAL SLABS SHOWN HATCHED ON REINFORCEMENT PLAN
- INCREASE TOP COVER AS REQUIRED TO SUIT WET AREA SET DOWNS.


REINFORCEMENT SCHEDULE:

MK.	SIZE.	SPACING.	MK.	SIZE.	SPACING.			
Α	N12	300	N	N20	150			
В	N12	250	Р	N20	125			
С	N12	200	Q	N20	100			
D	N16	300	R	N16	100			
Ε	N16	250	S					
F	N16	225	T					
G	N16	200	U					
Н	N16	175	٧					
J	N16	150	W					
K	N16	125	Х					
L	N20	200	Y					
М	N20	175	Z					



TYP. PENETRATION DETAILS

NOTE: IF PENETRATION IS LESS THAN 300 DISPLACE REINF. AROUND PENETRATION.



BAR LAYING SEQUENCE DIST. REINF. TO BE N16-200 BOTTOM
DIST. REINF. TO BE N12-200 TOP

ADDITIONAL REINFORCEMENT

ITEM	EXTRA REINFORCEMENT DETAILS
1*	4N16 AT 200 CRS x 2000 LG
2*	8N16 AT 200 CRS x 2000 LG
3*	4N16 AT 200 CRS x 2000 LG SHAPED
4*	5N16 AT 200 CRS x 4000 LG

ALL EXTRA REINFORCEMENT TO BE PLACED CENTRAL ABOVE COLUMNS UNDER

TIE SCHEDULE

T1 _____ SETS 2N12 CLOSED TIES AT 200 CRS ____ T2 _____ N12 CLOSED TIES AT 200 CRS ___

					_							
Α	ISSUED FOR CONSTRUCTION	SR	EW	31.05.22							Τ	Eng
В	RE-ISSUED FOR CONSTRUCTION	SR	EW	02.12.22							1	
С	REINF REVISED AS SHOWN	SR	EW	15.12.23							1	
D	REINF REVISED AS SHOWN	SR	EW	08.04.24							1	
Ε	RE-ISSUED FOR CONSTRUCTION	SR	EW	18.04.24	1						1	
					1						1	
Rev	Description	Bv	Ann	Date	1	Rev	Description	By	Ann	Date	П	





AJ and ST FAMILY TRUST

RESIDENTIAL APARTMENTS 47 CONDOR STREET BURWOOD

LEVEL 3 SLAB REINFORCEMENT PLANS

Drawing Title





S.R.