Slipst Advanced

Here are some uncategorized advanced features of Slipst that didn't fit into the tutorial.

Absolute Positioning with `up`

We know that `up` can point to an anchor slip, which means to scroll to the top of the anchor slip.

Here `#up(<1>)` will scroll to the top of the previous slip, which contains the label `<1>`.

However, sometimes you may want to scroll to the middle of a slip. For example, when there is a looong paragraph…

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et aut officiis debitis aut rerum necessitatibus saepe eveniet, ut et voluptates repudiandae sint et molestiae non recusandae. Itaque earum rerum defuturum, quas natura non depravata desiderat. Et quem ad me accedis, saluto: 'chaere,' inquam, 'Tite!' lictores, turma omnis chorusque: 'chaere, Tite!' hinc hostis mi Albucius, hinc inimicus. Sed iure Mucius. Ego autem mirari satis non queo unde hoc sit tam insolens domesticarum rerum fastidium. Non est omnino hic docendi locus; sed ita prorsus existimo, neque eum Torquatum, qui hoc primus cognomen invenerit, aut torquem illum hosti detraxisse, ut aliquam ex eo est consecutus? – Laudem et caritatem, quae sunt vitae.

We use `#up(<long>, dy: 5cm)` to scroll to a position 5cm below the top of the slip `<long>`.

Method

The second section starts here. No `#pause` is needed around `#right()`.

This is the second slip of the second section.



Figure 1: Contextual hypergraph of the Bell $(2, 2, 2)$ scenario. The hyperedge are represented by the same color.

$$\sum_{x \in \mathcal{S}} = 1 + x + \frac{x^2}{2} + \frac{x^3}{3!} + \ldots$$
$$= x + x + x + x + x$$

Altering Slips, a.k.a. Replacing Animations

In beamer/polylux/touying, you can have animations by defining multiple versions of a slide, and then revealing them one by one.

In slipst, many of these animations can already be achieved by `#pause` and `#up`, but sometimes you may want to have more control, e.g. to have the left half of the content appear first, and then the right half, or to let a figure of tree grow branch by branch.

This is where `#alter` comes in. Insert `#alter(n)` to mark the current slip has `n` versions.

```
#pause
#alter(3)
```

Inside the slip with `#alter(n)`, you can use `#uncover(...)` to specify which version(s) of the slip a content belongs to. The syntax of `#uncover` is inspired by polylux/touying's, for example:

- `#uncover("2")` means the content only appears in 2nd version.
- `#uncover("1-3")` means the content appears in 1st, 2nd, and 3rd versions.
- `#uncover("2-")` means the content appears in 2nd version and all later versions.
- `#uncover(("1", "3"))` means the content appears in 1st and 3rd versions, but not in 2nd version.

```
#alter(3)
This slip has 3 versions.

#uncover("1")[This is the 1st version.]
#uncover("2")[This is the 2nd version.]
#uncover("3")[This is the 3rd version.]
```

This slip has 3 versions.

This is the 1st version. This is the 2nd version. This is the 3rd version.

NOTE: This is a quick preview of the content of the presentation. For the full experience, please export to HTML. (Estimated size: 1 screens.)