

Persona Reconciliation Draft

This file turns the extracted persona list into a reconciliation-friendly structure.

The goal is not to finalize every label yet. The goal is to create a stable markdown shape where we can:

- merge obvious synonyms
- group role variants under a canonical family
- separate specialist vs operator vs admin/manager responsibilities
- flag ambiguous labels that still need a naming decision

These personas are prototype user-journey archetypes, not security roles or permission models. They are meant to help us identify compelling workflows, screen ownership, and narrative journeys for the prototype.

Working Rules

- Treat exact job-title synonyms as one canonical persona.
- Keep functional subdomains when they affect workflow ownership.
- Prefer a domain + responsibility model over raw title sprawl.
- Keep plain **Admin** and plain **Manager** unresolved unless the story context clearly anchors the domain.
- Allow one raw label to map to a canonical family first, then optionally to a narrower canonical persona later.
- Do not interpret these labels as RBAC definitions; a single human user may participate in multiple journeys.

Proposed Canonical Structure

1. Customer-Facing Service

1.1 Service Advisor

- Journey focus: Detailed vehicle intake, estimate and work order coordination, and assignment of technicians and bays across shop management and work order execution.
- Canonical persona: **Service Advisor**
- Merge into this:
 - **Service Advisor**
- Keep adjacent but separate:
 - **CSR**
 - **Customer Service Representative**
 - **Customer Support Associate**
- Notes:

- **Service Advisor** is already the dominant customer-facing execution persona and should stay distinct from generic customer support roles.

1.2 Customer Support / Front Counter / Checkout

- Journey focus: Front-desk greeting, lightweight intake, customer lookup, customer-facing CRM work, and end-of-transaction checkout including invoice review, billing, payment collection, and closeout.
- Canonical persona family: **Customer Support Associate**
- Family members:
 - **Customer Service Representative**
 - **CSR**
 - **Customer Support Associate**
- Merge into the **Customer Support Associate** family:
 - **Counter Associate**
 - **Front Desk**
 - **Cashier**
 - **POS Cashier**
 - **POS Clerk**
- Notes:
 - **Customer Support Associate** is the family name for this overall front-counter and checkout journey.
 - **Customer Support / Front Counter / Checkout** should currently be treated as one persona journey family.
 - **CSR** and **Customer Service Representative** remain naming variants within the same overall family.

1.3 Customer Account / Relationship Roles

- Journey focus: Ongoing customer relationship management, especially for commercial and long-term accounts, with CRM-facing ownership.
- Canonical persona family: **Account Management**
- Canonical persona: **Account Manager**
- Merge into **Account Manager**:
 - **Fleet Account Manager**
- Keep separate:
 - **Marketing Manager**
- Notes:

- **Fleet Account Manager** should currently reconcile into **Account Manager**.
- **Marketing Manager** remains separate.

2. Shop Operations

2.1 Shop Leadership

- Journey focus: Location-level operational leadership, directing service advisors and coordinating shop management, people management, and work order execution.
- Canonical persona family: **Location Management**
- Canonical persona: **Location Manager**
- Merge into **Location Manager**:
 - **Shop Manager**
 - **Store Manager**
 - **Back Office**
 - **Back Office Manager**
 - **Manager**
 - **Approver**
- Keep adjacent but separate:
 - **Director**
- Notes:
 - **Location Manager** is the current roll-up for the primary location-level management journey.
 - **Approver** should currently reconcile into **Location Manager** rather than remain a standalone persona.

2.2 Dispatch & Scheduling

- Journey focus: Scheduling and dispatch coordination, especially for mobile technicians, with a workflow adjacent to service advising.
- Canonical persona family: **Dispatch**
- Canonical persona: **Dispatcher**
- Role variant of **Dispatcher**:
 - **Scheduler**
 - **Mobile Lead**
- Notes:
 - **Scheduler** should currently reconcile into **Dispatcher**.
 - **Mobile Lead** should currently reconcile into the dispatch / service-advisor side of operations rather than a distinct lead-technician persona.

3. Shop Execution

3.1 Technician

- Journey focus: Hands-on vehicle execution work, repair workflow progress, and technician-facing work order execution.
- Canonical persona: **Technician**
- Merge into this:
 - **Technician**
 - **Mechanic**
- Notes:
 - This is one of the strongest merges in the current set.
 - If needed later, **Mobile Technician** can become a child of **Technician**.

3.2 Parts Roles

- Journey focus: Parts sourcing, issuance, availability, and counter support for work order and shop execution workflows.
- Canonical persona family: **Parts**
- Candidate children:
 - **Parts Manager**
 - **Parts Associate**
- Merge into **Parts Associate**:
 - **Parts Counter Staff**
- Notes:
 - These should remain distinct from **Technician** even when stories pair them together.

4. Inventory & Warehouse

4.1 Inventory Management

- Journey focus: Inventory control, stock governance, and operational oversight of inventory accuracy and movement policy.
- Canonical persona family: **Inventory Management**
- Candidate children:
 - **Inventory Control Manager**
 - **Inventory Staff**

- Role variants of **Inventory Control Manager**:
 - **Inventory Manager**
 - **Inventory Controller**
 - **Inventory Admin**
- Notes:
 - **Inventory Manager**, **Inventory Controller**, and **Inventory Admin** should currently reconcile into **Inventory Control Manager**.

4.2 Warehouse Operations

- Journey focus: Physical receiving, stocking, storage, and warehouse-floor handling of materials and inventory.
- Canonical persona family: **Warehouse**
- Children:
 - **Warehouse Manager**
 - **Warehouse Associate**
- Specialist variants of **Warehouse Associate**:
 - **Receiver**
 - **Stock Clerk**
- Notes:
 - **Receiver** and **Stock Clerk** should be treated as specialist types of **Warehouse Associate**, not separate peer personas.

5. Accounting & Finance

This area benefits most from a structured hierarchy. The main divide should be:

- specialist
- operations
- admin / manager
- oversight / audit

5.1 Accounting Specialist

- Journey focus: Day-to-day accounting execution, ledger-adjacent work, and transactional finance operations.
- Canonical persona: **Accounting Associate**
- Merge into **Accounting Associate**:
 - **Accountant**

- GL Accountant
 - GL Specialist
 - Accounting Clerk
 - Accounts Receivable Clerk
 - AP Clerk
 - Billing Specialist
 - Back Office Accountant
 - Payroll Clerk
- Notes:
 - GL, AP, AR, billing, payroll, and general accountant labels should currently reconcile into **Accounting Associate**.

5.2 Accounting Operations

- Journey focus: Monitoring, troubleshooting, and operational support for accounting ingestion, reconciliation, and finance-related processing flows.
- Canonical persona: **Accounting Associate**
- Merge into **Accounting Associate**:
 - Accounting Operations User
 - Accounting OPS
 - Accounting OPS User
 - Accounting Operations Analyst
 - Accounting OPS Specialist
 - Accounting Integration Operator
 - Integration Operator
 - Finance OPS User
- Notes:
 - Accounting operations labels should currently reconcile into **Accounting Associate**.

5.3 Finance / Accounting Management

- Journey focus: Finance oversight, accounting policy ownership, approvals, and management-level control of finance processes.
- Canonical persona family: **Finance / Accounting Management**
- Children:
 - Controller
 - Finance Manager
 - Accounting Manager
- Merge into **Controller**:

- Financial Controller
 - Finance
- Merge into Finance Manager:
 - FinanceManager
- Notes:
 - Controller is the current canonical roll-up for finance oversight and controller-style management journeys.
 - Finance/accounting admin labels should reconcile into System Administrator, not remain in the finance-management persona family.
 - This family is the right home for management, approvals, configuration authority, and policy ownership.

5.4 Audit & Oversight

- Journey focus: Review, compliance, traceability, and audit-oriented visibility into sensitive or regulated financial activity.
- Canonical persona family: Audit
- Merge or map into this family:
 - Auditor
 - Compliance Auditor
 - System Auditor
- Notes:
 - Keep audit distinct from finance admin/manager because the stories describe review and control functions, not operational ownership.

6. Product, Pricing, and Business Administration

6.1 Product Administration

- Journey focus: Product setup, maintenance, and administrative stewardship of product data used across the business.
- Canonical persona family: Product Administration
- Merge into this:
 - Product Admin
 - Product Administrator

6.2 Pricing

- Journey focus: Pricing strategy, price maintenance, and pricing-governance workflows that shape sell-side behavior.

- Canonical persona family: **Pricing**
- Candidate children:
 - **Pricing Administrator**
 - **Pricing Analyst**
 - **Pricing Manager**

6.3 General Administration

- Journey focus: System-level administration journeys, configuration ownership, and administrative maintenance of shared system capabilities.
- Canonical persona family: **System Administration**
- Canonical persona: **System Administrator**
- Merge into **System Administrator**:
 - **Admin**
 - **Admin User**
- Notes:
 - This bucket is now reserved for system-style administration roles.
 - **Admin** and **Admin User** should currently reconcile into **System Administrator**.

6.4 Location-Scoped Administrative Management

- Journey focus: Administrative ownership of location and people operations that function more like business management than system administration.
- Canonical persona family: **Location Management**
- Canonical persona: **Location Manager**
- Merge into **Location Manager**:
 - **Shop Administrator**
 - **HR Administrator**
 - **OPS Admin**
- Notes:
 - These should be construed as management or operational-ownership roles rather than system-administration roles.
 - They should roll into the same location-level management journey as **Shop Manager**, **Store Manager**, and **Back Office**.

7. Technical / Platform Actors

- Journey focus: Technical implementation, integration, platform support, and architecture-facing workflows that enable the prototype ecosystem.
- Canonical persona family: **Technical / Platform**
- Candidate children:
 - **Backend Engineer**
 - **Domain Architect**
 - **Platform Engineer**
 - **Platform Integrator**
 - **Integration Support Engineer**
 - **Moqui Engineer**

8. Non-Human Actors

- Journey focus: Automated or runtime-driven system behavior that participates in workflows without representing a human journey persona.
- Canonical actor family: **System**
- Non-human actors:
 - **System**
 - **System User**
- Notes:
 - **System** should not be treated as a human persona in reporting.
 - This bucket is for automated actors, runtime actors, and system-owned behavior.

High-Confidence Merges

- **Mechanic -> Technician**
- **CSR -> Customer Service Representative**
- **Counter Associate, Front Desk, Cashier, POS Cashier, POS Clerk -> Customer Support Associate**
- **Fleet Account Manager -> Account Manager**
- **Scheduler, Mobile Lead -> Dispatcher**
- **Parts Counter Staff -> Parts Associate**
- **Inventory Manager, Inventory Controller, Inventory Admin -> Inventory Control Manager**
- **Accountant, GL Accountant, GL Specialist, Accounting Clerk, Accounts Receivable Clerk, AP Clerk, Billing Specialist, Back Office Accountant, Payroll Clerk -> Accounting Associate**
- **Accounting Operations User, Accounting OPS, Accounting OPS User, Accounting Operations Analyst, Accounting OPS Specialist, Accounting Integration Operator, Integration Operator, Finance OPS User -> Accounting Associate**
- **Product Admin, Product Administrator -> Product Administrator**
- **Financial Controller, Controller, Finance -> Controller**

- Shop Manager, Store Manager, Back Office, Back Office Manager, Manager, Approver, Shop Administrator, HR Administrator, OPS Admin -> Location Manager
- FinanceManager -> Finance Manager
- Admin, Admin User -> System Administrator
- Accounting Admin, Finance Admin -> System Administrator
- System User -> System

Keep Separate For Now

- Service Advisor vs Customer Support Associate
- Dispatcher vs Service Advisor
- Parts Manager vs Parts Associate
- Inventory Control Manager vs Warehouse Manager
- Accounting Associate vs Finance / Accounting Management

Suggested Next Pass

1. Add a `canonical_persona` field to each story header or story metadata block.
2. Keep `primary_persona` as authored text, but add a normalized canonical label beside it.
3. Add a second field for `persona_family` so reporting can happen at either level.
4. Add a separate `actor_type = system` bucket for non-human actors and keep it distinct from personas.
5. When a story uses a title that sounds like an org role, map it by journey ownership rather than by permissions or security boundaries.
6. Normalize remaining boundary cases like `Director`, `Parts Manager`, and `Warehouse Manager` where story context is strong enough.

Current Rollup Snapshot

These are the larger raw groupings after the current normalization pass. They are useful as a sanity check, not as final canonical reporting.

- Customer-facing service & sales: 65
- Shop operations leadership: 32
- Execution & parts: 22
- Inventory & warehouse: 16
- Accounting specialists: 27
- Accounting operations: 14
- Finance/admin/oversight: 21
- General admins: 26
- Commercial & pricing admins: 4
- Technical/system actors: 9

Metadata Template

Use this template when adding normalized persona metadata to stories or related planning docs.

Human Journey Persona

- `primary\_persona`: ``
- `canonical\_persona`: ``
- `persona\_family`: ``
- `actor\_type`: `human`

Example:

- `primary\_persona`: `Cashier`
- `canonical\_persona`: `Customer Support Associate`
- `persona\_family`: `Customer Support Associate`
- `actor\_type`: `human`

Non-Human Actor

- `primary\_persona`: ``
- `canonical\_persona`: ``
- `persona\_family`: ``
- `actor\_type`: `system`

Example:

```
### Persona definitions
- `primary_persona`: `System User`
- `canonical_persona`: `System`
- `persona_family`: `System`
- `actor_type`: `system`
```

Field Intent

- **primary_persona**: The story's authored label as written.
- **canonical_persona**: The normalized journey persona or actor label used for reconciliation.
- **persona_family**: The broader roll-up grouping used for prototype planning and reporting.
- **actor_type**: Use **human** for user-journey personas and **system** for automated or non-human actors.