



EDIWheel

INDUSTRY STANDARD FOR THE TIRE BUSINESS

Message Implementation Guideline

Order status

C1.1

Issue date: 2023-03-10
Author: wdk/BRV/GEFEG

Occurrence Element / Attribute

	order_status
1 .. 1	xsd:sequence
1 .. 1	DocumentID
1 .. 1	Variant
0 .. 1	OrderDateFrom
0 .. 1	OrderDateTo
0 .. 1	OrderStatusIndicator
0 .. 1	TransportPriority
1 .. 1	ErrorHead
1 .. 1	xsd:sequence
1 .. 1	ErrorCode
1 .. 1	BuyerParty
1 .. 1	xsd:sequence
1 .. 1	PartyID
1 .. 1	AgencyCode
0 .. 1	OrderingParty
1 .. 1	xsd:sequence
1 .. 1	PartyID
1 .. 1	AgencyCode
0 .. 1	SellerParty
1 .. 1	xsd:sequence
1 .. 1	PartyID
1 .. 1	AgencyCode
0 .. 1	Consignee
1 .. 1	xsd:sequence
1 .. 1	PartyID
1 .. 1	AgencyCode
0 .. 4	Name
0 .. 1	Address
1 .. 1	xsd:sequence
1 .. 2	Street
1 .. 1	City
0 .. 1	District
1 .. 1	PostCode
0 .. 1	SubCountry
1 .. 1	CountryCode
0 .. 1	Geolocation
1 .. 1	xsd:sequence
1 .. 1	Latitude
1 .. 1	Longitude
0 .. 1	InformationContact
1 .. 1	xsd:sequence
0 .. 1	ContactID
0 .. 2	Name
0 .. 1	TelephoneNumber
0 .. 1	TelephoneExtension
0 .. 1	FaxNumber
0 .. 1	EmailAddress
0 .. 1	SupplierParty
1 .. 1	xsd:sequence
1 .. 1	PartyID
1 .. 1	AgencyCode
0 .. unbounded	ReferencedOrder
1 .. 1	xsd:sequence
1 .. 1	Error
1 .. 1	xsd:sequence
1 .. 1	ErrorCode
0 .. 1	ErrorText
0 .. 1	OrderDate
0 .. 1	SupplierOrderNumber
1 .. 1	xsd:sequence
1 .. 1	DocumentID
0 .. 1	OrderingMethod
0 .. 1	OrderReference
1 .. 1	xsd:sequence

Occurrence	Element / Attribute
1 .. 1	DocumentID
0 .. 1	PickUp
0 .. 1	DeliveryOption
0 .. 1	SellerParty
1 .. 1	xsd:sequence
0 .. 1	PartyID
0 .. 1	AgencyCode
0 .. 4	Name
0 .. 1	Address
1 .. 1	xsd:sequence
0 .. 3	Street
0 .. 1	City
0 .. 1	District
0 .. 1	PostCode
0 .. 1	SubCountry
1 .. 1	CountryCode
0 .. 5	AddressLineText
0 .. 1	InformationContact
1 .. 1	xsd:sequence
0 .. 1	ContactID
0 .. 2	Name
0 .. 1	TelephoneNumber
0 .. 1	TelephoneExtension
0 .. 1	FaxNumber
0 .. 1	EmailAddress
0 .. 1	SupplierParty
1 .. 1	xsd:sequence
1 .. 1	PartyID
1 .. 1	AgencyCode
0 .. 4	Name
0 .. 1	Address
1 .. 1	xsd:sequence
0 .. 3	Street
0 .. 1	City
0 .. 1	District
0 .. 1	PostCode
0 .. 1	SubCountry
1 .. 1	CountryCode
0 .. 1	InformationContact
1 .. 1	xsd:sequence
0 .. 1	ContactID
0 .. 2	Name
0 .. 1	TelephoneNumber
0 .. 1	TelephoneExtension
0 .. 1	FaxNumber
0 .. 1	EmailAddress
0 .. 1	Contract
1 .. 1	xsd:sequence
1 .. 1	DocumentID
0 .. unbounded	OrderLine
1 .. 1	xsd:sequence
1 .. 1	LineID
0 .. 1	CustomerLineItemNumber
0 .. 1	AdditionalCustomerReferenceNumber
1 .. 1	xsd:sequence
1 .. 1	DocumentID
0 .. 1	TransportPriority
0 .. 1	PickUp
0 .. 1	DeliveryOption
0 .. 1	SellerParty
1 .. 1	xsd:sequence
0 .. 1	PartyID
0 .. 1	AgencyCode
0 .. 4	Name
0 .. 1	Address
1 .. 1	xsd:sequence
0 .. 3	Street

Occurrence	Element / Attribute
0 .. 1	City
0 .. 1	District
0 .. 1	PostCode
0 .. 1	SubCountry
1 .. 1	CountryCode
0 .. 5	AddressLineText
0 .. 1	InformationContact
1 .. 1	xsd:sequence
0 .. 1	ContactID
0 .. 2	Name
0 .. 1	TelephoneNumber
0 .. 1	TelephoneExtension
0 .. 1	FaxNumber
0 .. 1	EmailAddress
0 .. 1	SupplierParty
1 .. 1	xsd:sequence
0 .. 1	PartyID
0 .. 1	AgencyCode
0 .. 4	Name
0 .. 1	Address
1 .. 1	xsd:sequence
0 .. 3	Street
0 .. 1	City
0 .. 1	District
0 .. 1	PostCode
0 .. 1	SubCountry
1 .. 1	CountryCode
0 .. 5	AddressLineText
0 .. 1	InformationContact
1 .. 1	xsd:sequence
0 .. 1	ContactID
0 .. 2	Name
0 .. 1	TelephoneNumber
0 .. 1	TelephoneExtension
0 .. 1	FaxNumber
0 .. 1	EmailAddress
1 .. 1	OrderedArticle
1 .. 1	xsd:sequence
1 .. 1	ArticleIdentification
1 .. 1	xsd:sequence
0 .. 1	BuyersArticleID
0 .. 1	ManufacturersArticleID
0 .. 1	EANUCCArticleID
0 .. 1	ArticleDescription
1 .. 1	xsd:sequence
1 .. 1	ArticleDescriptionText
0 .. 1	RequestedDeliveryDate
0 .. 1	RequestedDeliveryTime
0 .. 1	ArticleComment
0 .. unbounded	ScheduleDetails
1 .. 1	xsd:sequence
0 .. 1	DeliveryDate
0 .. 1	DeliveryTime
0 .. 1	BackorderedQuantity
1 .. 1	xsd:sequence
1 .. 1	QuantityValue
0 .. 1	ConfirmedQuantity
1 .. 1	xsd:sequence
1 .. 1	QuantityValue
0 .. 1	CancelledQuantity
1 .. 1	xsd:sequence
1 .. 1	QuantityValue
0 .. 1	OpenQuantity
1 .. 1	xsd:sequence
1 .. 1	QuantityValue
0 .. 1	ScheduledQuantity
1 .. 1	xsd:sequence

Occurrence Element / Attribute

1 .. 1	QuantityValue
0 .. 1	ShippedDetails
1 .. 1	xsd:choice
0 .. 1	ShippedQuantity
1 .. 1	xsd:sequence
1 .. 1	QuantityValue
0 .. 1	DespatchedDetails
1 .. 1	xsd:sequence
1 .. unbounded	ScheduledArticleDespatchDetails
1 .. 1	xsd:sequence
1 .. 1	DespatchDate
1 .. 1	DespatchAdviceReference
1 .. 1	xsd:sequence
1 .. 1	DocumentID
0 .. 1	LineID
1 .. 1	DespatchedQuantity
1 .. 1	xsd:sequence
1 .. 1	QuantityValue
0 .. 1	SellerParty
1 .. 1	xsd:sequence
1 .. 1	PartyID
1 .. 1	AgencyCode
0 .. 4	Name
0 .. 1	Address
1 .. 1	xsd:sequence
0 .. 3	Street
0 .. 1	City
0 .. 1	District
0 .. 1	PostCode
0 .. 1	SubCountry
1 .. 1	CountryCode
0 .. 1	InformationContact
1 .. 1	xsd:sequence
0 .. 1	ContactID
0 .. 2	Name
0 .. 1	TelephoneNumber
0 .. 1	TelephoneExtension
0 .. 1	FaxNumber
0 .. 1	EmailAddress
0 .. 1	SupplierParty
1 .. 1	xsd:sequence
1 .. 1	PartyID
0 .. 1	AgencyCode
0 .. 4	Name
0 .. 1	Address
1 .. 1	xsd:sequence
0 .. 3	Street
0 .. 1	City
0 .. 1	District
0 .. 1	PostCode
0 .. 1	SubCountry
1 .. 1	CountryCode
0 .. 1	InformationContact
1 .. 1	xsd:sequence
0 .. 1	ContactID
0 .. 2	Name
0 .. 1	TelephoneNumber
0 .. 1	TelephoneExtension
0 .. 1	FaxNumber
0 .. 1	EmailAddress
0 .. 1	TransportPriority
0 .. 1	PickUp
0 .. 1	DeliveryOption
0 .. 1	OrderedQuantity
1 .. 1	xsd:sequence
1 .. 1	QuantityValue

Element/Attribute	Annotation	User Comments
order_status		Identification numbers and text: The allowed characters are [a-z, A-Z,0-9 and the underscore '_']. The terms 'Mandatory', 'must be used', 'has to be used' and any min occurrence greater than '0' mean that an XML element must be sent with a value in it .
xsd:sequence	Occurrence 1 .. 1	
DocumentID	Occurrence 1 .. 1 Fixed C1 Length .. 17 Name Message version Descr. Identification of Message version Remark This is the identification of the message type within the framework of EDIwheel message types. Remark This field should only contain 'C1' as fix value.	
Variant	Occurrence 1 .. 1 Fixed 1 Length 1 Remark The variant of this release is "1"	
OrderDateFrom	Occurrence 0 .. 1 Length .. 10 Pattern \d{4}-\d{2}-\d{2} Example 2008-31-01 Name Order Date From Descr. The starting date (order creation date) from which all orders shall be included in an action, report or query. Remark The max. date range is 90 days. If no date or date range is defined, then the use of the supplier or customer order number or contract number or article identifier is mandatory. If one of the above is used as search criteria than this element could not be used.	
OrderDateTo	Occurrence 0 .. 1 Length .. 10 Pattern \d{4}-\d{2}-\d{2} Example 2008-31-01 Name Order Date To Descr. The end date (order creation date) up to which all orders shall be included in an action, report or query.	

Bold = Element, Italic = Attribute, Grey = Group

XML - INDUSTRIAL SOLUTION

Description



Element/Attribute	Annotation	User Comments
OrderStatusIndicator	Remark	The max. date range is 90 days. If no date or date range is defined, then the use of the supplier or customer order number or contract number or article identifier is mandatory. If one of the above is used as search criteria than this element could not be used.
	Occurrence	0 .. 1
	Length	.. 1
	Name	Order Status Indicator
	Descr.	Refines the categories of orders a status request is asking for and a Order Status message is informing about. This information should be identical in the Order Status Request message and in the Order Status message. Code 1 indicates that an answering Order Status message shall cover all open orders plus all cancelled orders. Code 2 indicates that an answering Order Status message shall cover all open orders, all cancelled orders and all delivered orders. If this element is not sent in the request then the request is about all open orders in the suppliers ERP only.
TransportPriority	Applicable Codes	
	0	Open orders only
	1	Open orders and cancelled orders
	2	Open orders, cancelled orders and delivered orders
	Occurrence	0 .. 1
TransportPriority	Length	.. 4
	Remark	In order to express that the order is a normal order the element must not be used.
	Name	Transport priority
		Rush: If the customer wants to receive delivery faster than the agreed regular terms, then he can use this element to inform the supplier that the order must be treated differently from the usual case. As mentioned before, the delivery terms are agreed as a default at the supplier/ customer level so they can be specified differently on a case by case basis. The rush order simply means that the goods ordered in this order should be delivered faster as usual.
		Replenishment: It means that the customer either sends an order for which he does not expect an exact timing or sends an order for which the supplier will compute the contractual RequestedDeliveryDate. It should be used only on bilateral agreement between the customer and the supplier. Note some suppliers in some countries will

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
		confirm the dates for such kind of order so the rule should be if date is confirmed, than it means the supplier will deliver on those dates, if the date is 99991231, than no exact date is confirmed in the order confirmation message and it means as well that the suppliers customer service will contact the customer to agree on delivery dates and quantities. There are no general rules about the volume or about the way the supplier is processing this replenishment orders. Seasonal orders: This transport priority means that the customer is purchasing goods for a whole season (winter or summer). Knowing that these orders are containing big quantity of tyres and that the delivery of these goods has to be spread over the whole period, the exact delivery dates will not be confirmed in the order confirmation message. The actual procedures will remain meaning the customer service will contact regularly the customer to agree on which quantity should be delivered by when. DRSP - Drop shipment VMOI - Consignment MLOS - Manufacturer logistics service Transport priority can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.
	Applicable Codes DRSP Drop shipment MLOS Manufacturer logistics service REPL Replenishment The order has to be processed following the supplier's replenishment delivery scheme. Depending on the supplier it can mean that in the order response, - the delivery dates and quantities are not calculated at request time but later. In this case the order response returns 99991231, meaning the delivery dates cannot be committed.- the delivery dates and quantities are calculated based on the replenishment scheme of the supplier and provided requested dates.	
	RUSH Rush Order	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
ErrorHead xsd:sequence ErrorCode	Applicable Codes SEAS Seasonal order Seasonal order means that there will never be a confirmed delivery date in the order confirmation message. The requested delivery date will be considered as a starting date by when the first shipments should take place. Nevertheless, the suppliers customer service will always contact the dealer to agree exactly what and when will be delivered.	
	VMOI Consignment	
	Occurrence 1 .. 1	
	Name Error code information	
	Descr. Error code information	
	Occurrence 1 .. 1	
	Occurrence 1 .. 1	
	Length .. 3	
	Name Error code	
	Applicable Codes 0 No errors occurred 1 At least one item is invalid. Details are distinctive in the error field on item level. 303 No connection to ERP system 304 Request to ERP - System disconnected 399 Miscellaneous - connection error 405 Timeout during processing in ERP system 499 Miscellaneous - processing error 901 Document number invalid [identification number of document, blanket order reference, customer reference, additional customer reference number] 914 Missing buyer (sold-to) identification number 915 Buyer (sold-to) party ID number invalid 916 Adhoc version number incorrect (document ID or variant) 917 Incorrect ad hoc message type 920 Account not activated for this buyer (sold-to) party ID number 921 Access permission password is expired 924 Incorrect buyer (sold-to) agency code qualifier 925 Incorrect consignee (ship-to) agency code qualifier 926 Missing mapping for the customer assigned buyer (sold-to) party ID	

Bold = Element, Italic = Attribute, Grey = Group

XML - INDUSTRIAL SOLUTION

Description



Element/Attribute	Annotation	User Comments
Applicable Codes 927 Missing mapping for the customer assigned consignee (ship-to) party ID 932 Buyer (sold-to) definition error in supplier system (sales area, deletion indicator etc.) 936 Wrong buyer - consignee combination (sold-to/ship-to combination) 937 Consignee (ship-to) definition error in supplier system (sales area, deletion indicator etc.) 946 Ad hoc version number missing 947 Order selection date (from) invalid 948 Order selection date (to) invalid 949 Too large date range for an status request 950 No authority to use this message type 951 Wrong order status indicator 952 Order status indicator not supported by the supplier 953 Date range or ordering method cannot be used simultaneously with order reference as selection criteria 965 Invalid supplier agency code qualifier 966 Invalid seller agency code qualifier 988 Search criteria is not unique 998 UserID not authorized for this customer 999 Miscellaneous		
BuyerParty	Occurrence 1 .. 1 Remark Contracting party, e.g. party who is doing / establishing the sales contract by a legal way. In other words it's the entity who's doing the business contract with the supplier and who takes the legal responsibility. Depending on the customers organisation it could be a central purchasing department (headquarter) or a main dealer. Questions ??? Name, Address and InformationContact disabled. We decided, that only the consignee party should have this information not the buyer party.	
xsd:sequence	Occurrence 1 .. 1	
PartyID	Occurrence 1 .. 1 Length .. 17 Name Buyer ID Descr. Identification number of a buyer.	By the party ID, called buyer party, is considered the number which identifies the purchasing party. In other words, who is demanding goods. Depending on the customer organisation, it might be the same as the ship-to

Bold = Element, Italic = Attribute, Grey = Group

XML - INDUSTRIAL SOLUTION

Description



Element/Attribute	Annotation	User Comments
	Remark The buyer number could be assigned by three parties defined by agency code (91, 92, 9). It must consist of the characters [A..Z, 0..9, _] (letters, numbers, underscore).	(consignee) or the same as the invoice payer.
AgencyCode	Occurrence 1 .. 1 Descr. Code identifying the agency responsible for a code list. Length .. 3 Name Code list responsible agency, coded Remark Code identifying the agency responsible for a code list. Name Type of the buyer's identification number. Descr. Code identifying the agency responsible for a code list. Applicable Codes 9 EAN (International Article Numbering association) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent	
OrderingParty	Occurrence 0 .. 1 Remark The initial ordering / stipulating party is the partner who is placing/creating the purchase order in the customer system. This element has to be used when the ordering party is different from the buyer (example shop versus head office). Note: This level is not supported by all manufacturers.	
xsd:sequence	Occurrence 1 .. 1	
PartyID	Occurrence 1 .. 1 Length .. 17 Name Ordering Party ID Remark The ordering party number could be assigned by three parties defined by agency code (91, 92, 9). It must consist of the characters [A..Z, 0..9, _] (letters, numbers, underscore).	
AgencyCode	Occurrence 1 .. 1 Descr. Code identifying the agency responsible for a code list. Length .. 3 Name Code list responsible agency, coded Remark Code identifying the agency responsible for a code list. Name Type of the ordering party's identification number. Applicable Codes 9 EAN (International Article Numbering association) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent	

Bold = Element, Italic = Attribute, Grey = Group

XML - INDUSTRIAL SOLUTION

Description



Element/Attribute	Annotation	User Comments
SellerParty	Occurrence 0 .. 1	Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.
xsd:sequence	Occurrence 1 .. 1	
PartyID	Occurrence 1 .. 1 Length .. 17	
AgencyCode	Occurrence 1 .. 1 Descr. Code identifying the agency responsible for a code list. Length .. 3 Name Code list responsible agency, coded Remark Code identifying the agency responsible for a code list.	
	Applicable Codes	
	9 EAN (International Article Numbering association)	
	91 Assigned by seller or seller's agent	
	92 Assigned by buyer or buyer's agent	
Consignee	Occurrence 0 .. 1	
	Remark The delivery address in the header is valid for all items. Indicating a consignee [ship-to] on the item level, which differs from the consignee specified on the header level, is not possible.	
	Remark If the delivery address is not identical with the buyer address, a consignee has to be sent. Exception: if a note in the supplier's system indicates that the goods have always to be delivered to another recorded address, then it is not necessary to send a separate consignee.	
	Remark It is required to send either the partyID (with agency code) or the name and address.	
xsd:sequence	Occurrence 1 .. 1	This code is used to identify the address where the goods are to be sent. For the supplier this address is where the goods will be shipped (ship-to address). The customer has to agree upfront with the supplier which are the concerned ship-to addresses for a given sold-to
PartyID	Occurrence 1 .. 1 Length .. 17 Name Identification consignee/delivery address	
AgencyCode	Occurrence 1 .. 1 Descr. Code identifying the agency responsible for a code list. Length .. 3 Name Code list responsible agency, coded Remark Code identifying the agency responsible for a code list. Name Type of the consignee's identification number.	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation		User Comments
	Applicable Codes		
	91	Assigned by seller or seller's agent	
	92	Assigned by buyer or buyer's agent	
— Name	Occurrence	0 .. 4	
	Length	.. 30	
└ Address	Occurrence	0 .. 1	
└ xsd:sequence	Occurrence	1 .. 1	
— Street	Occurrence	1 .. 2	
	Length	.. 30	
— City	Occurrence	1 .. 1	
	Length	.. 30	
— District	Occurrence	0 .. 1	
	Length	.. 30	
— PostCode	Occurrence	1 .. 1	
	Length	.. 10	
— SubCountry	Occurrence	0 .. 1	
	Length	.. 70	
— CountryCode	Occurrence	1 .. 1	
	Length	.. 3	
	Remark	Use ISO 2 Alpha country code list	
└ Geolocation	Occurrence	0 .. 1	
└ xsd:sequence	Occurrence	1 .. 1	
— Latitude	Occurrence	1 .. 1	
	Length	.. 10	
	Pattern	(\+ -)?(((0-8)[0-9])(\.[0-9]{1,6})?)?90)	
	Name	Latitude as decimal degrees (between -90 and +90)	
	Remark	The use of decimal coordinates for the Geolocation element is compliant with ISO 6709 and will be used for the format.	
	Example	-89.345543, 01.45, +25.23456	
— Longitude	Occurrence	1 .. 1	
	Length	.. 11	
	Pattern	(\+ -)?((0[0-9]{2})1[0-7][0-9])(\.[0-9]{1,6})?180)	
	Name	Longitude as decimal degrees (between -180 and +180)	
	Remark	The use of decimal coordinates for the Geolocation element is compliant with ISO 6709 and will be used for the format.	
	Example	-145.956083, 092.123,+005.12345	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
InformationContact	Occurrence 0 .. 1 Remark One of the attributes of the contact has to be present. Name Information contact	
xsd:sequence	Occurrence 1 .. 1	
ContactID	Occurrence 0 .. 1 Length .. 17	
Name	Occurrence 0 .. 2 Length .. 40	
TelephoneNumber	Occurrence 0 .. 1 Length .. 100	
TelephoneExtension	Occurrence 0 .. 1 Length .. 100	
FaxNumber	Occurrence 0 .. 1 Length .. 100	
EmailAddress	Occurrence 0 .. 1 Length .. 256	
SupplierParty	Occurrence 0 .. 1 Name Supplier identification Descr. Identification of a supplier	In North America supplier is preferred to identify the selling and supplying party. Seller is only included when the party actually differs from the supplier. Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.
xsd:sequence	Occurrence 1 .. 1	
PartyID	Occurrence 1 .. 1 Length .. 17 Name Identification number supplier Descr. Identification number supplier	
AgencyCode	Occurrence 1 .. 1 Descr. Code identifying the agency responsible for a code list. Length .. 3 Name Code list responsible agency, coded Remark Code identifying the agency responsible for a code list.	
	Applicable Codes	
	9 EAN (International Article Numbering association)	
	91 Assigned by seller or seller's agent	
	92 Assigned by buyer or buyer's agent	
ReferencedOrder	Occurrence 0 .. unbounded	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
xsd:sequence	Occurrence 1 .. 1	
Error	Occurrence 1 .. 1	
xsd:sequence	Occurrence 1 .. 1	
ErrorCode	Occurrence 1 .. 1 Length .. 3 Name Error code	
	Applicable Codes	
	903 Invalid article identification code	
	911 Incorrect EAN number (not known on supplier side)	
	970 Manufacturers order number invalid or not found	
	971 Customers order number invalid or not found	
	999 Miscellaneous	
ErrorText	Occurrence 0 .. 1 Length .. 60 Name Error text Descr. Detailed explanations of an error, that has occurred.	
OrderDate	Occurrence 0 .. 1 Length .. 10 Pattern \d{4}-\d{2}-\d{2} Example 2008-31-01 Remark Some parties do not issue order numbers. They identify their orders by order date and part number. In this case, this stand alone order date can be used rather than order number (ID) and date.	
SupplierOrderNumber	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
DocumentID	Occurrence 1 .. 1 Length .. 17 Name Document ID Descr. Identification of the document	
OrderingMethod	Occurrence 0 .. 1 Length .. 2 Name Ordering method Descr. The method by which an order has been created.	
	Applicable Codes	
	EI EDI	
	EM Electronic Mail	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
OrderReference xsd:sequence DocumentID	Applicable Codes FX Fax HO Adhoc MA Paper MO Mobile OT Other TE Telephone VM VMI WP Portal order by WWW	
	Occurrence 0 .. 1	
	Name Customer assigned Order number	
	Occurrence 1 .. 1	
	Occurrence 1 .. 1	
	Length .. 35	
	Name Document ID	
	Descr. Identification of the document	
	Remark If both the supplier and customer numbers are used, than the primary search criteria is the "Suppliers order number". The document ID contains here the 'Customer assigned order number'	
	Occurrence 0 .. 1	
PickUp	Length .. 1 Name Pickup Descr. Flag to specify if the Customer in the Inquiry or Order requires to pick-up the goods at supplier's location.	PickUp can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.
DeliveryOption	Applicable Codes Y Yes	
	Occurrence 0 .. 1	
	Length .. 3	
	Name Delivery option	
	Descr. Examples: IA = Package, display, wooden IB = Package, display, cardboard IC = Package, display, plastic ID = Package, display, metal OA = Pallet, CHEP 40 cm x 60 cm OB = Pallet, CHEP 80 cm x 120 cm	DeliveryOption can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
	OC = Pallet, CHEP 100 cm x 120 cm OD = Pallet, AS 4068-1993 OE = Pallet, ISO T11 UN/EDIFACT Data Element 7065, and more precisely UN/ ECE Recommendation 21, Annex V, alphabetic codes https://www.unece.org/fileadmin/DAM/cefact/recommendations/rec21/rec21_Rev9e_2012.xls	
SellerParty	Link Occurrence 0 .. 1	Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.
xsd:sequence	Occurrence 1 .. 1	
PartyID	Occurrence 0 .. 1 Length .. 17	
AgencyCode	Occurrence 0 .. 1 Descr. Code identifying the agency responsible for a code list. Length .. 3 Name Code list responsible agency, coded Remark Code identifying the agency responsible for a code list. Applicable Codes 9 EAN (International Article Numbering association) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent	
Name	Occurrence 0 .. 4 Length .. 40	
Address	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
Street	Occurrence 0 .. 3 Length .. 40	
City	Occurrence 0 .. 1 Length .. 40	
District	Occurrence 0 .. 1 Length .. 40	
PostCode	Occurrence 0 .. 1 Length .. 10	
SubCountry	Occurrence 0 .. 1 Length .. 70	
CountryCode	Occurrence 1 .. 1	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
	Length .. 3	
	Remark Use ISO 2 Alpha country code list	
AddressLineText	Occurrence 0 .. 5	
	Length .. 35	
InformationContact	Occurrence 0 .. 1	
	Remark One of the attributes of the contact has to be present.	
	Name Information contact	
xsd:sequence	Occurrence 1 .. 1	
ContactID	Occurrence 0 .. 1	
	Length .. 17	
Name	Occurrence 0 .. 2	
	Length .. 40	
TelephoneNumber	Occurrence 0 .. 1	
	Length .. 100	
TelephoneExtension	Occurrence 0 .. 1	
	Length .. 100	
FaxNumber	Occurrence 0 .. 1	
	Length .. 100	
EmailAddress	Occurrence 0 .. 1	
	Length .. 256	
SupplierParty	Occurrence 0 .. 1	In North America supplier is preferred to identify the selling and supplying party. Seller is only included when the party actually differs from the supplier. Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.
	Name Supplier identification	
	Descr. Identification of a supplier	
	Questions ??? For C1 we added the supplier party. Why this party is not in the proposal for C1.1?	
xsd:sequence	Occurrence 1 .. 1	
PartyID	Occurrence 1 .. 1	
	Length .. 17	
	Name Identification number supplier	
	Descr. Identification number supplier	
AgencyCode	Occurrence 1 .. 1	
	Descr. Code identifying the agency responsible for a code list.	
	Length .. 3	
	Name Code list responsible agency, coded	
	Remark Code identifying the agency responsible for a code list.	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
Applicable Codes 9 EAN (International Article Numbering association) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent		
Name	Occurrence 0 .. 4 Length .. 40	
Address	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
Street	Occurrence 0 .. 3 Length .. 40	
City	Occurrence 0 .. 1 Length .. 40	
District	Occurrence 0 .. 1 Length .. 40	
PostCode	Occurrence 0 .. 1 Length .. 10	
SubCountry	Occurrence 0 .. 1 Length .. 70	
CountryCode	Occurrence 1 .. 1 Length .. 3 Remark Use ISO 2 Alpha country code list	
InformationContact	Occurrence 0 .. 1 Remark One of the attributes of the contact has to be present. Name Information contact	
xsd:sequence	Occurrence 1 .. 1	
ContactID	Occurrence 0 .. 1 Length .. 17	
Name	Occurrence 0 .. 2 Length .. 40	
TelephoneNumber	Occurrence 0 .. 1 Length .. 100	
TelephoneExtension	Occurrence 0 .. 1 Length .. 100	
FaxNumber	Occurrence 0 .. 1 Length .. 100	
EmailAddress	Occurrence 0 .. 1	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
Contract	Length .. 256 Occurrence 0 .. 1 Name Contract number, reference to the sales agreement Remark To identify the sales agreement (ie, contract number) that needs to be used in a transaction.	
xsd:sequence	Occurrence 1 .. 1	
DocumentID	Occurrence 1 .. 1 Length .. 17 Name Document ID Descr. Identification of the document	
OrderLine	Occurrence 0 .. unbounded Name Line item information Remark It should be checked with each supplier what the supported maximum occurrence is.	
xsd:sequence	Occurrence 1 .. 1	
LineID	Occurrence 1 .. 1 Length .. 6 Name Line item number Descr. Supplier assigned identification number of a line item of a document. Remark This supplier assigned line item number further specifies the Document ID of the supplier assigned Supplier Order Number. Always at least the Customer Line Item Number or the supplier assigned Line Item number must be indicated.	
CustomerLineItemNumber	Occurrence 0 .. 1 Length .. 6 Name Customer Line Item Number Descr. Customer assigned Line Item Number Remark This is the customers purchase order line number used for reconciliation. This customer assigned line item number further specifies the Document ID of the customer assigned assigned Order Reference. Always at least the Customer Line Item Number or the supplier assigned Line Item number must be indicated.	
AdditionalCustomerReferenceNumber	Occurrence 0 .. 1 Name Additional Customer's reference information	
xsd:sequence	Occurrence 1 .. 1	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
DocumentID	Occurrence 1 .. 1 Length .. 35 Descr. Customer's reference to the business transaction on item level.	
TransportPriority	Occurrence 0 .. 1 Length .. 4 Remark In order to express that the order is a normal order the element must not be used. Name Transport priority	Rush: If the customer wants to receive delivery faster than the agreed regular terms, then he can use this element to inform the supplier that the order must be treated differently from the usual case. As mentioned before, the delivery terms are agreed as a default at the supplier/customer level so they can be specified differently on a case by case basis. The rush order simply means that the goods ordered in this order should be delivered faster as usual. Replenishment: It means that the customer either sends an order for which he does not expect an exact timing or sends an order for which the supplier will compute the contractual RequestedDeliveryDate. It should be used only on bilateral agreement between the customer and the supplier. Note some suppliers in some countries will confirm the dates for such kind of order so the rule should be if date is confirmed, than it means the supplier will deliver on those dates, if the date is 99991231, than no exact date is confirmed in the order confirmation message and it means as well that the suppliers customer service will contact the customer to agree on delivery dates and quantities. There are no general rules about the volume or about the way the supplier is processing this replenishment orders. Seasonal orders: This transport priority means that the customer is purchasing goods for a whole season (winter or summer). Knowing that these orders are containing big quantity of tyres and that the delivery of these goods has to be spread over the whole period, the exact delivery dates will not be confirmed in the order confirmation message. The actual procedures will remain meaning the customer service will contact regularly the customer to agree on which quantity should be delivered by when.

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
	DRSP - Drop shipment VMOI - Consignment MLOS - Manufacturer logistics service Transport priority can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels. Applicable Codes DRSP Drop shipment MLOS Manufacturer logistics service REPL Replenishment The order has to be processed following the supplier's replenishment delivery scheme. Depending on the supplier it can mean that in the order response, - the delivery dates and quantities are not calculated at request time but later. In this case the order response returns 99991231, meaning the delivery dates cannot be committed.- the delivery dates and quantities are calculated based on the replenishment scheme of the supplier and provided requested dates. RUSH Rush Order SEAS Seasonal order Seasonal order means that there will never be a confirmed delivery date in the order confirmation message. The requested delivery date will be considered as a starting date by when the first shipments should take place. Nevertheless, the suppliers customer service will always contact the dealer to agree exactly what and when will be delivered. VMOI Consignment	
PickUp	Occurrence 0 .. 1 Length .. 1 Name Pickup Descr. Flag to specify if the Customer in the Inquiry or Order requires to pick-up the goods at supplier's location. Applicable Codes Y Yes	PickUp can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.
DeliveryOption	Occurrence 0 .. 1 Length .. 3 Name Delivery option	DeliveryOption can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
	Descr. Examples: IA = Package, display, wooden IB = Package, display, cardboard IC = Package, display, plastic ID = Package, display, metal OA = Pallet, CHEP 40 cm x 60 cm OB = Pallet, CHEP 80 cm x 120 cm OC = Pallet, CHEP 100 cm x 120 cm OD = Pallet, AS 4068-1993 OE = Pallet, ISO T11 Link UN/EDIFACT Data Element 7065, and more precisely UN/ ECE Recommendation 21, Annex V, alphabetic codes https://www.unece.org/fileadmin/DAM/cefact/recommendations/rec21/rec21_Rev9e_2012.xls	
SellerParty	Occurrence 0 .. 1	Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.
xsd:sequence	Occurrence 1 .. 1	
PartyID	Occurrence 0 .. 1 Length .. 17	
AgencyCode	Occurrence 0 .. 1 Descr. Code identifying the agency responsible for a code list. Length .. 3 Name Code list responsible agency, coded Remark Code identifying the agency responsible for a code list.	
	Applicable Codes	
	9 EAN (International Article Numbering association)	
	91 Assigned by seller or seller's agent	
	92 Assigned by buyer or buyer's agent	
Name	Occurrence 0 .. 4 Length .. 40	
Address	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
Street	Occurrence 0 .. 3 Length .. 40	
City	Occurrence 0 .. 1 Length .. 40	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
District	Occurrence 0 .. 1 Length .. 40	
PostCode	Occurrence 0 .. 1 Length .. 10	
SubCountry	Occurrence 0 .. 1 Length .. 70	
CountryCode	Occurrence 1 .. 1 Length .. 3 Remark Use ISO 2 Alpha country code list	
AddressLineText	Occurrence 0 .. 5 Length .. 35	
InformationContact	Occurrence 0 .. 1 Remark One of the attributes of the contact has to be present. Name Information contact	
xsd:sequence	Occurrence 1 .. 1	
ContactID	Occurrence 0 .. 1 Length .. 17	
Name	Occurrence 0 .. 2 Length .. 40	
TelephoneNumber	Occurrence 0 .. 1 Length .. 100	
TelephoneExtension	Occurrence 0 .. 1 Length .. 100	
FaxNumber	Occurrence 0 .. 1 Length .. 100	
EmailAddress	Occurrence 0 .. 1 Length .. 256	
SupplierParty	Occurrence 0 .. 1 Name Supplier identification Descr. Identification of a supplier	In North America supplier is preferred to identify the selling and supplying party. Seller is only included when the party actually differs from the supplier. Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.
xsd:sequence	Occurrence 1 .. 1	
PartyID	Occurrence 0 .. 1 Length .. 17	

Bold = Element, *Italic* = Attribute, Grey = Group

XML - INDUSTRIAL SOLUTION

Description



Element/Attribute	Annotation	User Comments
	Name Identification number supplier Descr. Identification number supplier Occurrence 0 .. 1 Descr. Code identifying the agency responsible for a code list. Length .. 3 Name Code list responsible agency, coded Remark Code identifying the agency responsible for a code list.	
AgencyCode	Applicable Codes 9 EAN (International Article Numbering association) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent	
Name	Occurrence 0 .. 4 Length .. 40	
Address	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
Street	Occurrence 0 .. 3 Length .. 40	
City	Occurrence 0 .. 1 Length .. 40	
District	Occurrence 0 .. 1 Length .. 40	
PostCode	Occurrence 0 .. 1 Length .. 10	
SubCountry	Occurrence 0 .. 1 Length .. 70	
CountryCode	Occurrence 1 .. 1 Length .. 3 Remark Use ISO 2 Alpha country code list	
AddressLineText	Occurrence 0 .. 5 Length .. 35	
InformationContact	Occurrence 0 .. 1 Remark One of the attributes of the contact has to be present. Name Information contact	
xsd:sequence	Occurrence 1 .. 1	
ContactID	Occurrence 0 .. 1 Length .. 17	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
Name	Occurrence 0 .. 2 Length .. 40	
TelephoneNumber	Occurrence 0 .. 1 Length .. 100	
TelephoneExtension	Occurrence 0 .. 1 Length .. 100	
FaxNumber	Occurrence 0 .. 1 Length .. 100	
EmailAddress	Occurrence 0 .. 1 Length .. 256	
OrderedArticle	Occurrence 1 .. 1 Remark Article information	
xsd:sequence	Occurrence 1 .. 1	
ArticleIdentification	Occurrence 1 .. 1 Remark Article identification information Remark The use of the manufacturer assigned ERP article number and of the buyer assigned article number requires bilateral agreements.	
xsd:sequence	Occurrence 1 .. 1	
BuyersArticleID	Occurrence 0 .. 1 Length .. 17 Name Buyer article number Descr. Identification of the article, assigned by the buyer	
ManufacturersArticleID	Occurrence 0 .. 1 Length .. 35 Name Manufacturer's article number Descr. Identification of the article, assigned by the manufacturer.	A sent EAN number has priority compared with a manufacturer assigned article number. If there is no EAN number, then a manufacturer assigned article number is mandatory.
EANUCCArticleID	Occurrence 0 .. 1 Length .. 14 Name EANUCC Article number Remark The 13 digit GTIN (Global Trade Item Number, known as EAN Number) is used.	The use of any other number than the 13 digit GTIN (Global Trade Item Number, known as EAN Number) has to be agreed bilaterally.
ArticleDescription	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
ArticleDescriptionText	Occurrence 1 .. 1 Length .. 60	This is the product description provided by the supplier. It can be useful for the customer especially in the case he is

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
	Name Article description Occurrence 0 .. 1 Length .. 10 Pattern \d{4}-\d{2}-\d{2} Example 2008-31-01 Name Requested delivery date Descr. The meaning of the requested delivery date can vary from supplier to supplier and from customer to customer. Sometimes the customer has a contractual agreement with the supplier to have planned delivery dates so the meaning of the requested delivery date can change. In any case, before implementing this message, contact your supplier to agree on the exact meaning of this field.	asking for substitution products. It could be as well interesting for the customer to cross check with his own description.
RequestedDeliveryDate		
	Occurrence 0 .. 1 Name Delivery Time Descr. Hour of delivery at the place of deliver, Including time zone. Pattern \d{2}:\d{2}:\d{2}/(?:Z [-+](?:2[0-3] [01][0-9]):[0-5][0-9])\$/ Example : 18:00:00-06:30 or 18:00:00Z	
RequestedDeliveryTime		
	Occurrence 0 .. 1 Length .. 60 Name Article comment Descr. The supplier can inform the customer about some specificities of this product or can send back useful information for the customer in this field. As it is an optional field, some suppliers might never send such information or only sometimes. Nevertheless the customers IT system should enable the display of this field.	
ArticleComment		
	Occurrence 0 .. unbounded Remark If both Delivery Date and Delivery Period are allowed then they shall be used mutually exclusive.	
ScheduleDetails		
xsd:sequence	Occurrence 1 .. 1	
DeliveryDate	Occurrence 0 .. 1 Length .. 10 Pattern \d{4}-\d{2}-\d{2}	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
	Example 2008-31-01 Name Date of delivery Descr. Forecasted date of delivery at the place of deliver. Remark If no date can be reflected by the ERP system, then the field will be set to 9999-12-31.	
DeliveryTime	Occurrence 0 .. 1 Name Delivery Time Descr. Hour of delivery at the place of deliver, Including time zone. Pattern \d{2}:\d{2}:\d{2}/(?:Z [-+](?:2[0-3] 01[0-9]):[0-5][0-9])\$/	
	Example : 18:00:00-06:30 or 18:00:00Z	
BackorderedQuantity	Occurrence 0 .. 1 Remark Part of the OrderLine which is executable but not planned yet (no delivery date or issue on execution). If this data is sent then no other information of the Scheduled details is allowed to be sent.	
xsd:sequence	Occurrence 1 .. 1	
QuantityValue	Occurrence 1 .. 1 TotalDigits 15 Name Backordered quantity Remark Part of the OrderLine which is executable with or without commitment (delivery date). If this data is sent then neither Cancelled nor Open quantity is allowed to be sent. If this data is sent then Delivery date within Schedule details must be sent and Scheduled Article Despatch Details may be sent. The full quantity of the schedule line is confirmed for a give date. Partial deliveries could have been occurred already.	
ConfirmedQuantity	Occurrence 0 .. 1 Remark If this data is sent then neither Cancelled nor Open quantity is allowed to be sent. If this data is sent then Delivery date within Schedule details must be sent and Scheduled Article Despatch Details may be sent. The full quantity of the schedule line is confirmed for a give date. Partial deliveries could have been occurred already.	
xsd:sequence	Occurrence 1 .. 1	
QuantityValue	Occurrence 1 .. 1	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
	TotalDigits 15	
	Name Confirmed quantity	
CancelledQuantity	Occurrence 0 .. 1	
	Remark If this data is sent then no other information of the Scheduled details is allowed to be sent. The indicated quantity will never be delivered.	
xsd:sequence	Occurrence 1 .. 1	
QuantityValue	Occurrence 1 .. 1	
	TotalDigits 15	
	Name Cancelled quantity	
OpenQuantity	Occurrence 0 .. 1	
	Remark If this data is sent then no other information of the Scheduled details is allowed to be sent. The quantity is not confirmed but it is not cancelled neither meaning the supplier does not know yet when will be delivered but the request is taken into account for the next replenishment process.	
xsd:sequence	Occurrence 1 .. 1	
QuantityValue	Occurrence 1 .. 1	
	TotalDigits 15	
	Name Open quantity	
ScheduledQuantity	Occurrence 0 .. 1	
	Remark Part of the OrderLine which has already been sent to logistic execution (including third party). No possible to cancelled.	
xsd:sequence	Occurrence 1 .. 1	
QuantityValue	Occurrence 1 .. 1	
	TotalDigits 9	
ShippedDetails	Occurrence 0 .. 1	
xsd:choice	Occurrence 1 .. 1	
ShippedQuantity	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
QuantityValue	Occurrence 1 .. 1	
	TotalDigits 15	
DespatchedDetails	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
ScheduledArticleDespatchDetails	Occurrence 1 .. unbounded	
xsd:sequence	Occurrence 1 .. 1	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
DespatchDate	Occurrence 1 .. 1 Length .. 10 Pattern \d{4}-\d{2}-\d{2} Example 2008-31-01	
DespatchAdviceReference	Occurrence 1 .. 1	
xsd:sequence	Occurrence 1 .. 1	
DocumentID	Occurrence 1 .. 1 Length .. 35 Name Document ID Descr. Identification of the document.	
LineID	Occurrence 0 .. 1 Length .. 6 Name Line item number Descr. Identification number of a line item of a document.	
DespatchedQuantity	Occurrence 1 .. 1	
xsd:sequence	Occurrence 1 .. 1	
QuantityValue	Occurrence 1 .. 1 TotalDigits 15	
SellerParty	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
PartyID	Occurrence 1 .. 1 Length .. 17	
AgencyCode	Occurrence 1 .. 1 Descr. Code identifying the agency responsible for a code list. Length .. 3 Name Code list responsible agency, coded Remark Code identifying the agency responsible for a code list.	
Applicable Codes		
9 EAN (International Article Numbering association)		
91 Assigned by seller or seller's agent		
92 Assigned by buyer or buyer's agent		
Name	Occurrence 0 .. 4 Length .. 40	
Address	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
Street	Occurrence 0 .. 3	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
City	Length .. 40 Occurrence 0 .. 1	
District	Length .. 40 Occurrence 0 .. 1	
PostCode	Length .. 40 Occurrence 0 .. 1	
SubCountry	Length .. 10 Occurrence 0 .. 1	
CountryCode	Length .. 70 Occurrence 1 .. 1 Length .. 3 Remark Use ISO 2 Alpha country code list	
InformationContact	Occurrence 0 .. 1 Remark One of the attributes of the contact has to be present. Name Information contact	
xsd:sequence	Occurrence 1 .. 1	
ContactID	Occurrence 0 .. 1 Length .. 17	
Name	Occurrence 0 .. 2 Length .. 40	
TelephoneNumber	Occurrence 0 .. 1 Length .. 100	
TelephoneExtension	Occurrence 0 .. 1 Length .. 100	
FaxNumber	Occurrence 0 .. 1 Length .. 100	
EmailAddress	Occurrence 0 .. 1 Length .. 256	
SupplierParty	Occurrence 0 .. 1 Name Supplier identification Descr. Identification of a supplier	In North America supplier is preferred to identify the selling and supplying party. Seller is only included when the party actually differs from the supplier.
xsd:sequence	Occurrence 1 .. 1	
PartyID	Occurrence 1 .. 1 Length .. 17 Name Identification number supplier Descr. Identification number supplier	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
AgencyCode	Occurrence 0 .. 1 Descr. Code identifying the agency responsible for a code list. Length .. 3 Name Code list responsible agency, coded Remark Code identifying the agency responsible for a code list. Applicable Codes 9 EAN (International Article Numbering association) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent	
Name	Occurrence 0 .. 4 Length .. 40	
Address	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
Street	Occurrence 0 .. 3 Length .. 40	
City	Occurrence 0 .. 1 Length .. 40	
District	Occurrence 0 .. 1 Length .. 40	
PostCode	Occurrence 0 .. 1 Length .. 10	
SubCountry	Occurrence 0 .. 1 Length .. 70	
CountryCode	Occurrence 1 .. 1 Length .. 3 Remark Use ISO 2 Alpha country code list	
InformationContact	Occurrence 0 .. 1 Remark One of the attributes of the contact has to be present. Name Information contact	
xsd:sequence	Occurrence 1 .. 1	
ContactID	Occurrence 0 .. 1 Length .. 17	
Name	Occurrence 0 .. 2 Length .. 40	
TelephoneNumber	Occurrence 0 .. 1 Length .. 100	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
TelephoneExtension Occurrence Length	0 .. 1 .. 100	
FaxNumber Occurrence Length	0 .. 1 .. 100	
EmailAddress Occurrence Length	0 .. 1 .. 256	
TransportPriority Occurrence Length Remark Name	0 .. 1 .. 4 In order to express that the order is a normal order the element must not be used. Transport priority	Rush: If the customer wants to receive delivery faster than the agreed regular terms, then he can use this element to inform the supplier that the order must be treated differently from the usual case. As mentioned before, the delivery terms are agreed as a default at the supplier/ customer level so they can be specified differently on a case by case basis. The rush order simply means that the goods ordered in this order should be delivered faster as usual. Replenishment: It means that the customer either sends an order for which he does not expect an exact timing or sends an order for which the supplier will compute the contractual RequestedDeliveryDate. It should be used only on bilateral agreement between the customer and the supplier. Note some suppliers in some countries will confirm the dates for such kind of order so the rule should be if date is confirmed, than it means the supplier will deliver on those dates, if the date is 99991231, than no exact date is confirmed in the order confirmation message and it means as well that the suppliers customer service will contact the customer to agree on delivery dates and quantities. There are no general rules about the volume or about the way the supplier is processing this replenishment orders. Seasonal orders: This transport priority means that the customer is purchasing goods for a whole season (winter or summer). Knowing that these orders are containing big quantity of tyres and that the delivery of these goods has to be spread over the whole period, the exact delivery dates will not be confirmed in the order confirmation

Bold = Element, *Italic* = Attribute, **Grey** = Group

Element/Attribute	Annotation	User Comments
		message. The actual procedures will remain meaning the customer service will contact regularly the customer to agree on which quantity should be delivered by when.
		DRSP - Drop shipment VMOI - Consignment MLOS - Manufacturer logistics service
	Applicable Codes	
	DRSP Drop shipment	
	MLOS Manufacturer logistics service	
	REPL Replenishment	
	The order has to be processed following the supplier's replenishment delivery scheme. Depending on the supplier it can mean that in the order response, - the delivery dates and quantities are not calculated at request time but later. In this case the order response returns 99991231, meaning the delivery dates cannot be committed.- the delivery dates and quantities are calculated based on the replenishment scheme of the supplier and provided requested dates.	
	RUSH Rush Order	
	SEAS Seasonal order	
	Seasonal order means that there will never be a confirmed delivery date in the order confirmation message. The requested delivery date will be considered as a starting date by when the first shipments should take place. Nevertheless, the suppliers customer service will always contact the dealer to agree exactly what and when will be delivered.	
	VMOI Consignment	
PickUp	Occurrence 0 .. 1	
	Length .. 1	
	Name Pickup	
	Descr. Flag to specify if the Customer in the Inquiry or Order requires to pick-up the goods at supplier's location.	
	Applicable Codes	
	Y Yes	
DeliveryOption	Occurrence 0 .. 1	
	Length .. 3	
	Name Delivery option	
		DeliveryOption can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation	User Comments
	Descr. Examples: IA = Package, display, wooden IB = Package, display, cardboard IC = Package, display, plastic ID = Package, display, metal OA = Pallet, CHEP 40 cm x 60 cm OB = Pallet, CHEP 80 cm x 120 cm OC = Pallet, CHEP 100 cm x 120 cm OD = Pallet, AS 4068-1993 OE = Pallet, ISO T11 Link UN/EDIFACT Data Element 7065, and more precisely UN/ ECE Recommendation 21, Annex V, alphabetic codes https://www.unece.org/fileadmin/DAM/cefact/recommendations/rec21/rec21_Rev9e_2012.xls	
OrderedQuantity	Occurrence 0 .. 1	
xsd:sequence	Occurrence 1 .. 1	
QuantityValue	Occurrence 1 .. 1 TotalDigits 15 Name Ordered quantity	

Bold = Element, Italic = Attribute, Grey = Group

Changes	Message Item	Path
2021-06-16	Added RootTag note	order_status
2023-03-10	Deleted DRAFT from DRAFT-Indicator note definition Changed Document issue date: 2023-03-10 EDICeti Committee meeting on 7th March 2023	order_status
2023-08-08	Added codes: DRSP - Drop shipment VMOI - Consignment MLOS - Manufacturer logistics service	order_status/TransportPriority
2023-02-14	Enabled TransportPriority Email from Vincent Mazuel on 2023-01-25	order_status/TransportPriority
15/02/2023	Added below user comment (email from Vincent Mazuel on 25/01/2023: Transport priority can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	order_status/TransportPriority
2021-10-29	Deleted ErrorCode - 1 Added ErrorCode: 2 - Partial cancellation. At least one Order Line is not cancellable. 3 - Cancellation not allowed. All Order Lines are not cancellable. Email from Clément Beaudonnat on 2021-06-23	order_status/ErrorHead/ErrorCode
2023-08-08	Changed code name for code 956: Attachment file(s) missing -> Invalid DocumentTypeCode Deleted code 964 - SellerParty address is invalid Changed code name: No connection to ERP system (order) -> No authority Added codes: 1, 4, 900, 923, 410, 411, 412, 413, 960, 963, 965, 967, 968, 977, 978, 979, 989, 990, 991, 992, 993, 994, 996 301 - updated code name with 980 code name (No authority to use pickup option) 961 - removed code name 962 - updated code name code 980 replaced by code 301	order_status/ErrorHead/ErrorCode

Changes	Message Item	Path
deleted code 986 (duplicate with code 901) deleted code 913 (duplicate with code 907)		
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	SellerParty	order_status/SellerParty
2021-06-10 Deleted next element InternalMailAddress Email from Alice Aguemon on 2021-06-10	EmailAddress	order_status/Consignee/InformationContact/EmailAddress
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	SupplierParty	order_status/SupplierParty
2021-10-29 Deleted ErrorCode - 1 Added ErrorCode: 2 - Partial cancellation. At least one Order Line is not cancellable. 3 - Cancellation not allowed. All Order Lines are not cancellable. Email from Clément Beaudonnat on 2021-06-23	ErrorCode	order_status/ReferencedOrder/Error/ErrorCode
2023-08-08 Changed code name for code 956: Attachment file(s) missing -> Invalid DocumentTypeCode Deleted code 964 - SellerParty address is invalid Changed code name: No connection to ERP system (order) -> No authority Added codes: 1, 4, 900, 923, 410, 411, 412, 413, 960, 963, 965, 967, 968, 977, 978, 979, 989, 990, 991, 992, 993, 994, 996 301 - updated code name with 980 code name (No authority to use pickup option) 961 - removed code name 962 - updated code name code 980 replaced by code 301 deleted code 986 (duplicate with code 901) deleted code 913 (duplicate with code 907)	ErrorCode	order_status/ReferencedOrder/Error/ErrorCode
2015-05-13 Codes deleted:		

Changes	Message Item	Path
A - Ad hoc orders C - Conventional orders (fax, letter, phone, e.g. by call center). E - EDI orders. I - All electronic orders except conventional orders. W - Web portal orders. Codes added: EI, EM, FX, HO, MA, MO, OT, TE, VM, WP 2015-05 Mail from Alice	OrderingMethod	order_status/ReferencedOrder/OrderingMethod
2015-06-09 Type changed from string..1 to string..2 2015-06-08 Mail from Alice	OrderingMethod	order_status/ReferencedOrder/OrderingMethod
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: PickUp can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	PickUp	order_status/ReferencedOrder/PickUp
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: DeliveryOption can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	DeliveryOption	order_status/ReferencedOrder/DeliveryOption
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	SellerParty	order_status/ReferencedOrder/SellerParty
2021-06-10 Deleted next element InternalMailAddress Email from Alice Aguemon on 2021-06-10	EmailAddress	order_status/ReferencedOrder/SellerParty/InformationContact/EmailAddress
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	SupplierParty	order_status/ReferencedOrder/SupplierParty
2021-06-10 Deleted next element InternalMailAddress Email from Alice Aguemon on 2021-06-10	EmailAddress	order_status/ReferencedOrder/SupplierParty/InformationContact/EmailAddress

Changes	Message Item	Path
2023-08-08 Added codes: DRSP - Drop shipment VMOI - Consignment MLOS - Manufacturer logistics service	TransportPriority	order_status/ReferencedOrder/OrderLine/TransportPriority
2021-06-16 Added TransportPriority Email from Clément Beaudonnat 2021-06-10	TransportPriority	order_status/ReferencedOrder/OrderLine/TransportPriority
14/02/2023 Enabled TransportPriority Email from Vincent Mazuel on 2023-01-25	TransportPriority	order_status/ReferencedOrder/OrderLine/TransportPriority
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: Transport priority can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	TransportPriority	order_status/ReferencedOrder/OrderLine/TransportPriority
2021-06-16 Added Pickup Email from Clément Beaudonnat 2021-06-10	PickUp	order_status/ReferencedOrder/OrderLine/PickUp
14/02/2023 Enabled Pickup Email from Vincent Mazuel on 2023-01-25	PickUp	order_status/ReferencedOrder/OrderLine/PickUp
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: PickUp can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	PickUp	order_status/ReferencedOrder/OrderLine/PickUp
14/02/2023 New: DeliveryOption Email from Vincent Mazuel on 2023-01-25	DeliveryOption	order_status/ReferencedOrder/OrderLine/DeliveryOption
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: DeliveryOption can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	DeliveryOption	order_status/ReferencedOrder/OrderLine/DeliveryOption
2021-06-16 Added SellerParty Email from Clément Beaudonnat 2021-06-10	SellerParty	order_status/ReferencedOrder/OrderLine/SellerParty
2023-02-14 Enabled SellerParty at line level Email from Vincent Mazuel on 2023-01-25	SellerParty	order_status/ReferencedOrder/OrderLine/SellerParty
15/02/2023 Added below user comment (email from Vincent Mazuel on	SellerParty	order_status/ReferencedOrder/OrderLine/SellerParty

Changes	Message Item	Path
25/01/2023: Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.		
2021-06-10 Deleted next element InternalMailAddress Email from Alice Aguemon on 2021-06-10	EmailAddress	order_status/ReferencedOrder/OrderLine/SellerParty/InformationContact/ EmailAddress
2021-11-22 Added SupplierParty Email from Vincent Mazuel on 2021-11-03	SupplierParty	order_status/ReferencedOrder/OrderLine/SupplierParty
2023-02-14 Enabled SupplierParty at line level Email from Vincent Mazuel on 2023-01-25	SupplierParty	order_status/ReferencedOrder/OrderLine/SupplierParty
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: Seller / Supplier can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	SupplierParty	order_status/ReferencedOrder/OrderLine/SupplierParty
2021-06-10 Deleted next element InternalMailAddress Email from Alice Aguemon on 2021-06-10	EmailAddress	order_status/ReferencedOrder/OrderLine/SupplierParty/InformationContact/ EmailAddress
15/02/2023 Removed Remark in ModelSemantik note: "Quantity must be larger than 0. No decimals are allowed." on comparison with C1.0	QuantityValue	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/ BackorderedQuantity/QuantityValue
15/02/2023 Removed Remark in ModelSemantik note: "Quantity must be larger than 0. No decimals are allowed." on comparison with C1.0	QuantityValue	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/ ConfirmedQuantity/QuantityValue
15/02/2023 Removed Remark in ModelSemantik note: "Quantity must be larger than 0. No decimals are allowed." on comparison with C1.0	QuantityValue	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/ CancelledQuantity/QuantityValue
15/02/2023 Removed Remark in ModelSemantik note: "Quantity must be larger than 0. No decimals are allowed." on comparison with C1.0	QuantityValue	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/ OpenQuantity/QuantityValue
2020-03-18 Aktiviert für OrderStatus	ScheduledQuantity	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/ ScheduledQuantity
15/02/2023 Removed Remark in ModelSemantik note: "Quantity must be larger than 0. No decimals are allowed." on comparison	QuantityValue	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/ ScheduledQuantity/QuantityValue

Changes	Message Item	Path
with C1.0		
15/02/2023 Removed Remark in ModelSemantik note: "Quantity must be larger than 0. No decimals are allowed." on comparison with C1.0	QuantityValue	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/ShippedDetails/ShippedQuantity/QuantityValue
15/02/2023 Removed Remark in ModelSemantik note: "Quantity must be larger than 0. No decimals are allowed." on comparison with C1.0	QuantityValue	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/ShippedDetails/DespatchedDetails/ScheduledArticleDespatchDetails/DespatchedQuantity/QuantityValue
2021-06-10 Deleted next element InternalMailAddress Email from Alice Agumon on 2021-06-10	EmailAddress	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/SellerParty/InformationContact/EmailAddress
2021-06-10 Deleted next element InternalMailAddress Email from Alice Agumon on 2021-06-10	EmailAddress	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/SupplierParty/InformationContact/EmailAddress
2023-08-08 Added codes: DRSP - Drop shipment VMOI - Consignment MLOS - Manufacturer logistics service	TransportPriority	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/TransportPriority
14/02/2023 New: DeliveryOption Email from Vincent Mazuel on 2023-01-25	DeliveryOption	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/DeliveryOption
15/02/2023 Added below user comment (email from Vincent Mazuel on 25/01/2023: DeliveryOption can only be used at OrderLine level OR LineLevel OR ScheduleLine Level but not at multiple levels.	DeliveryOption	order_status/ReferencedOrder/OrderLine/OrderedArticle/ScheduleDetails/DeliveryOption
15/02/2023 Removed Remark in ModelSemantik note: "Quantity must be larger than 0. No decimals are allowed." on comparison with C1.0	QuantityValue	order_status/ReferencedOrder/OrderLine/OrderedArticle/OrderedQuantity/QuantityValue