

**TP NOTÉ**

# OBJECTIF


**Analyser un code source à l'aide de SonarCloud et corriger les bugs et code semelles**

# ETAPES DE CONFIGURATION DU TP


- Configuration de SonarCloud
- Ajout d'un projet SonarCloud
- Récupération du code source
- Lancement du script



# CONFIGURATION DE SONARCLOUD



# CONFIGURATION DE SONARCLOUD



## Analyze projects

Select repositories from one of your GitHub organization.



You will be asked to grant access to the SonarCloud application on your organization or user account, which will allow you to choose which repositories you want to analyze.



Import an organization from GitHub [↗](#)

Just testing? You can [create a project manually](#).

Setup a [monorepo](#).

# CONFIGURATION DE SONARCLOUD

## Create an organization

An organization is a space where a team or a whole company can collaborate across many projects.

Manual setup is not recommended, and leads to missing features like appropriate setup of your project or analysis feedback in the Pull Request. We recommend to [import your organization](#).

### 1 Enter your organization details

Name

Up to 255 characters

Key \* ?

Organization key must start with a lowercase letter or number, followed by lowercase letters, numbers or hyphens, and must end with a letter or number. Maximum length: 255 characters.

> Add additional info

### 2 Choose a plan



Free plan 0 €

- ✓ Branch and pull request analysis, with PR decoration
- ✓ Go/no-go quality gates in CI/CD pipelines
- ✓ Support for 26 languages (including IaC)
- ✓ Automatic zero-configuration analysis for most languages
- ✓ Unlimited public projects



# AJOUT D'UN PROJET SONARCLOUD

## Analyze projects

Manual setup is not recommended, and leads to missing features like appropriate setup of your project or analysis feedback in the Pull Request. We recommend to [import your projects](#)

### Organization

Choose an organization...



MyFitSolutions

TestEPSI

TestEPSI - testepsi

# AJOUT D'UN PROJET SONARCLOUD

## Analyze projects

Manual setup is not recommended, and leads to missing features like appropriate setup of your project or analysis feedback in the Pull Request. We recommend to [import your projects](#)

### Organization

TestEPSI



[Create another organization](#)

### Display Name \* ?

analyseEPSI



Up to 255 characters

### Project Key \* ?

testepsi\_analyseepsi



Up to 400 characters. All letters, digits, dash, underscore, period or colon.

### Project visibility

☒ Public



# AJOUT D'UN PROJET SONARCLOUD

The new code for this project will be based on:



## Previous version

Any code that has changed since the previous version is considered new code.

Recommended for projects following regular versions or releases.



## Number of days

Any code that has changed in the last x days is considered new code. If no action is taken on a new issue after x days, this issue will become part of the overall code.

Recommended for projects following continuous delivery.



You can change this at any time in the project administration

Back

Create project

# AJOUT D'UN PROJET SONARCLOUD

## Choose your Analysis Method

 With GitHub Actions

 With Travis CI

 With Amazon CodeCatalyst

With other CI tools

SonarCloud integrates with your workflow no matter which CI tool you're using.

Manually

Use this for testing. Other modes are recommended to help you set up your CI environment.

# AJOUT D'UN PROJET SONARCLOUD

## Analyze from your local sources

### 1 Run analysis on your project

What option best describes your build?

Maven

Gradle

.NET

C, C++ or ObjC

Other (for JS, TS, Go, Python, PHP, ...)

Which OS do you run your build on?

Linux

Windows

macOS

Download and unzip the SonarScanner for Linux

And add the `bin` directory to the `PATH` environment variable

Download



# AJOUT D'UN PROJET SONARCLOUD

Configure the `SONAR_TOKEN` environment variable

- 1 Name of the environment variable: `SONAR_TOKEN` 
- 2 Value of the environment variable: `2c3935befada31fb3bae8db3b4d0e479ecb35476`  

Execute the SonarScanner from your computer

Run the following command in your project's folder.

```
sonar-scanner \  
-Dsonar.organization=testepsi \  
-Dsonar.projectKey=testepsi_analyseepsi \  
-Dsonar.sources=. \  
-Dsonar.host.url=https://sonarcloud.io
```

 Copy

# RECUPERATION DU CODE SOURCE

■ <https://github.com/timusus/Shuttle>

timusus / Shuttle

Type to search

<> Code

Issues 192

Pull requests 4

Actions

Projects 1

Security

Insights

This repository has been archived by the owner on Dec 29, 2022. It is now read-only.

Shuttle

Public archive

Watch 79

Fork 481

Star 2.2k

dev

7 Branches

118 Tags

Go to file

Code

timusus

Update README.md

42c0d60 · 2 years ago

1,149 Commits

|                |                                                               |             |
|----------------|---------------------------------------------------------------|-------------|
| .github        | Update CONTRIBUTING.md                                        | 6 years ago |
| .idea          | Merge branch 'master' into dev                                | 5 years ago |
| .travis        | Travis - manually download & cache Android SDK                | 5 years ago |
| app            | Merge branch 'master' into dev                                | 5 years ago |
| buildSrc       | Fixed a bug where the application wouldn't build because...   | 4 years ago |
| gradle/wrapper | Updated dependencies                                          | 5 years ago |
| libraries      | Fixed a crash due to renamed TextInput hint color, access...  | 6 years ago |
| .gitignore     | Added code style config to project. Should help retain for... | 6 years ago |

About

Shuttle Music Player

android java music-player

android-app

Readme

View license

Activity

2.2k stars

79 watching


481 forks

Report repository

Releases 92

v2.0.17-release Latest

# LANCEMENT DU SCRIPT



```
sonar-scanner \  
-Dsonar.organization=VOTRE_ORGANISATION \  
-Dsonar.projectKey=VOTRE_CLEF_DE_PROJET \  
-Dsonar.sources=./projet/ \  
-Dsonar.host.url=https://sonarcloud.io \  
-Dsonar.login=VOTRE_TOKEN \  
-Dsonar.java.binaries=./projet/
```



# ANALYSE DU CODE

 TestEPSI / Test

NEW

PUBLIC

 Failed

Last analysis: 03/03/2024, 22:30 • 69k Lines of Code • Java, XML, ...

 30

Bugs

 7

Vulnerabilities

 0.0%

Hotspots Reviewed

 1.1k

Code Smells

 0.0%

Coverage

 6.3%

Duplications



# OBJECTIFS QUALITATIFS / CRITÈRES DE NOTATION

- Dans ce projet, il y a 5 langages utilisés
- (Java, XML, Kotlin, HMTL, CSS)
- 100 règles différentes sont à corriger

(Java) Nested code blocks sho... 1  
(Java) Null checks should not ... 1  
(Java) Only static class initializ... 1  
(Java) Parentheses should be ... 1  
(Java) Parsing should be used ... 1  
(Java) Redundant pairs of pare... 1  
(Java) Synchronized classes "... 1  
(Java) The value returned from... 1  
(Java) Track uses of "FIXME" t... 1  
(Java) Unused type parameter... 1  
(Kotlin) "return" statements sh... 1  
(Kotlin) Check for precondition... 1

100 of 100 shown Show Less

| Summary                                          | Issues | Security Hotspots | M |
|--------------------------------------------------|--------|-------------------|---|
| ▼ Rule                                           |        |                   |   |
| <input type="text" value="Search for rules..."/> |        |                   |   |
| (Java) Class variable fields ...                 | 165    |                   |   |
| (Java) Reflection should not ...                 | 66     |                   |   |
| (Java) "switch" statements s...                  | 51     |                   |   |
| (Java) Methods should not b...                   | 51     |                   |   |
| (Java) Nested blocks of cod...                   | 49     |                   |   |
| (Java) Cognitive Complexity ...                  | 46     |                   |   |
| (Java) Static non-final field n...               | 46     |                   |   |
| (Java) Unused "private" field...                 | 41     |                   |   |
| (Java) "switch" statements s...                  | 36     |                   |   |
| (Java) String literals should n...               | 34     |                   |   |
| (Java) Mergeable "if" statem...                  | 32     |                   |   |
| (Kotlin) Functions should not ...                | 28     |                   |   |
| (Java) "public static" fields s...               | 25     |                   |   |



# OBJECTIFS QUALITATIFS / CRITÈRES DE NOTATION

- Objectifs : Corriger au moins un « code smell » de chaque règle
  - <25 règles corrigés : 0-5 / 20
  - 25 à 50 règles corrigés : 5-10 / 20
  - 50 à 75 règles corrigés : 10-15 / 20
  - 75 à 100 règles corrigés : 15-20 / 20
- 
- Livrable : Le code corrigé devra être livré sur Github, lien à m'envoyer par email