AUCHAN ROMANIA · IT ASSET TRACKER

GLPI plugin · Phase 6 deliverables D-03 – D-13

TARGET GLPI

11.0.2

DOCUMENT DATE

2026-11-03

LANGUAGE

English

> Internal / client documentation for installation, operation, QA templates, and troubleshooting. Content mirrors the functional plugin behaviour — empty QA tables are templates to fill with real results.

Contents

1. D-03 — Technical / architecture
2. D-04 — Installation & deployment
3. D-05 — API / integration reference
4. User manuals (D-06 / D-07 / D-08)
5. Testing & QA (D-09 / D-10 / D-11 / D-12)
6. D-13 — Debug & troubleshooting


D-03 — Technical / architecture

Plugin name on disk: folder under `plugins/` (e.g. `AuchanAssetTracker`).
Min GLPI: `11.0.0` (target **11.0.2**, max `11.9.99`). PHP: **8.1+** (GD recommended for QR PNG).

Layout

Path	Role
`setup.php`	Version, init, hooks, public QR firewall
`hook.php`	Install / upgrade / uninstall, schema heal, menu
`install/install.sql`	Tables
`inc/*.class.php`	Business logic
`front/*.php`	Screens (controllers)
`ajax/`	Containers / users / models helpers
`public/qr.php`	Public container scan page (no login)
`locales/`	EN (`en_GB`) + RO (`ro_RO` / `ro`)
`css/` , `js/` , `public/css` , `public/js`	UI assets
`tools/build_package.sh`	Installable `.tar.gz` (D-02)

Status flow (equipment)



DB value	Label	Notes
`available`	Available	Stock — **physical container required**
`awaiting_validation`	Awaiting validation	After allocate; container cleared
`allocated`	Allocated	User confirmed
`in_transit`	In transit	Transfer not yet validated
`in_service`	In service	Open ticket on tracked gear

DB value	Label	Notes
`written_off` / `lost` / `stolen`	Final	Immutable until manager **reintroduce** → Available

Blocked ops: allocate / transfer not allowed while `in_transit`, `in_service`, or `awaiting_validation`. Final statuses cannot leave except via reintroduce (container mandatory).

Allocation statuses (`glpi_plugin_auchanassettracker_allocations`)

DB value	Meaning
`pending`	Waiting Confirm / Did not receive
`confirmed`	User confirmed
`rejected`	Did not receive (comment required)
`returned`	Returned to stock path

Transfer statuses (`glpi_plugin_auchanassettracker_transfers`)

DB value	Meaning
`in_transit`	Sent; destination must validate or reject/cancel
`completed`	Destination accepted items into containers
`cancelled`	Rejected/cancelled (comment when reject) → gear back Available at source

Data model

Container `glpi_plugin_auchanassettracker_containers`
→ `locations_id`, unique `code`, unique `qr_token`, `is_active`, soft-delete (`is_deleted`), entity.

Equipment `glpi_plugin_auchanassettracker_equipments`
→ optional GLPI asset (`itemtype` + `items_id`), type, manufacturer, `locations_id`, container (when Available), `users_id` (when allocated), `status`, final_* / service_* fields, unique `serial` when set.

Allocation history `glpi_plugin_auchanassettracker_allocations`
→ equipment, recipient, allocator, previous container, dates, `allocation_status`, `reject_comment`.

Audit log `glpi_plugin_auchanassettracker_auditlogs`
→ who / action / itemtype / items_id / details / date (append-only from UI).

Also

Table	Purpose
`…_transfers` + `…_transferitems`	Inter-location moves + line items (dest container on validate)
`…_notices`	In-app notices (allocate pending, reject, transfer reject)
`…_configs`	Threshold keys (see below)

Table	Purpose
`…_equipmenttypes` / `…_manufacturers`	Catalog
`…_stockbylocations`	Cached counts per location
`…_profiles`	GLPI profile → plugin role (`central_admin` , `location_manager` , `support_tech` , `user`)

```
Location 1──* Container 1──* Equipment (when Available)
User 1──* Allocation *──1 Equipment
Transfer 1──* TransferItem *──1 Equipment
Ticket (GLPI) ──service──► Equipment.status
Equipment / Container / … ──► Audit log
```

Config keys (defaults)

Key	Default	Used for
`allocation_confirm_days`	5	Late pending → Active alerts
`transfer_validate_days`	7	Overdue in-transit → Active alerts
`service_max_days`	30	Long service → Active alerts

Thresholds feed **Active alerts only** (no email from the day count alone).

Roles & rights (bundled profiles)

Profile	Role key	Scope	Main rights
Central admin	`central_admin`	All locations	Full equipment/container/bulk/allocation/transfer/confirm + **Configuration**
Location manager	`location_manager`	User's GLPI Location	Same ops except Configuration
Support technician	`support_tech`	User's Location	Allocation + limited equipment/container; **no** bulk / transfer / config
End user	`user`	Self	Confirm receipt only (Helpdesk interface)

Rights fields: `plugin_auchanassettracker_equipment|container|bulk|allocation|transfer|confirm|config` .
Editable matrix: **Administration** → **Profiles** → **Auchan Asset Tracker**.

Menu (top-level Auchan Asset Tracker)

Item	Who typically sees it
Dashboard	All plugin users
Equipment / Physical containers	Admin, manager, tech (by right)
Bulk accessories	Admin, manager
New allocation	Admin, manager, tech
Transfers	Admin, manager
Confirm receipt	All who have confirm (incl. End user)
Reports	Admin, manager, tech
Configuration	Central admin (+ Super-Admin)

GLPI integration

Area	How
Assets	Plugin stock can create/link Computer (etc.); container field on native asset forms via `post_item_form` + add/update hooks
Tickets	Ticket / Item_Ticket → **In service**; solved/closed → **Allocated**
Users	Allocation recipient, confirm, notices/emails
Entities / Locations	Equipment & containers scoped; managers/techs limited by user Location
Profiles	Four bundled profiles + rights matrix; config for Central admin
Documents	Allowed on plugin Equipment & Container
Menu	Top-level sector via `redefine_menus`

Hooks used

- `csrf_compliant`, `post_init`, `redefine_menus`, `add_css`, `add_javascript`
- `config_page` (thresholds)
- `post_item_form`, `item_add` / `pre_item_update` / `item_update` on asset types
- `item_add` / `item_update` on Ticket + Item_Ticket
- Firewall `STRATEGY_NO_CHECK` + stateless path for `/qr.php`

D-04 — Installation & deployment

Prerequisites

Check	Value
GLPI	**11.0.2** (min `11.0.0`, max `11.9.99`)
PHP	**8.1+**
PHP GD	Recommended (QR PNG on container form / labels)
MySQL / MariaDB	Same as your GLPI 11 install
Access	Super-Admin (or rights for Setup → Plugins)

Verify: **Setup** → **General** (GLPI version) and server PHP version (`php -v` or hosting panel).

D-02 — Build installable package

From the repo root:

```
./tools/build_package.sh /tmp/auchanassettracker.tar.gz
```

The archive contains one folder (`auchanassettracker/`) ready to extract under `glpi/plugins/`.
You may rename the folder on disk to `AuchanAssetTracker` — keep that name **stable** afterwards (Linux is case-sensitive; it must match `glpi_plugins.directory`).

Do **not** ship `.git`, `*.zip`, or `*.tar.gz` inside the package for production.

Fresh install

1. Extract / copy into `glpi/plugins/AuchanAssetTracker` (include `public/`).
2. **Setup** → **Plugins** → **Install** → **Enable**.
3. On enable, the plugin creates schema (`install/install.sql`) and seeds four profiles if missing.
4. Log out / log in (menu and rights refresh).
5. **Administration** → **Profiles** — assign users:
   - **Central admin** — all locations
   - **Location manager** / **Support technician** — set **Location** on the user form
   - **End user** — Helpdesk interface; Confirm + Dashboard only
6. Create **Locations** → **Physical containers** → then receive equipment.
7. Open a container: check public URL (left) + QR (right), print label, open the URL logged out to verify shelf view.
8. Optional: **Setup** → **General** → **URL of the application** (fallback host for QR links).

Upgrade (from a previous release)

1. Backup DB + the current plugin folder.
2. Replace plugin files (same folder name).
3. Reload GLPI, or click **Upgrade** on Setup → Plugins if shown.
   The plugin also **self-heals** on load: `upgrade` + `ensure_schema`, then updates `glpi_plugins.version`.
4. Log out / log in; clear browser / GLPI cache if CSS/menu look old.
5. Smoke-check: Dashboard, Reports, Configuration thresholds, one allocate + confirm, one QR scan (logged out).

Rollback

1. **Setup → Plugins → Disable** (uninstall is soft: **plugin tables stay**).
2. Restore previous plugin folder from backup (same directory name).
3. Re-enable / Upgrade as needed.
4. Do **not** drop core GLPI tables (Assets, Tickets, Users). Plugin uninstall does not wipe those.
5. Bad schema / data: restore a DB backup taken **before** the upgrade (plugin tables only if DBA can isolate them). Prefer a full GLPI backup before any upgrade.

After install checklist

- [ ] Plugin enabled
- [ ] Four profiles present; users assigned; Location set on managers/techs
- [ ] Menu **Auchan Asset Tracker** visible for each role (End user: Dashboard + Confirm)
- [ ] Container QR opens without login
- [ ] EN / RO: set user language and spot-check labels
- [ ] Central admin: Configuration shows three day thresholds (defaults 5 / 7 / 30)

D-05 — API / integration reference

No separate public REST API. Integration is GLPI hooks + a few internal AJAX endpoints + the public QR URL.

Public QR (container page)

Item	Detail
URL	`{GLPI_BASE}/plugins/{PluginDir}/qr.php?t={qr_token}&lang={en_GB|ro_RO}`
Auth	None — Firewall `STRATEGY_NO_CHECK` + stateless path in `setup.php`
File	`public/qr.php` (URL has **no** `/public/` segment)
Shows	Container name, code, location; equipment table (Name, Serial, Type, Added on)
Edit	View only — changes only in GLPI UI
Bad token / inactive / deleted	404 “Container not found”

Token: unique `qr_token` per container (`PluginAuchanassettrackerQrhelper::getScanUrl()`).
Host: current request (fallback: Setup → General → URL of the application).

Printable label: container form → print HTML/PDF shelf label (same URL + QR image). Requires PHP GD for PNG.

Internal AJAX (login required)

Base: `/plugins/{PluginDir}/ajax/…` — normal GLPI session + CSRF. Location-scoped profiles only see their location.

Endpoint	Purpose
`containers.php?locations_id=&display=dropdown|json`	Containers for a location
`users.php`	User picker helper
`models.php`	Model picker helper

Front controllers (UI entry points)

Path under `front/`	Purpose
`dashboard.php`	Role home
`equipment.php` / `equipment.form.php`	List / create-edit equipment

Path under `front/`	Purpose
`equipment.bulk.php`	Bulk accessories receipt
`container.php` / `container.form.php` / `container.qr.php`	Containers + QR/label
`allocation.form.php`	New allocation
`confirm.php`	Confirm / Did not receive
`transfer.php` / `transfer.form.php`	Transfers
`report.php`	Reports + CSV/Excel export
`config.form.php`	Alert thresholds
`auditlog.php`	Audit log UI
`stockbylocation.php`	Stock-by-location view
`equipmenttype*.php` / `manufacturer*.php`	Catalog
`profile.form.php`	Profile rights helper

GLPI events consumed

Event	Effect
Ticket / Item_Ticket add	Tracked gear → **In service** (`service_tickets_id` , `service_since`)
Ticket update (solved/closed)	**In service → Allocated**
Asset add / update	Sync container / stock link on native asset form
Plugin init / Profile	Seed rights + four roles; schema self-heal

Events produced (not native NotificationTemplate)

Plugin `Mailhelper` + in-app **notices** (`glpi_plugin_auchanassettracker_notices`) on:

- Allocate → pending confirmation (recipient)
- Did not receive (allocator)
- Transfer reject

Not registered under Setup → Notifications. HTML Auchan-style mail; RO-friendly.

Active alerts (dashboards) use config day thresholds only — they do **not** send email by themselves.

Audit

Important actions append to `glpi_plugin_auchanassettracker_auditlogs` (UI Audit log / recent moves on admin dashboard). Report CSV/Excel exports are also logged.

User manuals (D-06 / D-07 / D-08)

Menu: **Auchan Asset Tracker**. Language follows GLPI (EN / RO).

Menu item	Central admin	Location manager	Support tech	End user
Dashboard	✓	✓	✓	✓
Equipment / Containers	✓	✓	✓ (limited)	—
Bulk accessories	✓	✓	—	—
New allocation	✓	✓	✓	—
Transfers	✓	✓	—	—
Confirm receipt	✓	✓	✓	✓
Reports	✓	✓	✓	—
Configuration	✓	—	—	—

D-06 — Central admin / IT Manager

Profile: Central admin · all locations · Configuration allowed.

Configuration (thresholds)

1. **Auchan Asset Tracker** → **Configuration**.
2. Set days (min 1):
   - Allocation confirmation — default **5**
   - Transfer validation — default **7**
   - Service max period — default **30**
3. Save. Overdue items appear under **Active alerts** on the dashboard / allocation screens. Thresholds do **not** send email by themselves (see Alerts vs emails below).

Dashboard

Totals, active alerts (clickable), stock by location, last moves (clickable).

Reports

Reports → choose type + filters → run → optional **CSV / Excel**.

Report	Required filters
Current inventory by location	Location
Equipment per user	User

Report	Required filters
Movements over a period	Date from + date to
Stock by type	—
Equipment with issues	— (uses thresholds)
Inventory by container	Location + container

Scoped roles auto-limit location; they cannot report other locations' users.

Stock & containers

1. **Physical containers** → Add → Location + code/name → save.
2. Open container → URL left, QR right → print shelf label → stick on shelf.
3. **Equipment** → Add (container mandatory when Available) or **Bulk accessories**.
4. Soft-delete unused containers (QR becomes inactive).

Link / sync with GLPI assets when using native asset forms that show the container field.

Allocation & transfers

1. **New allocation**: pick Available equipment + user → status **Awaiting validation** (container cleared).
2. Recipient uses Confirm receipt (or Did not receive + comment).
3. **Transfers**: source → destination + Available items → **In transit**.
   Sender can edit destination/notes/items or delete while in transit.
   Destination validates each item into a container (→ Available there) or rejects with comment.

Final status (write-off / lost / stolen)

1. Open equipment → Write-off tab.
2. Choose Written off / Lost / Stolen + reason (+ document).
3. Status locks. Only manager/admin **Reintroduce** with a container → Available.

Profiles

Administration → **Profiles** → **Auchan Asset Tracker**: rights matrix.
Assign users under **Administration** → **Users**; set **Location** for managers/techs.

Alerts vs emails

- **Configuration** days → Active alerts lists only.
- **Emails + in-app notices** → allocate pending, Did not receive, transfer reject (`Mailhelper`).

D-07 — Location manager / Support technician

Location manager: same ops as admin but **only your Location** (no Configuration).
Support technician: New allocation + service on assigned location; no stock receipt / bulk / transfers by default.

Receive equipment (manager)

1. Create / pick a container at your location.
2. **Equipment** → Add (or Bulk) → serial/type → container → save → **Available**.

Containers & QR

1. Open container → URL + QR.
2. Print label; stick on shelf.
3. Phone scan = public contents page (no login, view only).

Allocate

1. **New allocation** (or from Available equipment).
2. Pick a user (same location scope) → send.
3. User must Confirm or Did not receive. Too late → Active alert.

Transfer (manager)

1. **Transfers** → new → destination + Available items.
2. Items → **In transit**.
3. Destination validates into containers, or rejects with comment.

Service

Open a GLPI **Ticket** on tracked gear → **In service**. Ticket solved/closed → **Allocated** again.

Write-off / lost / stolen

Same flow as admin on equipment you can access. Reintroduce if your rights allow (managers).

D-08 — End user

Profile: End user · Helpdesk interface · short paths only.

Dashboard

Auchan Asset Tracker → **Dashboard**: pending confirmations + **my gear**.

Confirm receipt

1. Open **Confirm receipt** (or a pending row on the dashboard).
2. **Confirm receipt** → equipment becomes **Allocated** to you.
   Did not receive → comment required → gear returns to Available; allocator gets notice + email.

History

From dashboard / my gear: what is allocated to you and confirmation state. No stock, transfer, or report screens.

Testing & QA (D-09 / D-10 / D-11 / D-12)

D-09 — Test plan / cases

Trace IDs to functional areas. Run as the role noted. Fill **Pass/Fail** in D-10 when executed — do not invent results here.

ID	Area	Steps (short)	Expected
FR-CONT-01	Container CRUD	Create container at location	Saved, listed
FR-CONT-02	Soft-delete	Delete container	Hidden from stock pickers; QR inactive
FR-QR-01	QR URL	Open `/plugins/ … /qr.php?t=…` logged out	Shelf view, no login
FR-QR-02	Bad token	Wrong `t=`	404
FR-EQ-01	Receipt	Add equipment + container	Status Available
FR-EQ-02	Mandatory container	Save Available without container	Blocked / error
FR-EQ-03	Bulk	Bulk accessories receipt	Multiple Available
FR-AL-01	Allocate	Allocate Available → user	Awaiting validation; container cleared
FR-AL-02	Confirm	End user Confirm	Allocated
FR-AL-03	Reject	Did not receive + comment	Back Available; notice/mail
FR-AL-04	No comment	Reject without comment	Blocked
FR-AL-05	Notice/mail	Allocate to user with email	Recipient gets notice + mail
FR-TR-01	Transfer send	Send Available to other location	In transit
FR-TR-02	Validate	Dest + containers	Available at dest
FR-TR-03	Reject transfer	Reject + comment	Back Available at source
FR-TR-04	Block ops	Allocate while In transit	Blocked
FR-TR-05	Edit in transit	Sender edits dest/notes/items	Saved while in transit
FR-SV-01	Service in	Ticket on tracked gear	In service
FR-SV-02	Service out	Solve/close ticket	Allocated
FR-FIN-01	Write-off	Write-off + reason	Final status

ID	Area	Steps (short)	Expected
FR-FIN-02	Immutable	Change status in form	Cannot leave final except reintroduce
FR-FIN-03	Reintroduce	Manager + container	Available
FR-CFG-01	Thresholds	Set days in Configuration	Alerts use new values
FR-DASH-01	Role dashboard	Login each role	Correct home widgets
FR-REP-01	Reports	Run + CSV/Excel	File downloads; export logged
FR-REP-02	Report filters	Inventory by location without location	Validation error
FR-RIGHT-01	Location scope	Manager other location	No access / empty
FR-RIGHT-02	End user menu	Login End user	Dashboard + Confirm only
FR-RIGHT-03	Support tech	Login Support tech	No Transfers / Bulk / Config
FR-AUD-01	Audit	Create/update/allocate	Row in audit log

Always include: mandatory container, final-status immutability, threshold alerts (no email from threshold alone), transfer while in transit, QR inactive container.

D-10 — Test execution report (template)

Fill with **real** QA runs only.

Sprint	Date	Env (GLPI/PHP)	Cases run	Pass	Fail	Notes
S1		11.0.2 / 8.x	Cont + receipt + roles			
S2			Allocation + confirm			
S3			Transfer + service + write-off			
S4			QR public page			
S5			Dashboard + reports + thresholds			

Attach screenshots / export files under your QA share if the contract requires. Defects → D-11.

D-11 — Bug-fix / defect log

Running log — add rows as found (do not invent defects).

ID	Found	Severity	Summary	Status	Resolution date
BUG-001	Dev/UAT			Open / Fixed / Won’t fix	

Severity: Blocker / Major / Minor / Trivial. Keep warranty-period items in the same table.

D-12 — Existing functionality / regression

After install/upgrade, confirm previous sprint features still work and core GLPI is untouched.

Check	Pass?
GLPI login / Users / Profiles	
Assets (Computer etc.) create/search	
Tickets create/update	
Locations	
Plugin S1: containers + Available stock	
Plugin S2: allocate + confirm	
Plugin S3: transfer + service + write-off	
Plugin S4: QR scan anonymous	
Plugin S5: dashboards + reports + config	

Uninstall/disable must **not** delete core Assets / Tickets / Users. Plugin uninstall is soft (tables kept).

D-13 — Debug & troubleshooting

Logging

What	Where
Plugin file log	`{GLPI_LOG_DIR}/plugin_auchanassettracker.log` (`PluginAuchanassettrackerPluginlog`)
Levels	INFO / WARNING / ERROR (+ exception helper)
GLPI core logs	Same `GLPI_LOG_DIR` (`php-errors.log`, etc.)
Audit (business)	Table `glpi_plugin_auchanassettracker_auditlogs` + UI Audit log

Increase verbosity: enable GLPI debug mode (**Setup** → **General** → **System** / debug bar) while reproducing; watch `plugin_auchanassettracker.log` and PHP error log. There is no separate “trace” switch — add temporary `PluginAuchanassettrackerPluginlog::info()` only on a non-prod copy if needed.

Diagnostic checklist

Equipment stuck: Awaiting validation

1. Open equipment → status should be `awaiting_validation`; find linked allocation with `allocation_status = pending`.
2. Ask recipient to Confirm / Did not receive (comment required on reject).
3. SQL: pending allocations for that equipment (queries below).
4. Prefer UI fix; do not invent status in DB without backup.

Stuck: In transit

1. **Transfers** → find row with `transfer_status = in_transit`.
2. Destination validates with containers, or sender/dest rejects (comment) / sender deletes while allowed.
3. Check `transferitems` still point at the equipment.

Stuck: In service

1. Read `service_tickets_id` / `service_since` on equipment.
2. Open ticket — solve/close to return to Allocated.
3. If ticket gone but status stuck: verify ticket state; use audit log for last service event.

Container association wrong

1. Available must have `plugin_auchanassettracker_containers_id` > 0 and same Location as the container.

2. Allocated / awaiting / transit usually have container `0`.
3. QR page lists only non-deleted gear currently in that container (`is_active`, not deleted).

QR page not accessible

1. URL must be `/plugins/{ExactFolder}/qr.php?t=…` — **no** `/public/` in path.
2. Folder name must match `glpi_plugins.directory` (case-sensitive on Linux).
3. Confirm `setup.php` registers Firewall `STRATEGY_NO_CHECK` for `qr.php`.
4. Container active, not deleted, token matches.
5. Test in private window (logged out).
6. If QR image missing on form: check PHP GD (`php -m | grep -i gd`).

No email on allocate / reject

1. Recipient / allocator must have a valid email on the GLPI user.
2. GLPI mail transport must work (Setup → Notifications / mailer).
3. Plugin uses `Mailhelper` (not Setup → Notification templates).
4. Threshold alerts alone never send mail.

Plugin enables then auto-disables / “version changed”

1. Prefer folder name `AuchanAssetTracker` or `auchanassettracker` under `plugins/`.
2. Mistyped folder spellings are supported via directory aliases — still rename when you can.
3. Open **Setup** → **Plugins** once after deploy (full scan). If **Upgrade** is shown, click it; self-heal also finishes NOTUPDATED → activated on load.
4. **AuchanEquipment** is a separate plugin — both can run together. This plugin must not declare `oldname: auchanequipment` (that would mark Equipment as Replaced).
5. Cron only re-checks **activated** plugins — after a version bump, visit Setup → Plugins if the plugin sits on Upgrade.

Read-only SQL (inspect only)

Replace IDs as needed. Do not UPDATE/DELETE in production without a backup and change ticket.

```
-- Equipment overview
SELECT id, name, serial, status, locations_id,
       plugin_auchanassettracker_containers_id AS container_id,
       users_id, service_tickets_id, date_mod
FROM glpi_plugin_auchanassettracker_equipments
WHERE is_deleted = 0
ORDER BY date_mod DESC
LIMIT 50;

-- One equipment
SELECT * FROM glpi_plugin_auchanassettracker_equipments WHERE id = ?;

-- Container + token
SELECT id, code, name, locations_id, qr_token, is_active, is_deleted
FROM glpi_plugin_auchanassettracker_containers
WHERE id = ? OR qr_token = ?;

-- Contents of a container
SELECT id, name, serial, status
FROM glpi_plugin_auchanassettracker_equipments
WHERE plugin_auchanassettracker_containers_id = ?
  AND is_deleted = 0;

-- Allocation history
SELECT * FROM glpi_plugin_auchanassettracker_allocations
WHERE plugin_auchanassettracker_equipments_id = ?
ORDER BY id DESC;

-- Open transfers
SELECT * FROM glpi_plugin_auchanassettracker_transfers
WHERE transfer_status = 'in_transit';

SELECT * FROM glpi_plugin_auchanassettracker_transferitems
WHERE plugin_auchanassettracker_transfers_id = ?;

-- Audit trail
SELECT id, users_id, action, itemtype, items_id, details, date_creation
FROM glpi_plugin_auchanassettracker_auditlogs
ORDER BY id DESC
LIMIT 100;

-- Thresholds
SELECT name, value FROM glpi_plugin_auchanassettracker_configs;

-- Profile → role mapping
SELECT * FROM glpi_plugin_auchanassettracker_profiles;
```

Rollback / recovery

1. **Before upgrade:** backup DB + `plugins/{dir}` folder.
2. Faulty new version: disable plugin → restore previous folder → enable/upgrade.
3. Uninstall = soft (tables kept). Dropping plugin tables is a last resort and loses plugin history only — still does not remove core Assets/Tickets/Users.
4. Bad migration: restore DB backup; prefer restoring only plugin tables if your DBA can isolate them.

5. Never “fix” final statuses or transit by raw SQL unless you understand allocations/transfers/tickets links.

Environment checklist

Item	How to verify
GLPI 11.0.2	Setup → General / about
Plugin enabled	Setup → Plugins
PHP ≥ 8.1	`php -v` or server info
GD (QR PNG)	`php -m | grep -i gd`
MySQL/MariaDB	Same as GLPI requirements
Plugin folder casing	Matches `glpi_plugins.directory`
`url_base` (optional)	Setup → General — used if request host missing